

UNCLASSIFIED

AD NUMBER
ADB116203
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution limited to U.S. Gov't. agencies only; Administrative/ Operational Use; 31 Jul 87. Other requests must be referred to U.S. Army Medical Research and Development Command, Attn: SGRD-RMI-S, Ft. Detrick, Frederick, MD 21701-5012.
AUTHORITY
USAMRMC ltr dtd 26 Jan 2000

THIS PAGE IS UNCLASSIFIED

DTIC FILE COPY

LC

AD _____

AD-B116 203

Colonization and Containment of Hyalomma Marginatum
Rufipes For Studies on the Transmission of
Crimean-Congo Hemorrhagic Fever

Final Report

Daniel E. Sonenshine, Ph.D.

July 31, 1987

Supported by

U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND
Fort Detrick, Frederick, Maryland 21701-5012

Contract No. DAMD17-86-C-6169

Old Dominion University Research Foundation
P.O. Box 6369
Norfolk, Virginia 23508

Distribution limited to U.S. Government Agencies
only; Administrative/Operational Use, July 31, 1987.
Other requests for this document must be referred to
Commander, U.S. Army Medical Research and Development
Command, ATTN: SGRD-RMI-S, Fort Detrick,
Frederick, Maryland 21701-5012

The findings in this report are not to be construed
as an official Department of the Army position unless
so designated by other authorized documents

DTIC
ELECTE
OCT 22 1987
S
H

07 10 2 000

Colonization and Containment of Hyalomma Marginatum
Rufipes For Studies on the Transmission of
Crimean-Congo Hemorrhagic Fever

Final Report

Daniel E. Sonenshine, Ph.D.

July 31, 1987

Supported by

U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND
Fort Detrick, Frederick, Maryland 21701-5012

Contract No. DAMD17-86-C-6169

Old Dominion University Research Foundation
P.O. Box 6369
Norfolk, Virginia 23508

Distribution limited to U.S. Government Agencies
only; Administrative/Operational Use, July 31, 1987.
Other requests for this document must be referred to
Commander, U.S. Army Medical Research and Development
Command, ATTN: SGRD-RMI-S, Fort Detrick,
Frederick, Maryland 21701-5012

! The findings in this report are not to be construed
as an official Department of the Army position unless
so designated by other authorized documents

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Distribution limited to U.S. Government Agencies only; Administrative/Operational Only July 31, 1987		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
4. PERFORMING ORGANIZATION REPORT NUMBER(S)			7a. NAME OF MONITORING ORGANIZATION		
6a. NAME OF PERFORMING ORGANIZATION Old Dominion University Research Foundation		6b. OFFICE SYMBOL (If applicable) [REDACTED]	7b. ADDRESS (City, State, and ZIP Code)		
6c. ADDRESS (City, State, and ZIP Code) P.O. Box 6369 Norfolk, Virginia 23508		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DAMD17-86-C-6169			
8a. NAME OF FUNDING / SPONSORING ORGANIZATION U.S. Army Medical Research & Development Command		8b. OFFICE SYMBOL (If applicable) SGRD-RMI-S	10. SOURCE OF FUNDING NUMBERS		
8c. ADDRESS (City, State, and ZIP Code) Fort Detrick Frederick, Maryland 21701-5012		PROGRAM ELEMENT NO. 62770A	PROJECT NO. 3M1- 62770A871	TASK NO. AB	WORK UNIT ACCESSION NO. 164
11. TITLE (Include Security Classification) Colonization and Containment of <u>Hyalomma Marginatum Rufipes</u> For Studies on the Transmission of Crimean-Congo Hemorrhagic Fever					
12. PERSONAL AUTHOR(S) Daniel E. Sonenshine, Ph.D.					
13a. TYPE OF REPORT Final Report		13b. TIME COVERED FROM 4/1/86 TO 9/15/87		14. DATE OF REPORT (Year, Month, Day) 1987 July 31	
15. PAGE COUNT					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Crimean-Congo hemorrhagic fever; Training;		
06	13		Colonization; Containment; Rearing;		
06	03		Exotic ticks; Hyalomma Marginatum Rufipes		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) This report describes services for safe handling, colonization and containment of exotic African ixodid ticks at the Disease Assessment Division, USAMRIID, Fort Detrick, Frederick, MD. Diagrams illustrate facilities to be designed, equipment to be fabricated and record keeping forms to be generated. Techniques for tick feeding, colonization of tick species and related matters are described. Training in tick-rearing procedures is also described. Finally, a literature library with over 700 pertinent references was provided with procedures for sorting by author, journal, subject or other desired need. Cont'd p. 1					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL Virginia M. Miller			22b. TELEPHONE (Include Area Code) 301/663-7325		22c. OFFICE SYMBOL SGRD-RMI-S

FOREWORD

In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources, National Research Council (NIH Publication No. 86-23, Revised 1985).



Accession For	
NTIS GRA&I	<input type="checkbox"/>
DTIC TAB	<input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
B-3	

TABLE OF CONTENTS

	<u>Page</u>
I. STATEMENT OF THE PROBLEM.....	1
II. BACKGROUND.....	2
III. RATIONALE.....	4
IV. METHODS.....	5
V. RESULTS.....	8
VI. DISCUSSION AND CONCLUSIONS.....	19
LITERATURE CITED.....	21
APPENDICES.....	22-89
DISTRIBUTION LIST.....	90

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
1 Diagrammatic sketch illustrating the design of the isolation room used for feeding exotic (African) ticks on laboratory animals.....	7
2 Diagram of a portable containment tray to hold exotic ticks during non-feeding stages. The tray can be locked. Numerous holes and perforations provide for air exchange. The interior of the tray is divided into rows for orderly arrangement of specimen vials.....	10
3 Transport cart, with locking cover, for safe transport of exotic ticks between rooms.....	11
4 Moat table with electric shock barrier, moat containing pesticide solution, and metal sides to repel ticks escaping from host animals during infestations with exotic ticks. Animals to be infected were placed in cages in the center of the table.....	12

1976
I. STATEMENT OF THE PROBLEM

The purpose of this contract was (1) to provide the assistance and scientific expertise needed to facilitate the colonization of exotic African tick species, especially Hyalomma marginatum rufipes and other Hyalomma marginatum subspecies; and (2) to insure the proper containment of these man-biting tick vectors so that they could be used safely to study the mechanisms of transmission of Crimean-Congo Hemorrhagic Fever (CCHF).

To meet these needs, protocols were planned and discussed with USAMRIID personnel. The protocols for colonizing exotic African ticks assumed the following:

(1) a colony of each species was to be created and maintained in such a manner as to provide all necessary specimens for transmission experiments without risk of escape. Containment was regarded as an absolute necessity;

(2) the colony was to be created and maintained at USAMRIID, Fort Detrick, MD. no other sites were to be used;

(3) ticks from the stock colony would be infected and housed in the P-3 infectious area ("hot" area) independent of the stock colony and destroyed when the experiments are completed;

(4) a trial program will be established with a native American species, e.g., Dermacentor variabilis (Say) to verify the reliability of the containment procedures. This trial program will be completed in 6 months;

(5) a special room would be designated for the feeding of exotic ticks on hosts, while special incubators, transport devices, and containment equipment would be fabricated as needed.

(6) log books and data forms would be used by the colony maintenance personnel to document the status of each species colonized and the fate of the specimens. When possible, this recordkeeping work would be computerized;

(7) to support the work on colonization of exotic African ticks, especially Hyalomma marginatum rufipes, and transmission of CCHF, a review of the literature and a computerized literature data base is needed.

II. BACKGROUND

The basic etiology, epizootiology and epidemiology of Crimean-Congo Hemorrhagic Fever (CCHF) has been the subject of intensive study in recent years. Undoubtedly, the most extensive and thorough review of this subject is that of Hoogstraal (1979). CCHF virus is widespread over vast regions of the Palearctic, Oriental and Ethiopian faunal region, predominantly in steppe, savannah, dry deciduous forest and other semi-arid biotypes favored by its ixodid tick vectors. In Africa, CCHF is enzootic from Senegal, Nigeria, The Central African Empire and Zaire in the western part of the continent eastward to Kenya. Tanzania and Ethiopia in east Africa (Hoogstraal, 1979). Among the various ixodid vectors in tropical Africa, 2 are especially important, Hyalomma marginatum marginatum Koch, 1844 and Hyalomma marginatum rufipes Koch, 1844 (= H. rufipes). The former is established in the Crimea, Astrakhan and other republics of the Soviet Union as well as in southern Europe. H. m. marginatum is transported to Africa with migratory birds, where it also survives in the Mediterranean climate zones of North Africa (Hoogstraal, 1979). H. m. rufipes is established predominantly in the Ethiopian faunal region, but its range extends to areas of Soviet Central Asia (Hoogstraal et al. 1961). In Africa, its range extends from the South African highlands northward to the Nile River Valley of Egypt and across the Red Sea to scattered localities in Yemen and southern Saudi Arabia. This subspecies, like its close relative, H. m. marginatum, is also transported across vast distances by the agency of migratory birds. In Ethiopia, where the tick is widespread, warm but moderately dry lowlands are considered optimum for H. m. rufipes (Pegram et al. 1981). Further south, in Kenya, Somalia, Tanzania and Zambia, it is distributed in regions where the annual rainfall ranges from 250-875 mm/year.

According to Hoogstraal (1956), its range in Africa is limited to regions with annual rainfall between "ten to thirty inches a year" or "where a long, severe dry season occurs between an annual rainy season of approximately forty inches."

Hosts for the Hyalomma marginatum complex include, predominantly, migratory birds, hares, and hedgehogs for the immatures, and various domestic herbivores for the adults. Adults may also feed on dogs, cats, and even humans (Hoogstraal, 1979). Hoogstraal et al. (1963) report that adults also feed on hares. According to Hoogstraal (1956) this tick assumes a 2-host feeding pattern when allowed to parasitize hares.

There is little evidence of H. marginatum seasonal activity in Ethiopia, at least not in the studies done in that country (Pegram et al. 1981). However, this is not the case elsewhere. In Bulgaria, larval and nymphal H. m. marginatum exhibit a well defined seasonal activity period, from July to October. The question of seasonal activity in this species, especially in the African subspecies, merits further investigation.

The biology of this tick in the laboratory is poorly known. Hoogstraal (1956) cites studies by Theiler, showing a life cycle of 4-5 months, but details of hosts, incubator temperatures, and relative humidities were not given. Optimum temperatures and relative humidities for melting, oviposition and hatching of H. m. rufipes are unknown.

This limited review provides the basis for the proposed work, and also reveals the difficulties that were expected in the colonization of H. marginatum subspecies and also other exotic African ticks. However, there was reason to anticipate success in feeding the ticks on laboratory hosts, e.g. rabbits and guinea pigs. Consequently, the limited data available offered optimism in attempting colonization of these species.

Containment procedures for housing tick vectors are generally not available in published documents. Consequently, these procedures had to be developed de novo. Therefore, this document can serve as a convenient model for future use by government agencies planning studies with exotic arthropod vectors.

III. RATIONALE

The rationale was to formulate procedures for (1) housing the ticks in various life stages under strict isolation, (2) transporting ticks for feeding in transport devices that would prevent inadvertent spread in the event of accidents, (3) feeding of ticks on laboratory animals on a specially designed table to minimize escape of ticks during feeding, (4) renovation or modification of the isolation room to exclude escape of any ticks that escaped from the feeding table, and (5) use of native American ticks (uninfected, from a laboratory colony) to test the containment procedures.

When the preliminary stages noted above had been achieved, travel was planned to various countries in Africa to acquire the exotic tick species needed for the research. Upon return, colonization was to be initiated.

Specific personnel were to be designated as responsible for the management of the tick colonies. To facilitate their supervision of this resource and further reduce the risk of accidental escape of exotic ticks, record-keeping forms and log books were planned. Eventually, these would be computerized to facilitate retrieval of information and generate status reports.

A literature data base was recommended in order to provide a knowledge base for questions concerning the biology of these exotic species and their role in the epidemiology of Crimean-Congo Hemorrhagic Fever.

IV. METHODS

The following is a synopsis of methods that were proposed for the performance of these studies. A more detailed description is contained in the original proposal.

The entire stock colonies of exotic tick species were to be maintained in the insectary at USAMRIID, Fort Detrick, MD.

1. Facilities

All specimens were housed in a special area of the insectary which consisted of two adjoining rooms. One room was to contain a specially-designed infestation table. The main room of the insectary contained the incubators where the ticks were housed during the non-feeding stages.

2. Personnel

Qualified laboratory personnel were indoctrinated into the hazards of uncontrolled tick infestations, safety, precautions, the importance of accurate recordkeeping (including accounting for all vials, hosts, treatments and even all adult ticks), log books for recording data, handling of vials, specimens and animals, and personal hygiene. The colony manager was asked to provide status reports on a regular basis. These were to detail the numbers and physiological stage of all life stages, numbers of vials, infestations in progress, and all other aspects regarding the state of the colony. The colony manager was expected to provide specimens for future experiments.

3. Procedures

Specimens were held in gauze covered vials in the incubator, in special cages (modified from mosquito breeding cages). Temperature, relative

humidity and light:dark cycles were controlled. These cages also served as transport devices.

Infestation was done on an infestation table. This special table was fabricated in accordance with the contractor's recommendations by the USAMRIID metal shop (Mr. Don Smith supervised this task). (Figure 1). Infestations were done under gauze cloth to contain the ticks. The isolation room was also cleared of other tables or furniture with drawers, and the floors, ceiling, drains, and door frames were treated with sticky oils or tape to prevent escape of loose ticks, if any. Animals were tranquilized to minimize violent thrashing or other behavior that might disperse the ticks. A large reflector, made of metal, was installed on the back of the table to reflect ticks thrown from the host that might fall unnoticed behind the table.

Recordkeeping was planned and discussed with the colony supervisor; initially, Mr. John Kondig, was designated for this task. A complex record form was designed that allowed the colony supervisor to record the status of all life stages, their use and ultimate fate, for each species. This form was later simplified. Computer hardware and appropriate software was acquired to support this mission.

Training in tick rearing procedures and recordkeeping methods was regarded as an essential element in the development of these tick colonies and their safe management. The contractor proposed his facilities at Old Dominion University for 3-4 days of training and instruction for designated USAMRIID personnel.

Literature needed to provide the data base for the research was acquired and a reference list constructed in DBASE. The necessary hardware and software noted above made it possible to generate a massive data base




Fig. 1. Diagrammatic sketch illustrating the design of the isolation room used for feeding exotic (African) ticks on laboratory animals.

and provide retrieval services on any of a wide variety of key fields (e.g. author, journal, etc.). Floppy disks containing this library were furnished to USARAMIID personnel periodically as the library was developed.

V. RESULTS

1. Facilities and Equipment

A plan for colonization and containment of the tick, Hyalomma marginatum rufipes, was prepared and presented to Dr. Charles Bailey, Lt. Colonel, U.S. Army, and other personnel of the Department of Arboviral Entomology, USAMRIID, on April 15, 1986. Included in the meeting were personnel from other departments concerned with fabrication of special equipment for the project. A room in the USAMRIID insectary area was designated for this research, and modifications designed to meet work specifications were designed. Mr. John Konig was assigned as manager of the tick colonization program and the contact for consultations with Dr. Sonenshine, project consultant, and Principal Investigator. The design of this room was the result of meetings and discussions between Dr. Sonenshine and USARIID personnel. The room is solid wall construction, pointed, and with a monolithic floor containing a floor drain (covered). The door frame, electrical outlets, and heating ducts were treated with a sticky oil barrier to trap any ticks that might escape during specimen handling or feeding on animals. A work bench, without drawers, but with knee holes, provided the working area where personnel could handle tick specimens. A wall mounted glass cabinet provided a place for storage of only the most essential supplies, well above the work area, and, therefore, unlikely to become contaminated in the event that ticks escaped. A small incubator, free standing, was provided to house tick specimens on a temporary basis (the main incubator was in the main

insectary, the adjoining laboratory). The free-standing cabinet was available to contain bulky supplies that could not readily fit into the wall mounted cabinets. A double sink with a small drain board provided for clean up of vials, other infestation materials and for the technicians to wash after their work. Waste baskets, trash barrels, or containers for dead animals were not housed in the infestation room but could be moved in and out as needed.

A portable containment tray, Figure 2, was also designed to provide a means for storing exotic ticks during their non-feeding stages. The tray was designed to fit in an incubator, and to be removed as a unit when needed for transport to another location. The subdivisions within the tray provided for an orderly arrangement of specimen vials, so that the vials could be entered by row number and this arrangement recorded in a log book. Subsequently, USAMRIID personnel decided to modify existing mosquito breeding cages for this purpose, and these "portable containment trays" were never fabricated.

A cart for safe transport of exotic tick specimens was also designed. (See Fig. 3). This was to be fabricated at USAMRIID, using a commercially available metal or fiberglass cart as a base. The top of the cart was to contain the sides and a locking cover so that the containment trays could be installed, or, if needed, loose specimen vials could be transported safely. This modification was constructed under the supervision of Mr. Don Smith.

An infestation table was also designed and fabricated in the USAMRIID shop facility under the supervision of Mr. Don Smith. Figure 4 illustrates this table. The purpose of this table was to allow for infestation of animals by ticks so that escape of loose specimens was minimized or impossible. To accomplish this goal, a reflecting wall was build around the sides and




Fig. 2. Diagram of a portable containment tray to hold exotic ticks during non-feeding stages. The tray can be locked. Numerous holes and perforations provide for air exchange. The interior of the tray is divided into rows for orderly arrangement of specimen vials.




Fig. 3. Transport cart, with locking cover, for safe transport of exotic ticks between rooms.




Fig. 4. Moat table with electric shock barrier, moat containing pesticide solution, and metal sides to repel ticks escaping from host animals during infestations with exotic ticks. Animals to be infected were placed in cages in the center of the table.

back of the table; the wall around the front was eliminated (shown in the figure, but eliminated in the design). A solid metal barrier was eventually substituted for the wire screen shown in the figure. Next, a double strip electric shock barrier was installed along the inner margins of the table, controlled by a control panel on the front of the table (to regulate the intensity of the current) and a liquid filled moat surrounded the entire table just inside the reflecting wall. Oil containing a non-toxic pesticide (e.g. Permethrin) could be used to kill any ticks that entered the moat. These barriers were expected to (1) deter ticks that escaped that host or, inadvertently, from the technicians, during feeding (electric shock barrier); (2) kill ticks that crossed the electric shock barrier, or were caught by the reflecting wall (moat); and (3) prevent escape of ticks thrown from the host by violent twitching, jerking or other violent movements of the animal host (metal reflecting barrier).

Incubators (not figured in this report) in the main insectary room adjoining the isolation/tick infestation room were made available to house the tick colonies during their non-parasitic stages.

2. Tick Colonies

Four species of exotic ticks were brought back from East Africa as a result of collecting trips made by USAMRIID personnel. These include Boophilus decoloratus, Hyalomma plumbeum, Rhipicephalus evertsi evertsi and Amblyomma variegatum. Engorged female specimens of each species were included in the collections, and these laid eggs. Thus, progeny of each of the 4 species are now available for initiating colonies. In addition, at the request of John Konig, I sent ca 100 adults, mixed males and females, of the American dog tick, Dermacentor variabilis, from my laboratory colony.

These ticks were to be used for initiating a colony of this species and to serve as the vehicle to practice containment procedures. Additional specimens (ca 100 adults) were provided during the visit by Captain Logan and Mr. Kondig to Old Dominion University (please see below, 3. Training).

Although the training and testing procedures with the native tick, D. variabilis, were to precede the colonization of the African ticks, travel opportunities dictated the need to acquire the latter. Consequently, testing with D. variabilis was initiated and this work was done before actual feeding of the larval stages of the African ticks was allowed. Tests with D. variabilis demonstrated the efficiency of the containment procedures and provided direct "hands on" experience for the USAMRIID personnel engaged in the work.

3. Training

During the week of August 25-28, 1986, John Kondig and Dr. Thomas Logan visited my research laboratory at ODU for training and consultations. Training emphasized breeding techniques, containment procedures, and computerized recordkeeping. Breeding techniques included hands-on experience in infesting rabbits with either American dog ticks, D. variabilis, or Rocky Mountain wood ticks, D. andersoni, and the African tick, Hyalomma dromedarii (camel tick) on rabbits and on rats. Both Mr. Kondig and Dr. Logan prepared the animals for infestation and carried out infestations themselves, thereby gaining direct experience in the techniques we use in my laboratory. To illustrate computerized recordkeeping, a colony notebook was prepared for Amblyomma maculatum, one of the species we have in colony, and one which has the smallest numbers of containers. Prior to the visit of Mr. Kondig and Dr. Logan, I numbered all of the vials of ticks, segregated them

by age and sex, and recorded the data on record forms in the colony logbook. Next, I created a file in DBASE 3 Plus, the computer software used for this purpose. I entered records of several of the vials to illustrate the principals involved in the records transfer techniques. When Mr. Kondig and Dr. Logan arrived, I explained the procedures, and asked them to create a similar file to gain experience in these DBASE procedures. Having set up the file, I asked them to enter records for this species, one record for each vial. The specific fields, e.g., vial number, date of feeding, etc., were reviewed and a discrete number of fields were established to simplify recordkeeping. Finally, the records were entered, creating a file with a complete set of records for all of the vials containing specimens of this species. When completed, I illustrated retrieval techniques. Records were retrieved by date of entry, life stage, or other specific fields that were present in the data base. In this manner, we were able to determine all of the vials for any given life stage, determine how many specimens of a given life stage were available for study, determine the status of specimens (when last fed, when molted, etc.), or other needed information. Finally, I illustrated the report creation procedures. Formal reports were generated giving information on the specific fields where needed.

A more detailed description of this training is contained in Appendix A, "Trip Report," by Captain Logan and Mr. Kondig, dated September 10, 1986.

4. Implementation of the Tick Feeding and Containment Procedures

On December 16, 1986, I travelled to USAMRIID and visited the personnel of the Disease Assessment Division to consult on the progress of the colonization of the four African ticks and their containment. I met with Mr. J. Kondig, Captain T. Logan, Mr. J. Moulton, and Colonel C. Bailey.

Construction of the tick breeding tables had been completed, with one such table located in the non-infected tick colony breeding room, or isolation room, adjoining the insectary, while the other was installed in the "hot suite," a P-3 facility for work with Crimean-Congo Hemorrhagic Fever and other highly infectious organisms. During my visit, I also observed tick feeding on a guinea pig. Specimens of Amblyomma variegatum were confined using nylon cloth glued to the shaved back of the animal (i.e., "sleeve" technique). This technique minimizes escape of larvae or nymphs. The infested animal was held on the tick breeding table in the tick colony room.

During my visit, I had an opportunity to inspect the containment procedures used in the tick colony room. The only furniture in the room was the breeding table, a small cabinet and a sink. Sticky tape covered with heavy oil ("Tac Trap") was used liberally around the walls, around the floor drain, around the vent in the ceiling, electric outlets, and even under the door (blocking the door sill). The air vent and floor drain were covered with fine mesh metal screen. Technicians handling ticks or tick infested animals in the room wore special lab coats which were removed and placed in a hamper in the room for subsequent decontamination. This is now routine procedure.

Transport of the ticks from the incubator (see below) to the tick colony room is done with special cages adapted from mosquito rearing cages. This is used instead of the portable containment tray included with the original proposal and appears to work just as well. The ticks are held in the incubator in the outer laboratory, i.e., the same laboratory where mosquito studies are being done and other technicians, working on unrelated projects, also perform their duties. Nevertheless, the fact that the ticks are held in the plastic containers described above insures that the ticks are secured and protected against risk of spread elsewhere into the

incubator. I suggested that some portion of the incubator be designated for the tick colonies, and that this part of the incubator be further subdivided for the containers used for each life stage. It would be also be desirable to concentrate the species intended for immediate study in one incubator, and retain the other species in a separate incubator. This arrangement would avoid overcrowding, and minimize the risk of confusing specimens of different species, resulting in mixed colonies.

5. Recordkeeping Procedures

A computerized tick colony data base record system was created during the first 6 months of the project, using the software package "DBASE3 Plus" by Ashton-Tate. This was done as described in the original project proposal. The record forms were intended for managing a colony of a single species, e.g., Hyalomma marginatum. Provisions were made to track the fate of each life stage, number the vials containing specimens, report the ultimate fate of the tick specimens, note their location, and generate colony status reports. These procedures were considered important to avoid inadvertent loss of tick colony material or confusion regarding specimen location. Training in the recordkeeping procedures was included in the visit by Captain Logan and Mr. Kondig. Subsequently, when it was decided to colonize four species, the complexity of the record forms became a paramount consideration. Mr. James Moulton, of the Disease Assessment Division, was assigned as tick colony manager, replacing Mr. Kondig, and Mr. Moulton produced a more simplified "Tick Colony Log," incorporating many of the items in my original record forms. Both the proposal forms and Mr. Moulton's revised version are shown in Appendix B. The revised form meets the major needs for recordkeeping.

Records are now being maintained by computer as well as in handwritten logs. Copies of suggested data base fields for tick colony records were furnished and training of Department of Arbovirology personnel in development of computerized recordkeeping was also done. Transfer of computerized records via modem between the Department of Arbovirology and ODU was discussed. No suitable telephone is available in the insectary. Although modem to modem transfer could be accomplished by carrying the floppy disk containing the records to a suitably equipped computer system elsewhere in the facility, no plans are being made to do so at this time. The laboratory technician, Mr. Moulton, will forward records to the Principal Investigator for inspection if further assistance in recordkeeping is desired.

6. Computer Based Tick Literature File

A massive file containing more than 700 citations relevant to Crimean-Congo Hemorrhagic Fever and its vector ticks was created. I arranged for an ODU computer programmer to write a special program to report the records in citation format, i.e., in the bibliographic style. Using the "DO" command, this program (SPITANA) supercedes the DBASE reporting procedures, and cites the selected records in bibliographic format. Thus, the advantages of DBASE 3 PLUS, namely, record retrieval by specific field, e.g., author, date, keywords, etc., can be used to maximum advantage. Having the massive literature file available on a microcomputer enables us to call up information that is needed for colony maintenance, infestation techniques, viral transmission techniques, host sensitivity to ticks and/or viral pathogens, and so on. We have already demonstrated the usefulness of this capability in our ability to answer Mr. Kondig's request for information on the feasibility of feeding Hyalomma spp on guinea pigs. A copy of this file is being

furnished, both on a floppy disk and a hard copy. We will continue to add to these records and furnish them to USAMRIID as a continuing service and good will gesture.

7. Other

Although not included in the original project, special assistance was requested and provided regarding tick anatomy, techniques for identifying and excising tick body organs, and for culturing/maintaining tick cells and organs. In addition, we provided supplies of "Yunker-Meibos" growth medium made at ODU (see Appendix C, letter from Dr. Paul Homsher). We routinely maintain tick cells in culture in facility at ODU, using the Yunker-Meibos cell culture medium. This medium has proven to be excellent for D. variabilis cell culture, and has been reported to be suitable for culture of cells from other species also (Yunker, C. E., J. Cory, and H. Meibos 1984. Tick tissue and cell culture: applications to research in medical and veterinary acarology and vector borne disease, p. 1082-88. In: D. A. Griffiths and C. E. Bowman, eds., Acarology VI Vol. 2, Ellis Horwood, Ltd., Chichester). We will continue to collaborate on a good will basis as is common among scientists sharing common interests.

VI. DISCUSSION AND CONCLUSIONS

This project furnished expertise and training that made it possible to colonize and safely contain four species of exotic African ticks needed for studies on the transmission of Crimean-Congo Hemorrhagic Fever. The project furnished designs for equipment, concepts for electronic recordkeeping procedures using computer software, a literature library of more than 700 pertinent records, and specialized training. The equipment, facilities, procedures and experience gained may serve as a useful model for other

laboratories contemplating work with vector arthropods and transmission of highly contagious microbes.

LITERATURE CITED

- Hoogstraal, H. 1956. African Ixodoidea. Vol. I. Ticks of the Sudan. (with special reference to Equatoria Province and with preliminary reviews of the genera Boophilus, Margaropus and Hyalomma). Dept. Navy, Bur. Med. Surg., Washington, D.C. 1101 p.
- Hoogstraal, H. 1979. The epidemiology of tick-borne Crimean-Congo hemorrhagic fever in Asia, Europe and Africa. J. Med. Entomol. 15: 307-417.
- Hoogstraal, H., M. N. Kaiser, M. A. Taylor, S. Gaber, and S. E. Guindy. 1961. Ticks (Ixodoidea) on birds migrating from Africa to Europe and Asia. Bull. Wld. Health Organ. 24: 197-212.
- Hoogstraal, H., M. N. Kaiser, M. A. Taylor, E. Guindy, and S. Gaber. 1963. Tick (Ixodoidea) on birds migrating from Europe and Asia to Africa, 1959-1961. IBID.
- Pegram, R. G., H. Hoogstraal, and H. Y. Wassef. 1981. Ticks (Acari: Ixodoidea) of Ethiopia. I. Distribution, ecology and host relationships of species infesting livestock. Bull. Ent. Res. 71: 339-59.

APPENDIX A

Trip report by Captain Thomas Logan and Mr. John Kondig, September 10, 1986, describing the results of their visit to Old Dominion University for training in the safe handling of exotic ticks.

Best available Page
14 Jan 88

POSITION FORM

This form, see AR 340-10; the proponent agency is TAGO.

ANCE OR OFFICE SYMBOL

SUBJECT

SGRD-UID-A

Trip Report

XX THRU C, Dept Arbo Ent
C, Disease Assessment Div
Security Manager (C, RMO)
Deputy for Research Support
Deputy for Product Development
Deputy for Research

FROM CPT Logan/Mr. Kondig

DATE 10 Sep 86

CMT 1

dd/7244

TO Commander, USAMRIID

1. Activity visited: Old Dominion University, Norfolk, Virginia, was visited from 25 to 28 August 1986. Travel was performed under Travel Order MRI 8-9 and MRI 8-10 dated 6 August 1986.

2. Purpose: To study procedures for handling exotic species of vector ticks at Old Dominion University.

3. Persons contacted: Daniel E. Sonenshine, Ph.D., Associate Vice President for Research, Old Dominion University; Dr. Paul Homsher, Assistant Dean, Old Dominion University, Norfolk, VA; Mr. DeMar Taylor, graduate student; Mr. Gordon Hamilton, graduate student; Mr. Martin Schreifer, graduate student.

4. Findings: The procedures for handling exotic species of vector ticks, developed by Dr. Sonenshine, has been successfully applied to the establishment and maintenance of Hyalomma dromedarii. Dr. Sonenshine's procedures provide for an independent area that is used to handle all aspects of rearing and maintaining this species. The techniques used to maintain this colony are similar to those used to maintain established colonies of indigenous ticks.

Mr. Martin Schreifer, who maintains the colony of H. dromedarii, explained the procedures used to assure containment of the colony to a specific area; time was then spent within the containment area observing the techniques used in handling the ticks. Mr. Schreifer discussed the problems involved in developing techniques for handling exotic ticks from the point of view of being able to account for all ticks, in all life stages.

Mr. DeMar Taylor explained the various techniques used to blood feed ticks at their various life stages. The most useful technique, from the point of view of safety and containment, is the use of a capsule attached to the side of the host animal. Mr. Taylor demonstrated the technique of taping a capsule to the side of a rabbit and discussed the problems that might be encountered with the procedure. Experience was gained in the use of his and other techniques by personally infesting ticks on various host animals.

Important to the colonization of ticks are accurate records of the time periods between the various life stages, primarily the length of time for blood feeding and the time between blood meals. To facilitate the maintenance of records, Dr. Sonenshine developed a format for computerized data base system. Mr. Gordon Hamilton, who utilizes the system for maintaining records, explained the reasons for developing this specific format. Under the guidance of Mr. Hamilton, time was spent in learning how to enter data, how to manipulate the data in order to develop specific types of reports, and how to prepare a variety of reports. A copy of the system was brought back to USAMRIID in diskette form.

Dr. Paul Homsher discussed and demonstrated the techniques for maintaining tick cell cultures. Professor Sonenshine and Mr. Taylor demonstrated and assisted in dissection


10 September 1980

SUBJECT: Report of Trip


techniques for locating and removing various organs in engorged and unfed ticks. Specimens of Dermacentor variabilis ticks were brought back to USAMRIID for gaining technical expert in colony rearing and dissection techniques.

Dr. Sonenshine, in his discussions on rearing ticks, suggested modifications of his established procedures and techniques relative to the handling of virus infected ticks. He feels that even with the restricted conditions imposed on handling infected ticks his procedures can be modified to meet safety requirements. Dr. Sonenshine stressed the importance of accurate records in meeting safety requirements, in that they would account all ticks during the various handling procedures.

5. Summary: Some of the above techniques, with modifications, can be applied to raising maintaining several species of exotic ticks in the Insectary of the Department of Arboviral Entomology. The need for accurate record keeping is important from both the standpoint of confinement and rearing ticks. Computerizing records, based on Dr. Sonenshine's format, fulfills the need for a workable system of record keeping.



THOMAS M. LOGAN, Ph.D.
CPT, MS
Department of Arboviral Entomology
Disease Assessment Division



JOHN P. KONDIG
Research Chemist
Department of Arboviral Entomology
Disease Assessment Division

Best available Page

mc
14 Jan 88

POSITION FORM

An form, see AR 340-15; the proponent agency is TAGO.

FOR OFFICE SYMBOL

SUBJECT

RD-UID-A

Trip Report

XX THRU C, Dept Arbo Ent
C, Disease Assessment Div
Security Manager (C, RMO)
Deputy for Research Support
Deputy for Product Development
Deputy for Research

FROM CPT Logan/Mr. Kondig

DATE 10 Sep 86

CMT 1

dd/7244

TO Commander, USAMRIID

. Activity visited: Old Dominion University, Norfolk, Virginia, was visited from 25 to 28 August 1986. Travel was performed under Travel Order MRI 8-9 and MRI 8-10 dated 6 August 1986.

. Purpose: To study procedures for handling exotic species of vector ticks at Old Dominion University.

. Persons contacted: Daniel E. Sonenshine, Ph.D., Associate Vice President for Research, Old Dominion University; Dr. Paul Homsher, Assistant Dean, Old Dominion University, Norfolk, VA; Mr. DeMar Taylor, graduate student; Mr. Gordon Hamilton, graduate student; Mr. Martin Schreifer, graduate student.

. Findings: The procedures for handling exotic species of vector ticks, developed by Dr. Sonenshine, has been successfully applied to the establishment and maintenance of Hyalomma dromedarii. Dr. Sonenshine's procedures provide for an independent area that is used to handle all aspects of rearing and maintaining this species. The techniques used to maintain this colony are similar to those used to maintain established colonies of indigenous ticks.

Mr. Martin Schreifer, who maintains the colony of H. dromedarii, explained the procedures used to assure containment of the colony to a specific area; time was then spent within the containment area observing the techniques used in handling the ticks. Mr. Schreifer discussed the problems involved in developing techniques for handling exotic ticks from the point of view of being able to account for all ticks, in all life stages.

Mr. DeMar Taylor explained the various techniques used to blood feed ticks at their various life stages. The most useful technique, from the point of view of safety and containment, is the use of a capsule attached to the side of the host animal. Mr. Taylor demonstrated the technique of taping a capsule to the side of a rabbit and discussed the problems that might be encountered with the procedure. Experience was gained in the use of this and other techniques by personally infesting ticks on various host animals.

Important to the colonization of ticks are accurate records of the time periods between the various life stages, primarily the length of time for blood feeding and the time between blood meals. To facilitate the maintenance of records, Dr. Sonenshine developed a format for computerized data base system. Mr. Gordon Hamilton, who utilizes the system for maintaining records, explained the reasons for developing this specific format. Under the guidance of Mr. Hamilton, time was spent in learning how to enter data, how to manipulate the data in order to develop specific types of reports, and how to prepare a variety of reports. A copy of the system was brought back to USAMRIID in diskette form.

Dr. Paul Homsher discussed and demonstrated the techniques for maintaining tick cell cultures. Professor Sonenshine and Mr. Taylor demonstrated and assisted in dissection

SCRD-UID-A


10 September 1986

SUBJECT: Report of Trip

techniques for locating and removing various organs in engorged and unfed ticks. Specimens of Dermacentor variabilis ticks were brought back to USAMRIID for gaining technical expertise in colony rearing and dissection techniques.

Dr. Sonenshine, in his discussions on rearing ticks, suggested modifications of his established procedures and techniques relative to the handling of virus infected ticks. He feels that even with the restricted conditions imposed on handling infected ticks his procedures can be modified to meet safety requirements. Dr. Sonenshine stressed the importance of accurate records in meeting safety requirements, in that they would account for all ticks during the various handling procedures.

5. Summary: Some of the above techniques, with modifications, can be applied to raising and maintaining several species of exotic ticks in the Insectary of the Department of Arboviral Entomology. The need for accurate record keeping is important from both the standpoint of confinement and rearing ticks. Computerizing records, based on Dr. Sonenshine's format, fulfills the need for a workable system of record keeping.



THOMAS M. LOGAN, Ph.D.
CPT, MS
Department of Arboviral Entomology
Disease Assessment Division



JOHN P. KONDIG
Research Chemist
Department of Arboviral Entomology
Disease Assessment Division

APPENDIX B

Samples of computer-based recordkeeping forms.

"Designed by personnel of the Disease Assessment Division,
USAMRIID, Fort Detrick, Frederick, MD."

TICK COLONY LOG

Species _____

1. Vial_____ 2. Gen_F____ 3. DO Date_____ 4. Ovip. Dates_____
5. Hatch Dates_____ 6. Use_____ 7. Date Infested_____
8. Host_____ 9. No. Infested_____
Vial!DO Date!# in Vial!Molt Date! # Used For! Date used! Host

[illegible]

ID#	In	Molt	Date	Comments/Final
Cart	Date	Cart	Date	# Used For
				Used/Host/Disposition

[illegible]

TICK COLONY STATUS AND USE LOG

Free living stages only

1. Species: _____ 2. Life stage: _____
3. Vial No. _____ 4. Feeding status (fed/unfed): _____
5. No. in vial (see expl.) _____
6. Location:
a) Incubator No. _____; b) tray No. _____
7. Date of first record: _____ 8. Molted to: _____
9. Date molted: _____ 10. No. molted: _____
11. No. died without molting: _____ 12. Used for (see
expl.): _____
13. No. remaining: _____
14. Date of next record: _____
15. Status (see expl.): _____ 16. Used for: _____
17. No. remaining: _____
18. Date of next record: _____
19. Status: _____ 20. Used for: _____
21. No. remaining: _____
22. Date of next record: _____ 23. Status: _____
24. Used for: _____ 25. No. remaining: _____
26. Final disposition (see expl.): _____

Explanations:

"Form designed by Dr. Sonenshine, ODU"

- (1) Items 1 - 4: self explanatory.
- (2) Item 5: estimate number of unfed larvae from data on egg mass weight and visual approximation of the percentage of eggs that hatched.
- (3) Items 6 - 11: self explanatory.
- (4) Item 12: Describe purpose of use, e.g., used to infest rabbit, inoculated with viruses, etc.
- (5) Items 12-14: self explanatory.
- (6) Item 15: Describe condition of specimens, e.g., vigorous, torpid, dessicated, etc.
- (7) Items 16-25: self-explanatory.
- (6) Item 26: Describe what was done with the vial and remaining specimens, e.g., ticks destroyed, vial discarded.

TICK COLONY STATUS AND USE LOG

Tick Feeding Activity

- | | |
|--------------------------------------|--------------------------------|
| 1. Species: _____ | 2. Vial No. _____ |
| 3. Life stage: _____ | 4. Host: _____ |
| 5. Date infested: _____ | 6. No. attached: _____ |
| 7. 1 st. date ticks recovered: _____ | 8. No. recovered: _____ |
| 9. 2 nd " " " _____ | 10. No. recovered: _____ |
| 11. 3 rd " " " _____ | 12. No. recovered: _____ |
| 13. 4 th " " " _____ | 14. No. recovered: _____ |
| 15. 5 th " " " _____ | 16. No. recovered: _____ |
| 17. Final date all recovered: _____ | 18. Total No. recovered: _____ |
| 19. Date of next record: _____ | 20. Status: _____ |
| 21. Date of 1 st. molt: _____ | 22. No. molted: _____ |
| | 23. No. died: _____ |
| 24. " " 2 nd " _____ | 25. No. " _____ |
| | 26. No. " _____ |
| 27. " " 3 rd. " _____ | 28. No. " _____ |
| | 29. No. " _____ |
| 30. Date all molted: _____ | 31. Totl molted _____ |
| | 32. Totl died _____ |

"Form designed by Dr. Sonenshine, ODU"

Tick Colony Form No. 3

OVIPOSITION RECORD

1. Species: _____ 2. Vial No.: _____
3. No. engorged females: _____ 4. Date replete: _____
5. Weight all females in vial: _____
6. Location:
 - (a) Incubator No.: _____
 - (b) Tray No.: _____
7. Date ovip. began: _____ 8. Wgt. eggs/end ovip.: _____
9. Date 1 st hatch: _____ 10. Date hatch complete: _____
11. Est. hatching success (see expl.): _____
12. Date last record: _____ 13. Status: _____
14. Used for: _____
15. No. remaining: _____
16. Final disposition: _____

Explanations:

- (1) Items 1 - 10: self explanatory.
- (2) Item 11: Estimate the percentage of eggs that hatched.
- (3) Items 12 - 15: self explanatory; see explanation for final disposition given with form No. 1.

APPENDIX C

Letter from Dr. Paul Homsier concerning provision of media to culture tick cells.



OLD DOMINION UNIVERSITY

Office of the Dean
School of Sciences and Health Professions
Norfolk, Virginia 23508-8540
Telephone (804) 440-3274

September 29, 1986

Mr. John Condig
Arboviral Entomology
Disease Assessment Division
USAMRIID
Fort Detrick, Maryland 21701-5011

Dear John:

I understand that you can use the cells now, so Lynn Ellis is making up two flasks for you and should be sending them on early next week. She will also include a small bottle of our media to keep you going until you can make your own. When you receive the flasks, pour off the media covering the cells and add fresh (I have spun the pour off to rid it of any floating cells and used it successfully for conditioning flasks and, in an Emergency, feeding the cells). If the cells have sloughed off for any reason, I would spin the cells from the media (900-1000 RPM) and reinoculate the flasks, adding fresh medium. Do not hesitate to call me if I can help.

It was nice meeting you and I wish you success in using the cells.

Sincerely,

A handwritten signature in cursive script, appearing to read "Paul".

Paul J. Homsher, Ph.D.
Associate Dean

PJH:lsd

pc: Lynn Ellis ✓
Dan Sonenshine

APPENDIX D

Computer-Based Tick Literature File

- Abbassian-Lintzen, R. 1961 Records of Ticks (Acarina: Ixodidae) from Southeast Iran (Iranian Baluchistan and the Jirft area). *Acarologia*. III(4) 546-559
- Abbassian-Lintzen, R. 1960 A preliminary list of ticks (Acarina: Ixodoidea) occurring in Iran and their distributional data. *Acarologia* II(1) 43-61
- Aboul-Nasr, AE, and Bassal, TTM. 1971 Biochemical and physiological studies of certain ticks (Ixodoidea). The sugar content and concentration in Argas and Hyalomma biological fluids. *J. Med. Ent.* 8(5) 521-524
- Aboul-Nasr, AE, and Bassal, TTM. 1972 Biochemical and physiological studies of certain ticks (Ixodoidea). Effect on mating, feeding, and oogenesis on oxygen consumption of Hyalomma (H). *Dromedarii* Koch (Ixodidae). *J. Parasit.* 58(4). 828-831
- Abramov, IV, Tsaprun, AA, and Lebedev, EM. 1950 Importance of a single tick in the transmission of the pathogen of equine piroplasmiasis. (In Russian)(In English, NAMRU3-T1629). *Veterinariya* 27(3) 12-14
- Abramov, IV. 1957 Importance of Hyalomma plumbeum Panzer, 1795, as a reservoir of Piroplasma caballi Nuttall and Strickland, 1910. (In Russian)(In English, NAMRU3-T1632). *Trudy Vses. Insc. Eksp. Vet.* 21 241-245
- Abramov, IV. 1955 A new type of transmission of Nuttallia equi by tick vectors. (In Russian)(In English, NAMRU3-T1511). *Veterinariya* 32(8) 43-45
- Abramov, IV. 1955 The duration of preservation of the agent of equine piroplasmiasis (Piroplasmiasis (Piroplasma caballi) in ticks Hyalomma plumbeum Panzer, 1795. (In Russian)(In English, NAMRU3-T103). *J. Agric. Sci. Moscow* 32(3) 42-46
- Adler, S, Feldman-Muhsam, B. 1948 A note on the genus Hyalomma Koch in Palestine. *Parasitology* 39 95-101
- Adler, S, and Feldman-Muhsam, B. 1946 The differentiation of ticks of the genus Hyalomma in Palestine. (In Hebrew with English summary). *Refuah Veterinarith* 3 91-94
- Aeschlimann, A. 1968 Les tiques (Ixodoidea) des animaux domestiques au Tessin. *Rev. Suisse Zool.* 75 1039-50
- Aeschlimann, A. 1977 Les tiques, leur biologie et les maladies qu'elles transmettent. *Annales 1975-1976. Universite de Neuchatel, Suisse* 1 1-27
- Akhmedova, AG, Saryev, GA, Alieva, NA, and Abilgasanov, MM. 1976 The role of ticks in epizootiology of viral abortion of sheep. (In Russian)(In English, NAMRU3-T1167). *Mater. Nauch. Konf. Infekts. Bolez. Ovets* (Frunze, June 1975). 157-159
- Al-Tikriti, SK, Al-Ani, F, Jurgi, FJ, et al. 1981 Congo/Crimean hemorrhagic fever in Iraq. *Bull. WHO.* 59 pp85-90

- Albanese, M, Bruno-Smiraglia, C, and Lavagnino, A. 1971 Notizie sulle zecche di Sicilia con Segnalazione di *Hyalomma detritum* e *Amblyomma variegatum*. Riv. Parasitol. 32 273-276
- Albanese, M. 1971 Investigation on arboviruses in western Sicily: insect collection and virus isolation. Ann. Sclavo 13 1-8
- Aleksandrov, YV, and Kudryavstev, MG. 1970 Hemorrhagic fever in Crimea. Tezisy Dokl. 2. Akarol Soveshch. ptl. (IN Russian) (In English, NAMRU3-T858). 26-27
- Aleksandrov, YV, and Yagodinsky, VN. 1965 Application of the comparative nosogeographical method for epidemiological analysis of Crimean type haemorrhagic fevers. (In Russian) Mater. 2. Nauchn. Soveshch. Probl. Med. Geogr. (Leningrad, 1965) No. 2.
- Ali, S. 1963 Recent studies of bird migration and bird ticks in India. Proc. XIII Intern. Ornithol. Congr.: 354-361
- Alkhutova, LM, Sadykov, VG, Ponirovsky, EN, and Listovskaya, EK. 1981 Isolation of strains identical to Isfahan virus from *Hyalomma asiaticum* ticks in Turkmenistan. (In Russian)(In English, NAMRU3-T1566). Sborn. Trud. Inst. Virus. imeni DI Ivanovsky, Akad. Med. Nauk SSSR. 29-32
- Alkhutova, LM, and Sadykov, VG. 1982 New data on ecology of Isfahan virus. (In Russian)(In English, NAMRU3-T1665). Sborn. Nauk. Trud. Inst. Virus. imeni DI Ivanovsky, Akad. Med. Nauk SSSR. 144-147
- Amanzhulov, S. 1940 Pasture ticks in Southern Kirgizia. Trud. Kirgiz. Nauch-Issled. Vet. Opyt. Stants. 1
- Ammah-Attoh, V. 1966 Reproduction in the tick *Hyalomma marginatum rufipes koch*, 1844 under laboratory conditions, with notes on mating and insemination. Ghana J. Sci. 6 9-14
- Amosova, LI. 1975 The ultrastructure of the integument of *Hyalomma asiaticum* P. Sch. et E. Sch. during starvation and feeding. Parazitologiya. 11 412-418
- Anastos, G. 1954 The 3rd. Danish expedition to Central Asia. Zoological Results 12. Ticks (Chelicerata) from Afghanistan. Vidensk. Medd. fra Dansk naturh. Foren. 116 169-174
- Anastos, G. 1950 The Scutate Ticks, or Ixodidae, of Indonesia. Entomologica Americana. XXX(1-4) 1-144
- Anastos, G. 1956 The ticks (Acarina: Ixodoidea) of the J. Klapperich Afghanistan Expedition, 1952 and 1953. Journal of the Washington Academy of Sciences. 46(1) 18-19
- Anastos, G. 1948 Accidental parasitism of a tick by a tick. Psyche 55(1) 36-37
- Andronikou, S, Hopp, M, Thomson, PD, Berkowitz, FE, Cohn, R, Ledger, J, Gear, JH, McGillivray, GM, Prozesky, OW, Rossouw, E, and Swanepoel, R. 1981 Crimean-Congo hemorrhagic fever - South Africa. Morb. Mort. Wkly. Rep. 30(28) 348-351
- Angelov, S, Panaitov, P, and Manolova, N. 1960 Essais de culture du virus de la fièvre hémorragique sur des cultures de tissus. Dokl. Bolg. Akad. Nauk. 13 211-213

- Araman, SF. 1972 Biochemical and physiological studies of certain ticks (Ixodoidea). The ionic composition *Hyalomma* (*Hyalomma* a) *dromedarii* Koch and H. (H.) *anatolicum excavatum* Koch (Ixodidae). J. Parasit. 58(2) 354-357
- Ardoin, P. 1965 Congo group transmission experiments. Rep. E. Afr. Virus Res. Inst. (1963). 14: 52
- Arifdzhanov, KA, and Nikitina, RE. 1961 Detection of *Crithidia hyalomma* (O'Farrell 1913) in *Hyalomma a. anatolicum* (Koch 1844) ticks. (In Russian)(In English, NAMRU3-T617). Zool. Zhur. 40 20-24
- Aristova, VA, Neronov, VM, Veselovskaya, OV, Lushchekina, AA, and Kurbanov, M. 1973 Investigation of Crimean Hemorrhagic fever natural foci in Southeastern Turkmenia. (In Russian) (In English, NAMRU3-T719). Sb. Tr. Ekol. Virus. (1). 115-118
- Aristova, VA, and Gostinshchikova, GV. 1971 Glinyany Island of Baku Archipelago as a natural focus of arbovirus infections. (In Russian) (In English, NAMRU3-T507). Tezisy Dokl. Vop. Med. Virus., Inst. Virus. imeni Ivanovsky, DI, Akad. Med. Nauk SSSR (October 19-21) 2 123
- Arthur, DR, and Snow, K. 1967 The implications of size as shown in *Hyalomma anatolicum anatolicum* (Ixodidae: Ixodidae). Wiad. Parazyt. 13 497-509
- Arthur, DR. 1973 The histopathology of skin following bites by *Hyalomma rufipes* (Koch 1844), and a theory on feeding by this tick. J. ent. Soc. Sth. Afr. 36(1) 117-124
- Arthur, DR. 1975 The nymphs of some Ixodid ticks (Acarina) from the Eastern Cape Province of South Africa. Bull. ent. Res. 65 423-431
- Avakian, AA, and Lebedev, AD. 1955 Natural focalization of hemorrhagic fevers. (In Russian) (In English, NAMRU3-T147). J. Microbiol. Moscow. 4 20-26
- Avakyan, AA. 1960 Etiology of Hemorrhagic fevers, Crimean and Crimean type. Chpt. 14. In: Gal'perin, EA. Ed. Clinical picture of infectious hemorrhagic diseases and fevers. Gos. Izd. Med. Lit. (Medgiz), Moskva. (In Russian) (In English, NAMRU3-T879).
- Badalov, M. E. 1970 Contribution to the problem of Crimean hemorrhagic fever infections in hospitals and laboratories. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don) 1 90-92
- Badalov, ME, Koimchidi, EK, Semenov, YA, and Karinskaya, GA. 1971 Crimean hemorrhagic fever in Rostov region. (In Russian) (In English, NAMRU3-T923) Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR 19: 167-173.
- Badalov, ME, Tkachenko, EA, Butenko, AM, Chumakov, MP, Karinskaya, GA, Martynenko, IN, Koimchidy, BK, Rogachevskaya, ES, Lisogorsky, VG, Sarochinsky, VV, and Tekut'ev, IV. 1970 Prophylactic vaccination against CHF. Report 1. Epidemiological analysis and preliminary data on observations of reactions in Rostov Oblast. In: Crimean hemorrhagic Fever (Chumakov, MP., ed.) (In Russian)(In English, NAMRU3-T547). Mater. 3. Oblast. Nauch.-Prakt. Konf. (Rostov-na-Donu, May, 1970). 138-146

- Badalov, ME, , Lazarev, VN, Koimchidi, EK, and Karinskaya, GA. 1970 Contribution to the problem of Crimean hemorrhagic fever infections in hospitals and laboratories. (In Russian) (In English, NAMRU3-T538). Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970) 90-92
- Balashov, YS, Daiter, AB, and Khavkin, TN. 1972 Distribution of *Burnett's rickettsiae* in the tick *Hyalomma asiaticum*. (In Russian English summary) *Parazitologiya*: 6 22-25
- Balashov, Yu. S. 1972 Bloodsucking ticks (Ixodoidea)-vectors of diseases of man and animals. Misc. Publ. Entomol. Soc. Amer. 8 161-376
- Balashov, YuS, 1957 Certain adjustments to the reception of large blood masses in Ixodid ticks. (In Russian)(In English, NAMRU3-T116). *Zool. Zh.* 36(6) 870-873
- Balashov, YuS, Daiter, AB, and Stanyukovich, AK. 1969 The effect of infection with *Coxiella burnetii* and *Dermacentor sibiricus rickettsiae* on the free amino-acid content in the tick *Hyalomma asiaticum*. (In Russian)(In English, NAMRU3-T441). *Parazitologiya*, Leningrad, 3(4) 281-286
- Balashov, YuS. 1956 Nutrition and course of spermatogenesis in male Ixodid ticks. (In Russian)(In English, NAMRU3-T21). *Dokl. Akad. Nauk USSR*. 110(6) 1133-1136
- Balashov, YuS. 1961 Dynamics of stored nutritive substances and age determination in hungry ixodid ticks. *Zool. Zh.* 40(9) 1354-1363
- Balashov, YuS. 1965 The structure of the oral apparatus and the bloodsucking mechanism in Ixodid ticks. (In Russian)(In English, NAMRU3-T450). *Trudy Zool. Inst. Akad. Nauk SSSR* 35 251-271
- Balashov, YuS. 1958 The excretion processes and function of Malpighian tubules of Ixodid ticks. (In Russian)(In English, NAMRU3-T244). *Parasit. Sborn. Zool. Inst. Akad. Nauk USSR*. 18 120-128
- Balashov, YuS. 1964 Structure and development of the genital system in ticks of the superfamily Ixodoidea. (In Russian)(In English, NAMRU3-T319). *Parasit. Sborn. Zool. Inst. Akad. Nauk SSSR*. 22 28-60
- Balashov, YuS. 1963 Histo-anatomical features of moulting of *Hyalomma asiaticum* (Acarina, Ixodoidea). *Zool. Zhurn.*, 42(3). 345-358
- Balashov, YuS. 1960 Water balance and behaviour of *Hyalomma asiaticum* ticks in desert areas. (In Russian)(In English, NAMRU3-T245). *Med. Parasit.*, Moscow, 29(3). 313-320
- Banaja, AA, Madbouly, MH, and Roshdy, MA. 1980 Ticks of Saudi Arabia. 1. Ticks (Ixodoidea) infesting imported and local breeds of domestic animals at Jeddah. 4. Symp. Biol. Aspects, Saudi Arabia Biol. Soc. (Riyadh, March, 1980) 339-346
- Barnett, SF. 1977 *Theileria*. In Kreier, JP. (Ed.): *Parasitic Protozoa*. 4 77-113
- Bassal, TTM, and Hefnawy, T. 1972 Biochemical and physiological studies of certain ticks (Ixodoidea). The effect of unfed female weight on feeding and oviposition of *Hyalomma* (H.) *dromedarii* Koch (Ixodoidea). *J. Parasit.* 58 984-988

- Bassal, TTM. 1977 Demonstration of guanine biosynthesis in *Hyalomma dromedarii* ticks using ^{14}C -labeled Glycine and Glyoxylate. *J. Parasit.* 63(4) 758-759
- Becklund, WW. 1968 Ticks of veterinary significance found on imports in the United States. *J. Parasit.* 54(3) 622-628
- Begum, F, Wisseman, CL. (Jr.), and Casals, J. 1970 Tick-borne viruses of W. Pakistan. No. 4. Virus similar to or identical with Crimean Hemorrhagic Fever. *Amer. J. Epidem.*
- Begum, F. 1970 Tickborne viruses of West Pakistan. IV. Viruses similar to, or identical with, Crimean Hemorrhagic fever (Cong o-Semunya), Wad Medani and Pak Argas 461 isolated from ticks of the Changa Manga Forest, Lahore District and Hunza, Gilgit Agency, W. Pakistan. *Am. J. Epidemiol.* 92 197-202
- Benda, R. 1975 Experiences with the adaptation of Crimean hemorrhagic fever virus to the CV-1 monkey cell line. *Acta Virol.* (Engl. ed.) 19 340-48
- Berdyev, A, and Khudainazarova, SN. 1976 A study of acquired resistance to adults of *Hyalomma asiaticum asiaticum* in experiments on lambs. *Parazitologiya.* 10 519
- Berdyev, A. 1969 Parasitism of *Hyalomma dromedarii* Koch on farm animals in foothill regions of Turkmenia. (In Russian)(In English, NAMRU3-T483). *Parazitologiya, Leningrad.* 3(4) 287-291
- Berdyev, A. 1974 On the cycle of development of *Hyalomma anatolicum excavatum* Koch (Parasitiformes, Ixodidae) in Turkmenia. *Med. Parasitol. Parazit. Bolezni.* 43 38-43
- Berezin, VV, Chumakov, IA, Reshetnikov, IA, and Zgurskaya, GN. 1971 Study of the role of birds in the ecology of Crimean hemorrhagic fever virus. (In Russian) (In English, NAMRU3-T721). *Mater. 6. Simp. Izuch. Virus. Ekol. Svyazan. Ptits.* (Omsk, 1971) 94-95
- Berezin, VV, Chumakov, MP, Rubin, SG, Stolbov, DN, Butenko, AM, and Bashkirtsev, VA. 1969 Contribution to the ecology of Crimean hemorrhagic fever virus in the lower Volga river. (In Russian) (In English, NAMRU3-T836). *Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov.* (Moscow, October 1969) 2 120-122
- Berezin, VV, Chumakov, MP, Stolbov, DN, and Butenko, AM. 1971 On the problem of natural hosts of Crimean hemorrhagic fever virus in Astrakhan region. (In Russian) (In English, NAMRU3-T912). *Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR.* 19 210-216
- Berezin, VV, Povalishina, TP, Ermakova, RM, and Stolbov, DN. 1965 On the role of birds in feeding immature stages of *Hyalomma plumbeum plumbeum* ticks - vectors of hemorrhagic fever of the Crimean type in foci of the Volga Delta. (In Russian)(In English, NAMRU3-T198). *Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR.* 7 296-303
- Berezin, VV, Stolbov, DN, Povalishina, TP, and Zimina, YV. 1965 On the role of Rooks in the epidemiology of Crimean hemorrhagic fever in Astrakhan Oblast. (In Russian) (In English, NAMRU3-T376). *Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR* 7 304-311

- Berezin, VV, Stolbov, DN, and Zimina, YV. 1969 Effect of natural factors on the rate of Crimean hemorrhagic infections. (In Russian) (In English, NAMRU3-T835). Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1969) 2 118-120
- Berezin, VV, Chumakov, MP, Bashkirtsev, VN, and Semenov, BF. 1971 Arboviral infections in the Volga Delta. (In Russian)(In English, NAMRU3-T510). Tezisy Dokl. Vop. Med. Virus., Inst. Virus. imeni Ivanovsky, DI, Akad. Med. Nauk SSSR (Oct 19-21) 2 137-138
- Berezin, VV. 1971 Investigation of the Ecology of Arboviruses in river deltas of the Caspian and Azov sea basins. (Avtoref. Diss. Soisk. Uchen. Step. Dokt. Biol. Nauk.). Inst. Polio. Virusn. Entsefalitov, Akad. Med. Nauk SSSR, Moscow. (In Russian) (In English NAMRU3-T1160). 37
- Berezin, VV. 1964 On the question of hosts of immature stages of *Hyalomma plumbeum* Panz - the vector of hemorrhagic fever in Astrakhan Oblast. (Abstracts of papers of the 11th. Scientific Conference of the Institute of Poliomyelitis and Encephalitis). (In En. NAMRU3-T171) In: Tickborne encephalitis, Kemerovo tick-borne fever, hemorrhagic fevers, and other arbovirus infections. 77-78
- Berge, TO. (Ed.). 1975 International Catalogue of Arboviruses. Publication No. (CDC) 75-8301. Atlanta, US Department of Health, Education and Welfare.. 228-229
- Berlin, LB. 1957 Histological changes induced in the skin of rabbits and guinea pigs by *Hyalomma asiaticum* P. Sch. and E. Schl. (Ixodidae) parasitism. (In Russian)(In English, NAMRU3-T451). Dokl. Akad. Nauk SSSR 112(2) 340-343
- Berlin, LB. 1956 On changes of transversostriated muscular fibres of the skin under the influence of feeding of *Hyalomma asiaticum* Sch. and Schl. ticks (Ixodidae). Dokl. Akad. Nauk SSSR . 3(6)
- Bernadskaya, ZM. 1939 A case of parasitism on Ixodid ticks. (In Russian)(In English, NAMRU3-T1686). Trudy Uzbek. Nauch.-Issled. Vet. Opyt. Sta. Narkom. USSR, 2(11) 28-30
- Bernadskaya, ZM. 1935 Biol. Uzbek. Nauch. - Vet. Inst. Tashkent. 4 29
- Bezuidenhout, JD, and Malherbe, A. 1981 Sweating sickness: A comparative study of virulent and avirulent strains of *Hyalomma truncatum*. Proc. Int. Conf. Tick Biol. Control, Tick Res. Unit, Rhodes Univ. Grahamstown, S. Afr. 7-12
- Bilibin, AF. 1950 Omsk and Crimean hemorrhagic fevers. In. Symptomology and diagnosis of infectious diseases. p200-208. Medgiz, Moskva. (In Russian) (In English, NAMRU3-T805)
- Birulya, NB, Badalov, ME, Zalutskaya, LI, and Koimchidi, EK. 1975 Geography of Crimean hemorrhagic fever incidence in Rostov Oblast in 1963-1971. (In Russian) (In English, NAMRU-T984). Tezisy Konf. Med. Virus. (Moscow, October, 1975). p. 268.
- Birulya, NB, Zalutskaya, LI, and Perelatov, VD. 1971 Distribution area of natural foci of Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T962) Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 180-185

- Blagodarnyy, YaA, Blekhan, IM, and Yakunin, MP. 1966 Ixodid ticks - possible vectors of tuberculosis. (In Russian)(In English, NAMRU3-T447). Tezisy Dokl. 1. Akad. Soveshch., 35-36
- Blagoveschenskaya, NM, Butenko, AM, Vyshnivetskaya, LK, Zavadora, TI, Zarubina, LV, Karinskaya, GA, Kuchin, VV, Milyutin, VN, Novikova, EM, Rubin, SG, and Chumakov, MP. 1969 Experimental infection of horses with Crimean hemorrhagic fever virus. Report 2. Virological and serological observations. Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov. (Moscow, October 1969)(In Russian)(In English, NAMRU3-T840). 2 126-127
- Blagoveschenskaya, NM, Butenko, AM, Vyshnivetskaya, LK, Zarubina, LV, Kuchin, VV, Milyutin, VN, Novikova, EM, and Chumakov, M P. 1970 Dynamics of antibodies to Crimean hemorrhagic fever virus in hyperimmunized horses. (In Russian)(In English, NAMRU3-T529). In: Crimean Hemorrhagic Fever (Chumakov, MP ed.). Mater. 3. Oblast. Nauch.-Prakt. Konf. (Rostov-na-Donu, May, 1970). 50-55
- Blagoveschenskaya, NM, Donets, MA, Zarubina, LV, Kondratenko, VF, and Kuchin, VV. 1975 Study of susceptibility to Crimean hemorrhagic fever (CHF) virus in European and long eared hedge hogs. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). (In Russian). (In English, NAMRU3-T985). 269-270
- Blagoveschenskaya, NM, Vyshnivetskaya, LK, Gusarev, AF, Zarubina, LV, Kondratenko, VF, Kuchin, VV, Milyutin, VN, Perelato, VD, Novikova, EM, and Novikova, LD. 1972 Investigation of susceptibility in rabbits to Crimean hemorrhagic fever virus. Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabol. (Moscow, October 1972). (In Russian). (In English, NAMRU3-T1062). 353-354
- Blagoveschenskaya, NM, Vyshnivetskaya, LK, Gusarev, AF, Zarubina, LV, Kondratenko, VF, Kuchin, VV, Perelato, VD, Novikova, EM, and Novikova, LD. 1972 Investigation of susceptibility in little shrews (*Citellus pygmaeus* Pall.) to CHF virus. Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabol. (Moscow, October, 1972)(In Russian) (In English, NAMRU3-T1064) p 356
- Blanc, G, and Bruneau, J. 1953 Entretien dans la nature de *Coxiella burnetii* par l'association du lapin de garenne *Oryctolagus cuniculus* (L.) et de la tique *Hyalomma excavatum* CLK. C.R. Hebd. Seanc. Acad. Sci., Paris 237 582-584
- Blanc, G, Ascione, L, and Besiat, P. 1959 Rickettsiella experimental de *Testudo mauritanica* avec *R. burneti* et infection de la tique *Hyalomma aegyptium*. Bull. Soc. Path. exot. 52 564-567
- Bogoroditsky, AV, and Dernadskaya, ZM. 1954 Distribution of Ixodid ticks and haemosporidic diseases in Uzbekistan and measures for their control. Probl. Vet. Dermat. Arakhol. Ent.
- Bolovina, VN, Perelato, VD, Badalov, ME, Koimchidi, EK, Karinskaya, GA, and Semenov, MY. 1970 Study of Crimean hemorrhagic fever incidence and prophylactic measures in Rostov Oblast. Mater. 3. Oblast Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian) (In English, NAMRU3-T533) 66-73
- Bonnet, A. 1907 Recherches sur l'anatomie comparee et le developpement des Ixodides. Ann. Univ. Lyon. 20 1-180

- Borzenkov., PK, and Donskov, GD. 1933 Experimental infection of ticks *Hyalomma Volgense* P. Sch. and E.Sch. with plague. Rev. Microbiol., Saratov. 12(1)
- Boucek, Z, and Cerny, V. 1954 A parasite of ticks, the chalcid *H. hookeri* in Czechoslovakia. (In Czechoslovakian)(In English, NAMRU3-T1685). Zool. Listy, Roc. III(XVII)2 109-111
- Brohmer, P. 1964 Fauna von Deutschland. Ein Bestimmungsbuch unserer heimischen Tierwelt. Quelle & Meyer Verlag. Heidelberg 413-418
- Brovko, SM. 1966 On the ecology and distribution of Ixodid ticks in plantation forests of the Ukrainian steppe zone. (In Russian)(In English, NAMRU3-T348). Tezisy Dokl. 1. Akarol. Soveshch. 42-43
- Brumshtein, MS, and Leshchinskaya, EV. 1968 Clinical-anatomical features of Crimean hemorrhagic fever. (In Russian) Arkh. Patol. 30 57-62
- Buckley, SM. 1971 Cross plaque neutralization tests with cloned Crimean hemorrhagic fever-Congo (CHF-C) and Hazara viruses. Proc. Soc. Exp. Biol. Med. 146 594-600
- Bulynin, VI, and Poshekhonov, SA. 1959 The problem of the infectiousness of hemorrhagic fever in Stravropol. (In Russian) Mikrobiol. Epidemiol. Immunobiol. 30 147
- Burney, MI, Ghafoor, A, Saleen, M, et al. 1980 Nosocomial outbreak of viral hemorrhagic fever caused by Crimean hemorrhagic fever-Congo virus in Pakistan, January, 1976. Am. J. Trop. Med. Hyg. 29 pp941-7
- Butenko, AM, Gromashevsky, VL, L'Vov, DK, and Popov, VF. 1979 Isolation of Bhanja virus from *Hyalomma plumbeum impressum* ticks collected in Somalia. [In Russian, in English NAMRU3-T1397]. Medskaya Parazit., 48(3) 37-39
- Butenko, AM, Chumakov, MP, Bashkirtsev, VN, Zavadova, TI, Tkachenko, EA, Rubin, SG, and Stolbov, DN. 1968 Isolation and investigation of Asrakahn strain ("Drozdov") of Crimean hemorrhagic virus and data on serodiagnosis of this infection. Mater. 15. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (October 1968) (In Russian) (In English, NAMRU3-T866). (3): 88-90
- Butenko, AM, Chumakov, MP, Smirnova, SE, Vasilenko, SM, Zavadova, TI, Tkachenko, EA, Zarubina, LV, Bashkirtsev, VN, Zgurskaya, GN, and Vyshnivetskaya, LK. 1970 Isolation of Crimean hemorrhagic fever virus from blood of patients and corpse material (from 1968-1969 investigation data) in Rostov, Astrakhan Oblast, and Bulgaria. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don), (May, 1970)(In Russian)(In English, NAMRU3-T522 6-25
- Butenko, AM, Donets, MA, Durov, VI, Tkachenko, VA, Perelatorov, VD, and Chumakov, MP. 1971 Isolation of Crimean hemorrhagic fever virus from *Rhipicephalus rosiscus* and *Dermacentor marginatus* ticks in Rostov Oblast and Krasnodar Region. Tr. Inst. Polio. Virusn. Entsefalitov, Akad. Med. Nauk SSSR (In Russian) (In English, NAMRU3-T828). 19 45-47
- Butenko, AM, Chumakov, MP, Belyayeva, AP, Mart'yanova, LI, Lwolf, EL, and Karmysheva, V, Ya. 1964 Serological identification of Astrakhan virus recovered from ticks. (Abstracts of papers of the 11th scientific conference of The Institute of Poliomyelitis and Encephalitis. (In Russian)(In English, NAMRU3-T149). In: Tick-borne encephalitis, Kemerovo tick-borne fever hemorrhagic fever and other arbovirus infect. 7-10

- Butenko, AM, and Chumakov, MP. 1971 Isolation of Astra arbovirus new for USSR from *H. plumbeum* ticks and *A. hyroanus* mosquito s in Astrakhan Oblast. (In Russian)(In English, NAMRU3-T502) . Tezisy Dokl. Vop. Med. Virus., Inst. Virus. imeni Ivanovsk y, DI, Akad. Med. Nauk SSSR (Oct 9-12). 2 111-112
- Bychkova, MV, Sarmanova, ES, Mikhailova, IS, Bannova, GG, Khvatov , PP, Mastryukova, VA, Vasil'eva, KA, and Moteyunas, LI. 1975 Virological investigation of tickborne encephalitis natural foci in Baltic Republics. (In Russian) (In English, NAMRU3-T1045). Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975) 275-276
- Bykov, LT, Popova, AS, and Sokolova, AA. 1966 On participation of Ixodoidea ticks in Muyum Kum plague epizootics. (In Russian)(In English, NAMRU3-T436). Tezisy Dokl. 1. Akad. Soveshch . 47-48
- CDC 1983 Viral hemorrhagic fever: Initial management of suspected and confirmed cases. 32(25) 27s-38s
- CDC 1984 Congo-Crimean hemorrhagic fever -- Republic of South Africa. 33 pp535-6
- CDC 1984 Congo-Crimean hemorrhagic fever -- Republic of South Africa. 33 p541
- CDC 1984 Crimean-Congo hemorrhagic fever -- Republic of South Africa. 33 p548
- Camicas, JL, Chateau, R, and Cornet, JP. 1970 Contribution a l'etude ecologique de quelquestiques du betail (Acarina, Ixodidae) en zones Sahelienne et Soudanienne au Senegal. Rapport Previsoire. Institut Pasteur de Dakar Republique du Senegal.
- Camicas, JL. 1970 Contribution a l'etude des tiques du Senegal (Acarina, Ixodidae). 1. Les larves d'Amblyomma Koch et de Hyalomma Koch. Acarologia, a paraitre
- Campbell, NA. 1977 Cent. Afr. J. Med. 23 141-145
- Casals, J, Hoogstraal, H, Johnson, KM, Shelokov, A, Wiebenga, NH, and Work, TH. 1966 A current appraisal of Hemorrhagic fever s in the USSR. Am. J. Trop. Med. Hyg. 15 751-764
- Casals, J, Henderson, BE, Hoogstraal, H, Johnson, KM, and Shelokov, A. 1970 A review of Soviet viral Hemorrhagic fevers, 1969 . J. Infect. Dis. 122 437-453
- Casals, J, and Tignor, GH. 1974 Neutralization and hemagglutination inhibition tests with Crimean hemorrhagic fever Congo-virus. Proc. Soc. Exp. Biol. Med. 145 960-966.
- Casals, J. 1969 Antigenic similarity between the virus causing Crimean hemorrhagic fever and Congo virus. Proc. Soc. Exp. Biol. Med. 131 233-236
- Casals, J. 1973 Serological techniques for Crimean hemorrhagic fever-Congo (CHF-C) viruses. Abstr. Inv. Pap. 9. Int. Congr. Trop. Med. Malar. (Athens, October 1973). 1 35
- Casals, J. 1979 Crimean-Congo hemorrhagic fever. Pro. Colloq. Ebola Virus and other Hemorrhagic fevers. (Antwerp, December, 1977.

- Causey, OR, Kemp, GE, Madbouly, MH, and David-West, TS. 1970 Congo virus from domestic livestock, African hedgehog, and arthropods in Nigeria. *Am. J. Trop. Med. Hyg.* 19 846-850
- Causey, OR, Kemp, GE, Williams, RW, and Madbouly, MH. 1968 West African tick-borne viruses. *Abstr. Rev. 8. Int. Congr. Trop. Med. Malar.* (Teheran, September 1968) 669
- Causey, OR, Kemp, GE, Williams, RW, Madbouly, MH, David-West, TS, Lee, VH, and Moore, DL. 1971 West-African tick-borne viruses, 1964-1968. *Nigerian Journal of Science.* 5 37-40
- Cerny, V, Daniel, M, Amin, A, and Olejnicek, J. 1977 Short Communication: To the knowledge of ticks of domestic animals in Afghanistan. *Folia Parasitologica (Praha)* 24 81-84
- Cerny, V. 1966 Sandor Babos: Die Zeckenfauna Mitteleuropas. Akademiai Kiado, Budapest 1964, 410 pp, 304 figs, 7 plates. (Book Review). *Folia Parasitologica (Praha)* 13 93-96
- Cerny, V. 1972 The Tick Fauna of Czechoslovakia. *Folia Parasitologica (Praha)* 19 87-92
- Chernovsky, KM, Yasinsky, AV, Kalmykov, ES, Berdyev, KB, and Arskiy, VG. 1971 Liquidation measures of Crimean hemorrhagic fever outbreak in Tadzhik SSR. *Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR.* (In Russian) (In English, NAMRU3-T979). 19 224-228
- Chodziesner, M. 1924 Beitrage zur kenntnis der zecken mit besonderer Berucksichtigung der Gattung Hyalomma Koch. *Zool. Jb. (Abt. 1)* 47 505-572
- Chumakov, M.P. Belyaeva, A.P., Gagarina, A.V. & Slavina, N.S. 1965 Isolation and investigation of strains of the causative agent of Omsk hemorrhagic fever. In: Endemic Viral infection (hemorrhagic fever with renal syndrome, Crimean hemorrhagic fever, Omsk hemorrhagic fever and Astrakhan virus from Hyalomma pl. plumbeum *Trudy Inst. Polio. Virus. Entsef. Akad. Nauk SSSR* 7 327-344
- Chumakov, MP, Belyaeva, AP, Voroshilova, MK, Butenko, AM, Shalunova, NV, Semashko, IV, Mart'yanova, LI, Smirnova, SE, Bashkirtsev, VN, Zavodova, TI, Rubin, SG, Tkachenko, EA, Karmysheva, VY, Reingol'd, VN, Popov, GV, Kirov, I, Stolbov, DN, and Perlatov, VD. 1968 Progress in studying the etiology, immunology, and laboratory diagnosis of Crimean hemorrhagic fever in the USSR and Bulgaria. *Mater. 15. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov.* (Moscow, October 1968) (In Russian) (In English, NAMRU3-T613). 3 100-103
- Chumakov, MP, Birulya, NB, Butenko, AM, Vasyuta, YS, Egorova, PS, Zalutskaya, LI, Zimina, YV, Leshchinskaya, EV, Povalishina, TP, and Stolbov, DN. 1964 On the question of epidemiology of diseases of Crimean hemorrhagic fever in Astrakhan Oblast. *Mater. 11. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov.* (In Russian) (In English, NAMRU3-T165). 263-266
- Chumakov, MP, Butenko, AM, Rubin, SG, Berezin, VV, Bashkirtsev, VN, Zavodova, TI, Smirnova, SE, Vasilenko, VM, Stolbov, DN, Karinskaya, GA, and Birulya, NB. 1969 Aspects of ecology of Crimean hemorrhagic fever (CHF) virus. *Tezisy Dokl. 5. Simp. Izuch. Rol' Pereletn. Ptitsopererab. Rasprostr. Arbovirus.* (In Russian). 89-90

- Chumakov, MP, Butenko, AM, Rubin, SG, Berezin, VV, Karinskaya, GA, Vasilenko, SM, Smirnova, SE, Bashkirtsev, VV, Derbedeneva, MP, Badalov, ME, and Stolbov, DN. 1972 Question on the Ecology of Crimean hemorrhagic fever virus. Mater. 5. Simp. Izuch. Rol'i Pereletn. Ptitsepererab. Rasprostr. Arbovirus. (Novosibirsk, July 1969). (In Russian)(In English, NAMRU3-T877). 222-229
- Chumakov, MP, Butenko, AM, Shalunova, NV, Mart'yanova, LI, Smirnova, SE, Bashkirtsev, YN, Zavodova, TI, Rubin, SG, Tkachenko, EA, Karmysheva, VY, Reingol'd, VN, Popov, GV, and Savinov, AP. 1968 New data on the virus causing Crimean hemorrhagic fever. (In Russian) (In English, NAMRU3-T596). Vopr. Virusol. 13 377
- Chumakov, MP, Butenko, AM, Smirnova, SE, Belyaeva, AP, Voroshilov, MK, Shalunova, NV, Mart'yanova, LI, Karmysheva, VY, Tkachenko, EA, Rubin, SG, Bashkirtsev, VN, Zavodova, TI, Karinskaya, GA, Vasilenko, SM, and Popov, GV. 1971 Some results of investigation of Crimean hemorrhagic fever. (Intr. Lect. Proc. Symp.) Int. Symp. Tick-borne Arboviruses (Excluding group B) (Smolence, September 1969). 167-176
- Chumakov, MP, Ismailova, ST, Rubin, SG, Smirnova, SE, Zgurskaya, GN, Khankishiev, AS, Berezin, VV, and Solovoi, EA. 1970 Detection of Crimean hemorrhagic fever foci in Azerbaijan SSR from results from serological investigations of domestic animals. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian) (In English, NAMRU3-T941). 18 120-122
- Chumakov, MP, Shalunova, NV, Semashko, IV, and Belyaeva, AP. 1965 Use of interference phenomenon in tissue culture for detecting Crimean hemorrhagic fever virus (CHF). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T832). 7 202-208
- Chumakov, MP, Smirnova, SE, Shalunova, NV, Mart'yanova, LI, Fleer, GP, Sadykova, VD, and Maksimov, SS. 1971 Isolation and study of the virus from a Crimean hemorrhagic fever patient in Samarkand Oblast, Uzbek, SSR; strain Khodzha. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T956). 19 21-29
- Chumakov, MP, Smirnova, SE, Shalunova, NY, Mart'yanova, LI, Fleer, GP, Zgurskaya, GN, Maksimov, SS, Kasymov, KT, and Pak, TP. 1973 Proofs of etiological identity of Crimean hemorrhagic fever and Central Asian hemorrhagic fever. Abstr. Inv. Pap. 9. Int. Congr. Trop. Med. Malar. (Athens, October 1973) 1 33-34
- Chumakov, MP, Smirnova, SE, and Tkachenko. 1969 Antigenic relationships between the Soviet strains of Crimean hemorrhagic fever virus and the Afro-Asian Congo virus strains. Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1969) (In Russian)(In English, NAMRU3-T614). 2 152-154
- Chumakov, MP, Smirnova, SE, and Tkachenko, EA. 1970 Relationship between strains of Crimean hemorrhagic fever and Congo viruses. Acta Virol. (Engl. ed.) 14 82-85
- Chumakov, MP, Vafakulov, BK, Zavodova, TI, Karmysheva, VY, Maksimov, SS, Mart'yanova, LI, Rodin, VI, and Sukharev, SN. 1974 Cases of transmission of Crimean hemorrhagic fever virus in Uzbekistan by contacts with the blood of a sick cow and a human patient as well as by tick bites. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR (In Russ.)(In English, NAMRU3-T1111) 22 29-34

- Chumakov, MP, Zavadova, TI, Mart'yanova, LI, Mukhitdinov, AG, Pov alishina, TP, Rodin, VI, Rozina, VF, Safarova, RO, Sukharenk o, SI, Tatarov, AG, Khachaturova, SS, and Chunikhin, SP. 1974 Detection of Crimean hemorrhagic fever virus in some species of blood sucking ticks collected in 1973 in the Kirgiz and Uzbek SSR. Tr.Inst. Polio. Virusn. Entsefalitov Akad. Med. N auk SSSR. (In Russian)(In English, NAMRU3-T1112). 22 35-39
- Chumakov, MP, Butenko, AM, Zavadova, TI, Tkachenko,, EA, Rubin, S G, and Smirnova, SE. 1969 Antigenic relationships between Cr imean hemorrhagic fever virus strains isolated from differen t geographical regions. In: Arboviruses, Ed. Chumakov, MP. Mater. 16 Nauch. Sess. Inst. Polio. Virus. Entsef. (Moscow, Oct. 1969). (In Russian)(In English, NAMRU3-T853). 151-152
- Chumakov, MP, Belyaeva, AP, Voroshilova, MK, Butenko, AM, Shaluno va, NV, Semashko, IV, Mart'Yanova, LI, Smirnova, SE, Bashkir tsev, VN, Zavadova, TI, Rubin, SG, Tkachenko, EA, Karmysheva , VYa, Reingold, VN, Popov, GV, Kirov, I, Stolbov, DN, and P erelato, VD. 1968 Progress in studting the etiology, immuno logy, and laboratory diagnosis of Crimean hemorrhagic fever in the USSR and Bulgaria. In: Tickborne encephalitis, hemor rhagic fevers, and mosquitoborne arboviral infection, ed. Ch umakov, MP. (In Russ.)NAMRU3-T613 Mater. 15 Nauch. Sess. Ins t. Polio. Virus. Entsef. (Moscow, October 21-25, 1968) 3 100-103
- Chumakov, MP, Belyayeva, AP, Butenko, AM, Mart'Yanova, LI, and Ka rmysheva, VYa. 1964 Isolation and study of a peculiar virus recovered from Hyalomma p. plumbeum and from the blood of fe brile patient in the Astrakhan Region. (In Russian)(In Engl ish, NAMRU3-T148). In: Tick-borne encephalitis, Kemerovo tic k-borne fever, hemorrhagic fevers, and other arbovirus infe ctions. 5-7
- Chumakov, MP, Belyaeva, AP, and Leshchinskaya, IV. 1965 Viral eti ology of diseases of the Crimean hemorrhagic fever type in A strakhan Oblast. (In Russian)(In English, NAMRU3-T191). In: Chumakov, MP. (ed) Endemic viral infections (Hemorrhagic fe ver, and Astrakhan virus from Hyalomma pl. plumbeum tick). Sborn. Trud. Inst. Polio. Virus. Encefal., Akad. Med. Nauk U SSR, (Medicine Moscow). 7 197-201
- Chumakov, MP, Petrova, SP, and Sondak, VA. 1945 Artificial adapti on of the virus of tick and japanese encephalitis to various species of ticks of the family Ixodidae. (In Russian)(In En glish, NAMRU3-T34). Med. Parasit. i. Parasit. Bolezni. 14(1) 18-24
- Chumakov, MP, and Donets, MA. 1975 Virion and subvirion constitue nts of Crimean hemorrhagic fever virus. Int. Virol., Abstr. Int. Congr. Virol. (Madrid, September 1975) 3 193
- Chumakov, MP, and Smirnova, SE. 1972 Investigation of interrelati onships between Pakistan Hazara virus (ShS JT 280) and CHF-C ongo group viruses. Tezisy 17. Nauchn. Sess. Inst. Posvyash ch. Aktual. Probl. Virus. Profilakt. Virus. Zaboiev. (Moscow , October 1972)(In Russ)(In Eng, NAMRU3-T1051) 339-340
- Chumakov, MP, and Smirnova, SE. 1972 Detection of antibodies to C HF virus in wild and domestic animal blood sera from Iran an d Africa. Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zaboiev. (Moscow, Oct. 1972). (In Russian)(In English, NAMRU3-T1072). 367-368

- Chumakov, MP. 1945 A new tick-borne virus disease--Crimean hemorrhagic fever. In: Sokolov, AA, Chumakov, MP, and Kolachev, AA, eds., Crimean hemorrhagic fever (acute infectious capillary toxicosis). Izd. Otd. Primorskoi Armii, Simferopol. (In Russian). 13-43
- Chumakov, MP. 1946 Crimean hemorrhagic fever (acute infectious capillary toxicosis). Short reports. Krymskiy Oblastnoi Otdel Zdravookhraneniya "Krymizdat," Simferopol. 27p. (In Russian) (In English, NAMRU3-T910).
- Chumakov, MP. 1947 A new virus disease--Crimean hemorrhagic fever. (In Russian) (In English, NAMRU3-T900). Nov. Med. 4 9-11
- Chumakov, MP. 1948 Crimean hemorrhagic fever. (In Russian). Entsikl. Slovar Voenm. Med. 3 268-271
- Chumakov, MP. 1965 A short story of the investigation of the virus of Crimean hemorrhagic fever. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian) (In English, NAMRU3-T189). 7 193-196
- Chumakov, MP. 1971 Some results of investigation of the etiology and immunology of Crimean hemorrhagic fever. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian) (In English, NAMRU3-T953). 19 7-20
- Chumakov, MP. 1972 Investigations of arboviruses in the USSR and the question of possible association through migratory birds between natural arbovirus infection foci in the USSR and warm climate countries. Mater. S. Simp. Izuch. Rol'i pereletn. Ptits. Rasp. Arbovirus. (Novosibirsk, July 1969) (In Russian) (In English, NAMRU3-T876).
- Chumakov, MP. 1973 On the results of investigations of the etiology and epidemiology of Crimean hemorrhagic fever in the USSR. Abstr. Inv. Pap. (. Int. Congr. Trop. Med. Malar. (Athens, October 1973) 1 33
- Chumakov, MP. 1974 On 30 years of investigation of Crimean hemorrhagic fever. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian) (In English, NAMRU3-T950). 22 5-18
- Chumakov, MP. Andreeva, SK, Zavadova, TI, Zgurskaya, GN, Kostetskyy, NV, Mart'yanova, LI, Nikitin, AM, Sinyak, KM, Smirnova, SE, Turta, LI, Ustinova, ED, and Chunikhin, SP. 1974 Problems of Crimean hemorrhagic fever virus ecology of natural foci of this infection in the Crimea. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR> (In Russian) (In English, NAMRU3-T1110). 22 19-24
- Chumakov, MP. Bashkirtsev, VN, Golger, EI, Dzagurova, TK, Zavadova, TI, Konovalov, YN, Mart'yanova, IG, Uspenskaya, IG, and Filippov, AN. 1974 Isolation and identification of Crimean hemorrhagic fever and West Nile fever viruses from ticks collected in Moldavia. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian) (In English, NAMRU3-T1113). 22 45-49
- Chumakov, MP. et al 1969 Problems of ecology of Crimean Hemorrhagic fever Virus. Proceedings of the 5th. Symposium on the role of migrating birds in the distribution of arboviruses. Novosibirsk

- Chumakov, MP. 1948 Results of a study made of Omsk Hemorrhagic fever (OL) by an expedition of the Institute of Neurology. (In Russian)(In English, NAMRU3-T81). Vestnik Acad. Med. Nauk S SSR. 2 19-26
- Chumakov, MP. 1965 A short review of investigation of the virus of Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T189). In: Chumakov, MP. ed. Endemic viral infections (Hemorrhagic fever with renal syndrome, Crimean hemorrhagic fever, Omsk hemorrhagic fever, and Astrakhan virus from Hyalomma plumbeum tick). Sborn. Trud. Inst. Polio. Virus, Encefal., Akad 7 193-196
- Chumakov, MP. 1945 Novaia virusnaia bolezni v Krymu. (A new virus disease in Crimea). in: Sbornik Otd. primorskoj armii. Izd. 1945 g. (In Russian).
- Chumakov, MP. (Ed.) 1965 Endemic virus infections: hemorrhagic fever with renal syndrome, Crimean hemorrhagic fever, Omsk hemorrhagic fever, Astrakhan virus from the tick Hyalomma Pl. plumbeum. (In Russian). Proc. Institute of Poliomyelitis and Virus Encephalitis, Vol. VII, Academy of Medical Sciences, Moscow. 7
- Chumakov, MP. (Ed.) 1974 Crimean hemorrhagic fever papers from the third regional workshop at Rostov-on-Don in May 1970. Misc. Pub. Entomol. Soc. Am. 9(3)
- Chumakov, MP. ed. 1970 Crimean hemorrhagic fever. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May, 1970) 183p. (In Russian). (In English, Misc. Publ. Entomol. Soc. Am. 9: 123-200, 1974).
- Chun-Sun, F, and Gensis, DE. 1965 A natural focus of tick borne hemorrhagic fever in Astrakhan Oblast. In: Chumakov, MP. ed. Endemic viral infections (Hemorrhagic fever with renal syndrome, Crimean hemorrhagic fever, Omsk hemorrhagic fever, and Astrakhan virus from Hyalomma plumbeum tick) Sborn. Trud. Inst. Polio. Encefal., Akad. Med Nauk USSR. (In Russian)(In English, NAMRU3-T199). 312-316
- Chunikhin, SP, Chumakov, MP, Butenko, AM, Smirnova, SE, Taufflieb, R, Camicas, JL, Robin, Y, Cornet, M, and Shabon, Z. 1969 Results from investigating human and domestic and wild animal blood sera in the Senegal Republic (Western Africa) for antibodies to Crimean hemorrhagic fever virus. Mater. 16 Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, Oct 1969)(NAMRU3-T810). 2 158-160
- Chunikhin, SP, Chumakov, MP, Smirnova, SE, Pak, TP, Pavlovich, AN, and Kuima, AU. 1969 Division into Biocenotic groups of mammals and Ixodid ticks in Crimean hemorrhagic foci of Southern Central Asia. Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1969)(In Russian)(In English, NAMRU3-T821). 2 156-157
- Chunikhin, SP, Khozinskaya, GA, Stefutkina, LF, and Korolev, MB. 1984 Mono and mixed infections of tissue explants of ticks of the genus Hyalomma with tickborne encephalitis and Powassan viruses. (In Russian)(In English, NAMRU3-T1762). Parazitologiya, Leningrad. 18(2). 116-122
- Chunikhin, SP. 1969 Distribution characteristics of typical Ixodid tick species in Crimean hemorrhagic fever virus foci in southern regions of Central Asia. In Arboviruses, ed Chumakov, MP. (In Russian)(In English, NAMRU3-T854). Mater. 16 Nauchn. Sess. Inst. Polio. Virus. Entsef. (Moscow, October 1969) 2 154-156

- Clifford, CM, Flux, JEC, and Hoogstraal, H. 1976 Seasonal and Regional abundance of ticks (Ixodidae) on hares (Leporidae) in Kenya. J. Med. Entomol. 13(1) 40-47
- Clifford, CM. 1964 Book Review. British Ticks by Don Arthur. J. Parasit. 50 285
- Converse, JD, Hoogstraal, H, Moussa, MI, Stek Jr., M, and Kaiser, MN. 1974 Bahig virus (Tete group) in naturally and transovarially-infected Hyalomma marginatum ticks from Egypt and Italy. Arch. Gesamte Virusforsch 46 29-35
- Cshivkov, FN. 1956 Evaluation of the role played by wild birds in feeding and transportation of Ixodid ticks in Crimea. (In Russian)(In English, NAMRU3-T139). Trud. 2. Nauch. Konf. Parasitol., Ukrain. SSR, Kiev. 33-34
- D'yakonov, P. 1856 Brief outline of characteristics of epidemics prevailing in Crimea during the Crimean campaign. (In Russian)(In English, NAMRU3-T959). Voen. Med. Zh. 68 1-16
- Dandawate, CN, Shah, KV, and D'lima, LV. 1970 Wanowrie virus: A new arbovirus isolated from Hyalomma marginatum isaaci. Indian J. Med. Res. 58 985-989
- Dandurov, YV, Panteleev, VA, Borisov, VM, Smeshko, OV, Arkhipov, PN, Rybin, SN, Risaliev, DR, and Aleksandrov, AK. 1975 Isolation of Crimean hemorrhagic fever virus from Hyalomma plumbeum plumbeum Panz. ticks in Osh Oblast, Kirgiz SSR. Mater. 9. Simp. Ekol. Virus. (Dushanbe, October 1975) (In Russian). 48-49
- Daniyarov, OA, Pak, TP, Kostyukov, MA, Bulchev, VP, and Gordeeva, ZE. 1975 Results from virological investigations of Crimean hemorrhagic fever in Tadzhikistan. Mater. 9. Simp. Ekol. Virus. (Dushanbe, October 1975). (In Russian). (In English, NAMRU3-T1120). 29-30
- Darwish, MA, Imam, IZE, Omar, FM, and Hoogstraal, H. 1977 A seroepidemiological survey for Crimean-Congo hemorrhagic fever virus in humans and domestic animals in Egypt. J. Egypt. Public Health Assoc. 52 156-163
- Darwish, MA, and 1981 Arboviruses infecting humans and lower animals in Egypt: A review of thirty years of research. J. Egypt. Publ. Hlth. Assc., 56(1- 2, 112pp
- Dash, M, and Emel'Yanova, ND. 1971 Contribution to the study of Ixodid ticks in Mongolia. (In Russian)(In English, NAMRU3-T578). Dokl. Irkutsk. Protiv. Inst. 9 241-242
- Daubney, R, and Said, MS. 1951 Egyptian fever of cattle. The transmission of Theileria annulata (Dschunkowsky and Luhs, 1904) by Hyalomma excavatum Koch, 1844. Parasitology 41 249-260
- David-West, TS, Cooke, AR, and David-West, AS. 1974 Seroepidemiology of Congo virus (related to the virus of Crimean haemorrhagic fever) in Nigeria. Brief communications Bull World Health Organ. 51 543-546
- Delpy, L. 1936 Notes sur les Ixodes du genre Hyalomma (Koch). Ann. Parasit. hum. comp. 14 206-245

- Delpy, L. 1937 Notes sur les Ixodides du genre *Hyalomma* (Koch). I
I *Hyalomma schulzei* Olenov. Ann. Parasit. hum. comp. 15
419-430
- Delpy, L. 1947 Nouvelles recherches sur la theileriose bovine pat
hogene en Iran. IV Transmission de la theileriose par les Hy
alomma. Arch. Inst. Hess. 5 14-32
- Delpy, L. 1936 Ann. Parasitology 14 206
- Delpy, L. 1946 Arch. Inst. Hessarek. 2 61
- Delpy, LP. 1946 Revision, par des voies experimentales, du genre
Hyalomma CL Koch 1844 (Acarina, Ixoidae). Note preliminaire.
Ann. parasit. hum. comp. 21 267-293
- Delpy, LP. 1949 Revision, par des voies experimentales, du genre
Hyalomma CL Koch 1844 (Acarina, Ixodoidea). Note preliminar
e (2nd part). Ann. parasit. hum. comp. 24 97-109
- Delpy, LP. 1949 Essai critique de synonymie du genre *Hyalomma* CL K
och 1844 depuis Linne, 1758. Ann. parasit. hum. comp. 24
464-494
- Delpy, LP. 1952 Role des *Hyalomma* dans la transmission de la thei
leriose bovine. Biologie et taxonomie des especes en cause.
Rep. 14th Int. Vet. Congr. (London 1949). 2 89-94
- Delpy, LP. 1937 Notes sur les Ixodidae du genre *Hyalomma* Koch. II
. *Hyalomma schulzei* Olenov, 1931. Ann. Parasit. Hum. et Comp
., 15(5) 419-430
- Deplly, LP. 1949 Essai critique de synonymie du genre *Hyalomma* C.
L. Koch 1844 depuis Linne 1758. Ann. Parasitol. Humaine et C
omp. 24(5- 464-494
- Dhanda, V, and Ramachandra Rao, T. 1964 A report on a collection
of Ixodid ticks made in the North East Frontier Agency, Indi
a. Ind. Jour. Med. Res. 52 1139-1153
- Dhanda, V. 1967 Changes in neurosecretory activity at different s
tages in the adult *Hyalomma dromedarii* Koch, 1844. Nature
214 508-509
- Dias, TS. 1955 Sobre a necessidade do estabelecimento de um novo
agrupamento subgenerico para o genero *Hyalomma* Koch 1844.
Ann Inst. Med. Trop. 12 499
- Dinnick, J, and Zumpt, F. 1949 The integumentary sense organs of
the larvae of Rhipicephalinae (Acarina). Psyche 56(1) 1-17
- Dobrista, PG, Abdulimov, MA, Bakirova, MN, and Mamontov, SI. 1971
Investigation of Crimean hemorrhagic fever (CHF) in Chimkent
Oblast, Kazakh SSR. Report 2. Prevention of CHF in Kazakhst
an conditions. Tr. Inst. Polio. Virusn. Entsefalitov Akad. M
ed. Nauk SSSR. (In Russian)(In English, NAMRU3-T977). 19
231-233
- Dobrista, PG. 1965 Epidemiology and prophylaxis of hemorrhagic fe
ver in Chimkent Region of the southern Kazakhstan. Tr. Inst
. Polio. Virusn Entsefalitov Akad. Med. Nauk SSSR (In Russia
n) (In English, NAMRU3-T196) 7 262-270

- Dobritsa, PG. (In Russian)(In English, NMARU3-T196). 1965 Epidemiology and prophylaxis of hemorrhagic fever in Chirchik Oblast of Southern Kazakhstan. In: Chumakov, MP.(Ed) Endemic viral infections (Hemorrhagic fever with renal syndrome, Crimean hemorrhagic fever, Omsk Hemorrhagic fever, and Astrakhan virus from Hyalomma pl. plumbeum tick. Sborn. Trud. Inst. Polio. Virus. Encefal. Akad. Med. Nauk USSR. 7 262-270
- Dolp, RM, and Hamdy, BH. 1971 Biochemical and physiological studies of certain ticks (Ixodoidea). Protein electrophoretic studies of certain biological fluids of Argas (Argasidae) and Hyalomma (Ixodidae). J. Med. Ent. 8(6) 636-642
- Domrachev, VM. 1949 Data on the problem of Crimean hemorrhagic fever. (In Russian), (In English, NAMRU3-T930). Zh. Mikrobiol. Epidemiol. Immunobiol. 20 69-73
- Donchev, D, Kebedzhiev, G, and Rusakiev, M. 1967 Hemorrhagic fever in Bulgaria. Bulg. Akad. Nauk. Mikrobiol. Inst., 1. Kongr. Mikrobiol. (1965). (In Bulgarian). (In English, NAMRU3-T465) 777-784
- Donets, MA, 1974 The effect of some physical and chemical treatments on the CHF-Congo group viruses. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian) (In English, NAMRU3-T1114). 22 50-56
- Donets, MA, Chumakov, MP, Koroletov, MB, and Rubin, SG. 1977 Physicochemical characteristics, morphology and morphogenesis of virions of the causative agent of Crimean Hemorrhagic fever. Intervirology. 8 294-308
- Donets, MA, Rubin, SG, and Chumakov, MP. 1975 A soluble complement fixing antigen of Crimean hemorrhagic fever virus in experimental infection in newborn white mice. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). (In Russian)(In English, NAMRU3-T994). 289-290
- Donets, MA, Rubin, SG, Chumakov, MP, Gavrilovskaya, IN and Dzagurova, TK. 1975 Adaptation of CHF virus to SPEV and PEK cell cultures. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975) (In Russian). (In English, NAMRU3-T995). 290-291.
- Donets, MA, and Chumakov, MP. 1975 Certain Characteristics of CHF and Congo virus virions. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). (In Russian)(In English, NAMRU3-T993). 287-288
- Donnelly, J. 1980 A comparison of the complement fixation and immunofluorescent antibody tests in a survey of the prevalence of Babesia equi and Babesia caballi in horses in the Sultanate of Oman. Trop. anim. Hlth. Prod. 12 50-60
- Drobinsky, IR. 1945 Epidemiology and diagnosis of Crimean hemorrhagic fever. In Sokolov, AA, Chumakov, MP, and Kolachev, AA, eds. Crimean hemorrhagic fever(acute infectious capillary toxicosis). Izd. Otd. Primorskoj Armii, Simferopol. (In Russian). pp49-68.
- Drobinsky, IR. 1948 Epidemiology and prevention of Crimean hemorrhagic fever (acute infectious capillary toxicosis). Report II. (In Russian)(In English, NAMRU3-T934). Zh. Mikrobiol. Epidemiol. Immunobiol. 19 36-37
- Dubinina, VB. 1948 The significance of animal migration in the spread of disease. (In Russian)(In English, NAMRU3-T239). Izv. Akad. Nauk Kazakh. SSR. 43(5) 13-22

- Durov, VI, Donets, MA, Perelatov, VD, Butenko, AM, Tkachenko, EA, and Chumakov, MP. 1972 Survey of Crimean hemorrhagic fever foci in the southeastern part of the European RSFSR. Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabol. (Moscow, October 1972). (In Russian) (In English, NAMRU3-T1066). 358-359
- Durov, VI. 1970 Preliminary data on examination of blood sera from domestic animals and humans for antibodies to Crimean hemorrhagic fever in Kalmyk ASSR. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian) (In English, NAMRU3-T532). 64-65
- Dutt, MK. 1954 Chromosome studies on *Rhipicephalus sanguineus* Latreille and *Hyalomma aegyptium* Neumann (Acarina: Ixodidae). Curr. Sci. 23 194-196
- Dutton, JE, and Todd, JL. 1905 The nature of human tick fever in the Eastern part of the Congo Free State. Mem. Liverpool Sch. Trop. Med. 17 18pp
- Elbl, A, and Anastos, G. 1966 Ixodid ticks (Acarina Ixodidae) of Central Africa Vol. IV. Genera *Aponomma* Neumann, 1899, *Boophilus* Curtice, 1891, *Dermacentor*, Koch, 1844, *Haemaphysalis* Koch, 1844, *Hyalomma*, Koch, 1844, and *Rhipicentor* Nuttall and Warburton, 1908. Ann. Mus. Roy. Afr. Cent. Ser. 8, Sci. Zool., 148 1-412
- Emel'yanova, ND. 1967 Ixodid hosts of northeastern Asia and their ecological grouping by host characteristics. In: Parasitological Problems. (Markevich, AP. ed.) (In Russian) (In English, NAMRU3-T625). Tezisy Dokl. 5. Nauch. Konf. Ukrain. Respub. Nauch. Obshch., Kiev. 349-351
- Emel'yanova, ND. 1957 Ticks of the family Ixodidae in the Mongolian Peoples Republic. (In Russian) (In English, NAMRU3-T577). Soveshch. Parazit. Probl. 9(?) 88-89
- Enigk, K, and Grittner, I. 1952 The Excretion of ticks. (In German) (In English, NAMRU3-T449). Z. Tropenmed. Parasit. 4(1) 77-94
- Erasmus, LD. 1952 Regional Tick Paralysis. Sensory and motor changes caused by a male tick, genus *Hyalomma*. S. Afr. Med. J. 26(50) 985-987
- Esikov, VI. 1954 Tick species composition removed from horses infected with haemosporidiosis in Kirgiz. SSR. Trud. Nauch.-Konf. Vet. Fakult. Kirgiz. Sel'-Khoz. Inst. K.I. Skryabin. (essays).
- Fabiyi, A. 1973 Congo virus in Nigeria: isolation and pathogenetic studies. Abstr. Inv. Pap. 9. Int. Congr. Trop. Med. Malaria. (Athens, October 1973). 1 35.
- Fabricius, JC. 1794 *NB* Possible *Hyalomma* description Entomologia systematica emendata et aucta, (Hafniae). 4 426
- Fagbami, AH, Grekov, AD, and Terekhov, GN. 1975 Experimental Congo virus (IB-AN 7620) infection in primates. Rev. Roum. Med. S. Virol. 26 33-37
- Feldman-Muehsam, B, and Muehsam, HV. 1966 On the duration of larval and nymphal quiescence in male and female Ixodid ticks. Bull. Ent. Res. 57(1) 101-106

- Feldman-Muehsam, B. 1948 On larvae and nymphs of some species of Palestinian *Hyalomma*. *Parasitology* 39 138-147
- Feldman-Muehsam, B. 1962 Revision of the genus *Hyalomma*. III. *H. lusitanicum* Koch and *H. anatolicum* K. *Parasitology* 52 211-219
- Feldman-Muehsam, B. 1961 Notes on the ecology of Ixodid ticks of Domestic stock in Israel. *The Bulletin of the Research Council of Israel. Section B Zoology.* 10B(1-2) 53-61
- Feldman-Muhsam, B, and Kahn, J. 1958 The variation in laboratory bred ticks. Program and abstracts of the 33rd. annual meeting of the American Society of Parasitologists. *J. Parasitol.* 44(4)-2. 23
- Feldman-Muhsam, B. 1954 Revision of the genus *Hyalomma*. Description of Koch's types. *Bull. Res. Council. Israel* 4(2) 150-170
- Feldman-Muhsam, B. 1949 Hibernation of *Hyalomma savignyi* (Ixodidae) in Palestine. *Bull. ent. Res.* 40 305-306
- Feldman-Muhsam, B. 1957 Revision of the genus *Hyalomma* II. The subgenus *Hyalommina*. *Parasitology* 12(land2) 46-59
- Feldman-Muhsam, B. 1947 Resistance of larvae and nymphs of *Hyalomma savignyi* Gerv. to various conditions of temperature and humidity. *Parasitol.* 38 111-115
- Fleer, GP, and Smirnova, SE. 1968 Detection of cytopathologic changes in tissue culture infected with Crimean hemorrhagic fever (CHF) virus. (Preliminary report). *Mater. 15. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov* (Moscow, October 1968). (In Russian)(In English, NAMRU3-T871). 3 99-100
- Gagarina, AV, and Netsky, GI. 1955 Data on distribution and vectors of hemorrhagic fever in Western Siberia. (In Russian)(In English, NAMRU3-T158). *Prirod. Ochag. Bolezn. Chelovek. Krayev. Epidemiol.* (State publishing House of medical literature) 220-224
- Gaidamovich, SG, Klisenko, G, Shanoyan, N, Obukhova, V, and Mel'nikova, E. 1974 Indirect hemagglutination for diagnosis of Crimean hemorrhagic fever. *Intervirology* 2 181-185
- Gaidamovich, SG, Klisenko, G, Shanoyan, N, Obukhova, V, and Mel'nikova, E. 1974 The indirect agglutination test with CHF-Congo group viruses. (In Russian). *Vop. Virusol.* 19 705-708
- Gajdusek, DC. 1953 Acute infectious hemorrhagic fevers and mycotoxicoses in the Union of Soviet Socialist Republics. *Med. Sci. Publ. Army Med. Serv. Grad. Sch. WRAMC No. 2.* 272pp
- Gajdusek, DC. 1956 Hemorrhagic fevers in Asia: a problem in medical ecology. *Geogr. Rev.* 46 20-42
- Galuzo, IG. 1947 Bloodsucking ticks of Kazakhstan. 2
- Ganiyev, IM. 1966 Ecological-faunistic investigation on ixodid ticks and the epizootiology of hemosporidiosis in farm animals of Western Prikaspiye. (In Russian)(In English, NAMRU3-T340). *Tezisy Dokl. 1. Akarol. Soveshch.* 61-62
- Gear, JHS, Thomson, PD, Hopp, M, et al. 1982 Congo-Crimean hemorrhagic fever in South Africa. Report of a fatal case in the Transvaal. *S. Afr. Med. J.* 62 pp576-80

- Genis, DE, Smirnova, SE, Zgurskaya, GN, and Chumakov, MP. 1971 The results of investigation of Crimean hemorrhagic fever in Kzyl-Orda Region of the Kazakh SSR. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T952). 19 92-99
- Giller, AS. 1971 Pathological anatomy of Crimean hemorrhagic fever in Tadzhikistan. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR (In Russian)(In English, NAMRU3-T978) 19 146-148
- Giroud, P, Colas-Belcour, J, Pfister, R, and Morel, P. 1957 Hyalomma, Boophilus, Rhipicephalus d'Afrique sont porteurs d'elements rickettsiens et neorickettsiens et quelquefois des deux types d'agents. Bull. Soc. Path. exot. 50 529-532
- Giroud, P, and Jardin, J. 1952 Comportement des animaux domestiques au Ruanda-Urundi (Congo-Belge) vis-a-vis de l'antigene epidemique. Bull. Soc. Path. exot. 46 870-871
- Giroud, p. 1964 Epidemiologie rurale. - Les fiebres transmises par les tiques considerees comme dues au groupe Erlichia, sont en fait dues au groupe boutonneux pourpre et au groupe psittacose (neorickettsien) evoluant sur des hotes particuliers. C.R. Acad. Sc. Paris. 258 6027-6029
- Glaschinskaya-Babenko, LV 1949 Chaetotaxy of the body of larvae of ticks belonging to the family Ixodidae and its taxonomic importance. Doklady Akad. Nauk SSSR. LXV(2). 245-248
- Goldfarb, LG, Chumakov, MP, Myskin, AA, et al. 1980 An epidemiological model of Crimean hemorrhagic fever. Am. J. Trop. Med. Hyg. 29 pp260-4
- Gostinshchikova, GV, and Chervonsky, VI. 1971 Application of luminescent microscopy in detection of arboviruses. (In Russian)(In English, NAMRU3-T490). Tezisy Dokl. Vop. Med. Virus., Inst. Virus imeni Ivanovsky, DI. Akad. Med. Nauk SSSR (Oct. 19-21). 2 60-61
- Gothé, R. 1983 Pheromones in Ixodid and Argasid Ticks. Part 1. Ixodid Ticks. Veterinary Medical Review. 1 17-37
- Grebenyuk, RV. 1961 Vertical and static distribution of Ixodid ticks in Kirgizia. Prirod. Ochag. Bolez. Vop. Parasit., Akad. Nauk Kazakh SSR. 3 477-483
- Grebenyuk, RV. 1955 Ixodid ticks of Issykkul Oblast in Kirgiz SSR. (In Russian)(In English, NAMRU3-T238). Trud. Zool. Parasit. Inst. Akad. Nauk Kirgiz SSR. 4 79-87
- Grebenyuk, RV. 1956 Ixodid ticks of Dzhalal-Abad Oblast. (In Russian)(In English, NAMRU3-T238). Trud. Inst. Zool. Parasit., Akad. Nauk Kirgiz. SSR. 5 169-170
- Grobov, AG. 1946 Carriers of Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T36). Med. Parazitol. Parazit. Bolezn i 15 59-63
- Grokhovskaya, IM, Ignatovich, VF, and Sidorov, VE. 1966 Susceptibility of ticks of the superfamily Ixodoidea to Rickettsia prowazekii. (In Russian)(In English, NAMRU3-T249). Med. Parasit., Moscow. 35(3). 299-204

- Grokhovskaya, IM, Sidopov, VF, Kryuchchnikov, VN, and Ignatovich, VF. 1968 Comparison of interrelationships between bloodsucking arthropods and *Rickettsia prowazeki*. (In Russian)(In English, NAMRU3-T310). Abstr. Rev. 8. Int. Congr. Trop. Med. Malar. (Tehran, September 7-15, 1968). 866-867
- Grokhovskaya, IM, Ignatovich, VF, and Sidorov, VE. 1967 Ixodoidea ticks and *Rickettsia prowazeki*. In: Biological interrelationships of bloodsucking arthropods with the agents of human diseases, edited by Petrishcheva, PA. (In Russian)(In English, NAMRU3-T318). Akad. Med. Nauk SSSR, Moskva. 126-142
- Grokhovskaya, IM, Sidorov, VE, and Korshunova, OS. 1964 Does feeding ticks on immune animals influence *Rickettsia sibirica*. (In Russian)(In English, NAMRU3-T204). Med. Parasit., Moscow. 33(2) 178-181
- Grokhovskaya, IM, Ignatovich, VF, and Sidorov, VYe. 1966 Ticks of the superfamily Ixodoidea and *Rickettsia prowazeki*. (In Russian)(In English, NAMRU3-T341). Tezisy Dokl. 1. Akarol. Soveshch. 74-75
- Grokhovskaya, IM, and Nguen Huan Hoe. 1968 Contribution to the study of Ixodid ticks (Ixodidae) in Vietnam. (In Russian)(In English, NAMRU3-T401). Med. Parazit., Moskva. 37(6) 710-715
- Grokhovskaya, IM, and Kryuchchnikov, VN. 1966 Comparative study of biological interrelationships between rickettsiae and ticks of the superfamily Ixodoidea. (In Russian)(In English, NAMRU3-T520). Tezisy Dokl. 1. Akarol. Soveshch. 189-190
- Grokhovskaya, IM. 1966 Bloodsucking mites (and ticks) of North Vietnam. (In Russian)(In English, NAMRU3-T417). Tezisy Dokl. 1. Akarol. Soveshch. 73-74
- Gusarev, AF. 1969 Pathomorphological changes in the liver during Crimean hemorrhagic fever. Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (October 1969). (In Russian)(In English, NAMRU3-T842). 2 130-132
- Gusarev, AF. 1970 Pathomorphological characteristics of Crimean hemorrhagic fever in Rostov Oblast. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian)(In English, NAMRU3-T544). 127-131
- Gusarev, AF. 1970 Dynamics of kidney changes and pathogenesis of the kidney-urinary syndrome in certain types of hemorrhagic fever. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian). (In English, NAMRU3-T545). 131-135
- Gusarev, AF. 1971 Data on characteristics of external examination of patients who died from hemorrhagic fever. Tr. Inst. Polio. Virusn. Ensefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T945). 19 149-154
- Gusev, VM, Guseva, AA, Petrosian, EA, and Eigelis, IuK. 1962 The role of birds in the spread of ticks and fleas. (According to material collected in Azerbaijan SSR). (In Russian)(In English, NAMRU3-T83). Zool. Zh. 41(6) 905-912
- Guseva, AA. 1966 Contribution to the study of Ixodid ticks in Caucasus. (In Russian)(In English, NAMRU3-T561). Tezisy Dokl. 1. Akarol. Soveshch. 76

- Gushchina, EA, Aristova, VA, Gromashevsky, VL, Voltsit, OV, Gushchin, BV, L'Vov, DK and Klimenko, SM. 1984 Electron-microscope study of the midgut of ticks following experimental infection with Karshi virus. (In Russian)(In English, NAMRU3-T1737). Vop. Virus. 29(2) 235-240
- Hadani, A, and Rechav, Y. 1970 Tick-host relationships. II. Factors affecting the circadian rhythm of "drop-off" of engorged preimaginal stages of the tick *Hyalomma excavatum* (Koch, 1844) from the gerbil, *Meriones tristrami*. Acta Trop. 27 184-190
- Hadani, A, and Ziv, M. 1974 Tick host relationships. III The effect of photoperiodic pre-conditioning on the circadian rhythm of "drop-off" of engorged pre-imaginal stages of the tick *Hyalomma excavatum* (Koch, 1844) from the gerbil, *Meriones tristrami*. Acta Trop. 31 89-94
- Hafez, M, El-Ziady, S, and Hefnawy, T. 1970 Biochemical and physiological studies of certain ticks (Ixodoidea). Cuticular permeability of *Hyalomma* (H.) *dromedarii* Koch (Ixodidae) and *Ornithodoros savignyi* (Audouin)(Argasidae). J. Parasit. 56 154-163
- Hafez, M, El-Ziady, S, and Hefnawy, T. 1970 Biochemical and physiological studies of certain ticks (Ixodoidea). Uptake of water vapour by the different developmental stages of *Hyalomma* (H.) *dromedarii* Koch (Ixodidae) and *Ornithodoros* (O.) *savignyi* (Audouin)(Argasidae). J. Parasit. 56 354-361
- Hajjar, NP. 1972 Biochemical and Physiological studies of certain ticks (Ixodoidea). Phospholipid and sterol patterns in biological fluids of nymphal and adult *Hyalomma* (H.) *dromedarii* and H. (H.) *anatolicum* Koch (Ixodidae). J. Med. Ent. 9 281-285
- Hajjar, NP. 1972 Biochemical and physiological studies of certain ticks (Ixodoidea). Fatty acid composition of lipids and free fatty acid fractions of hemolymph and gut and moulting fluids of nymphal and female *Hyalomma* (H.) *dromedarii* and H. (H.) *excavatum*. J. Med. Ent. 9 551-557
- Hajkova, Z, Bouchalova, J, and Leahy, MG. 1980 A pre-attachment aggregation pheromone in the adult metastriate tick, *Hyalomma dromedarii* Koch. Folia parasit. (Praha). 27 367-372
- Heneberg, D, Heneberg, N, Celina, D, Filipovic, D, Markovic, Z, Zubi, D, Zivcovic, B, Simic, M, Zonjic, S, and Pantelic, M. 1968 Crimean hemorrhagic fever in Yugoslavia. (In Croatian). Vojnosanit. Pregl. 25 181-184
- Heneberg, N, Heneberg, D, Milosevic, J, and Dimitrijevic, V. 1967 Distribution of ticks in the autonomous provinces Kosovo and Metohiji. Regarding especially *Hyalomma plumbeum plumbeum* Panzer, reservoir and vector of Crimean haemorrhagic fever of man. Zb. Vojnomed. Akad. Beograd. (In Croatian)(In English, NAMRU3-T324). 30-36
- Hoeppli, and Feng. 1933 Experimental studies on ticks. Chin. Med. J. 47
- Hoogstaal, H, and Kaiser, MN. 1958 Observations on Egyptian *Hyalomma* ticks (Ixodoidea Ixodidae). 3. Infestations of greater gerbils, especially by immature H. *impelatum* S&S. Ann. Entomol. Soc. Am. 51 17-19

- Hoogstraal, H Traylor, M.A., Gaber, S., Malakatis, G., Guindy, E., & Helmy, I. 1964 Ticks (Ixodidae) on migrating birds in Egypt, Spring and Fall, 1962. Bull. Wld. Hlth. Org. 30 355-67
- Hoogstraal, H and 1958 Observations on Egyptian Hyalomma Ticks (Ixodoidea, Ixodidae). 4. Identity, distribution, and hosts of *H. franchinii tonelli-rondelli* (new combination). Systematic status of *H. tunesiaceum* Sc. & Sc. and its subspecies. Ann. Ent. Soc. Am.. 51(4) 397-400
- Hoogstraal, H, 1982 Tick-Host Specificity. (2. Symp. Spec. Parasites Vertebr., Paris, April 1981). Mem. Mus. Nat. Hist. Nat., Paris, s.A, 123: 157
- Hoogstraal, H, 1958 Observations on Egyptian Hyalomma Ticks (Ixodoidea, Ixodidae). 2. Parasitism of Migrating birds by immature *H. rufipes* Koch Ann. Ent. Soc. Am. 51(1) 12-16
- Hoogstraal, H, Buttiker, W, and Wassef, HY. 1983 Ticks of Saudi Arabia *Hyalomma* (*Hyalomma*) *arabica* (Fam. Ixodidae), a Parasite of Goats and Sheep in Saudi Arabia. Fauna of Saudi Arabia 5 117-120
- Hoogstraal, H, Wassef, HY, and Buttiker, W. 1981 Ticks (Acarina) of Saudi Arabia Fam. Argasidae, Ixodidae. Fauna of Saudi Arabia. 3 25-110.
- Hoogstraal, H, Aeschlimann, A. 1982 Tick-host specificity. Bulletin de la societe entomologique Suisse. 55 5-32
- Hoogstraal, H, Kaiser, MN, Ormsbee, RA, Osborn, DJ, Helmy, I, and Gaber, S. 1967 *Hyalomma* (*Hyalomma*) *rhypicephaloides* Neumann (Ixodoidea: Ixodidae): Its identity hosts, and ecology, and *Rickettsia conorii*, *R. prowazekii*, and *Coxiella burnetii* infections in rodent hosts in Egypt. J. Med. Ent. 4(4) 391-400
- Hoogstraal, H, and 1957 Observations on Egyptian Hyalomma ticks (Ixodoidea, Ixodidae). 1. Parasitism of lizards by nymphs. Ann. Ent. Soc. Am. 51(1) 7-12
- Hoogstraal, H, and Kaiser, MN. 1958 Observations on the ticks (Ixodoidea) of Iraq with special reference to the genus *hyalomma*. J. Iraqi Med. Prof. 6(2-3). 58-84.
- Hoogstraal, H, and Kaiser, MN. 1960 Observations on ticks (Ixodoidea) of Libya. Ann. Ent. Soc. Am. 53(4). 445-457
- Hoogstraal, H, and Kaiser, MN. 1958 The ticks (Ixodoidea) of Egypt. A brief review and keys. J. Egyptian Public Health Association. 33(3) 51-85
- Hoogstraal, H, and Kaiser, MN. 1958 The ticks (Ixodoidea) of Iraq: Keys, Hosts, and Distribution. J. Iraqi Med. Prof. 6(2-3) 1-22
- Hoogstraal, H. 1979 The epidemiology of tick-borne Crimean-Congo hemorrhagic fever in Asia, Europe, and Africa. J. Med. Entomol. 15 307-417
- Hoogstraal, H. 1956 African Ixodoidea. I. Ticks of the Sudan (with special reference to Equatoria Province and with preliminary reviews of the genera *Boophilus*, *Margaropus*, and *Hyalomma*). Dep. Navy, Bur. Med. Surg.; Washington, D.C. 1-1101
- Hoogstraal, H. 1966 Ticks in relation to human diseases caused by viruses. Ann. Rev. Entomol. 11 261-308

- Hoogstraal, H. 1973 Viruses and Ticks. In: Gibbs, A.J. (ed.), Viruses and Invertebrates. North-Holland Publ. Co. 1 349-90
- Hoogstraal, H. 1977 Landscapes, epidemiology, tick species and some babesias and viruses transmitted to humans. Proc. 139 Ann u. Meet. Br. Assoc. Adv. Sci. 1 1-25
- Hoogstraal, H. 1977 Viruses and ticks from migrating birds. Inst. ArbKolloq. Naturh. Infektionskr. ZentEurop. 2 27-50
- Hoogstraal, H. 1978 Biology of ticks. In: Wilde, J.K.H. (ed.) Tickborne diseases and their vectors. Proc.Int. Conf., Edinburgh (Sept.-October, 1976) 1 3-14
- Hoogstraal, H. 1958 Observations on Egyptian Hyalomma ticks (Ixodoidea, Ixodidae). 2. Parasitism of migrating birds by immature H. rufipes Koch. Ann. Entomol. Soc. Amer. 51 12-16
- Hoogstraal, H. 1958 Observations on Egyptian Hyalomma ticks (Ixodoidea, Ixodidae). 3. Infestation of greater gerbils, especially by H. impeltatum S. & S. Koch Ann. Entomol. Soc. Amer. 51 17-19
- Hoogstraal, H. 1959 Observations on Egyptian Hyalomma ticks (Ixodoidea, Ixodidae). 5. Biological notes and differences in identity of H. anatolicum and its subspecies anatolicum Koch and excavatum Koch among Russian and other workers. Identity of H. lusitanicum Koch. Ann. Entomol. Soc. Amer. 52 243-61
- Hoogstraal, H. 1961 Ticks (Ixodoidea) on birds migrating from Africa to Europe and Asia. Bull. World Health Organ. 24 197-212
- Hoogstraal, H. Traylor, M.A., Gaber, S., Malakatis, G., Guindy, E. & Helmy, I. 1964 Ticks (Ixodoidea) on migrating birds in Egypt, spring and fall 1962. Bull. World Health Organ. 30 355-67
- Hoogstraal, H. 1973 Acarina (ticks) chpt 5 In: Viruses and Invertebrates, ed. AJ Gibbs. North-Holland Publishing Company 89-103
- Hoogstraal, H. 1973 Viruses and Ticks. In: Viruses and Invertebrates. Ed. AJ Gibbs Chpt 18 349-390
- Hoogstraal, H. 1956 African Ixodoidea. 1. Ticks of the Sudan (with special reference to Equatoria province and with preliminary reviews of the genera Boophilus, Margaropus, and Hyalomma). US Navy, Washington, DC. 1101pp
- Hoogstraal, H. 1973 Parasites of endothermal laboratory animals. Ticks. Chap 14. 398-424 in Diseases of Laboratory Animals. (Flynn, R.J. ed.). Univ. Iowa Press, Ames.
- Hoogstraal, H. 1967 Ticks in relation to human diseases caused by Rickettsia species Ann. Rev. Ent. 377-420
- Hoogstraal, H. 1981 Ticks (Acarina) of Saudi Arabia Fam. Argasidae, Ixodidae. Fauna of Saudi Arabia 3 25-110
- Hoogstraal, H. 1985 Ticks. in (Gaafar, SM, Howard, WE, and Marsh, RE. Eds.) Parasites, Pests, and Predators Chpt. 15. 347-370
- Hoogstraal, H. 1973 Viruses and Ticks. In Gibbs, AJ. (Ed.). Viruses and Invertebrates. North-Holland pub. Co., Amsterdam and London. Chpt 18. 349-390

- Hoogstraal, H. 1973 Birds as tick hosts and as reservoirs and disseminators of tickborne infectious agents. *Wiadomosci Parazytologiczne* 18 703-706
- Hoogstraal, H. 1961 Migrating birds and their ectoparasites in relation to disease *East African Medical Journal* 38 221-26
- Hoogstraal, H. 1956 Faunal explorations as a basic approach for studying infections common to man and animals *East African Medical Journal* 33 1-5
- Hoogstraal, H. 1956 Notes on African *Haemaphysalis* ticks. III. The Hyrax parasites, *H. bequaerti* sp. nov., *H. orientalis* N. and W. 1915 (new combination), and *H. cooleyi* Bedford, 1929 (*Ixodoidea*, *Ixodidae*). *J. Parasitol.* 42 156-72
- Hoogstraal, H. Aeshlimann, A. 1982 Tick-host specificity. *Mem. Mus. Nat. Hist. Nat., Paris, S.A.* 123 157-171
- Hoogstraal, H. 1961 Ectoparasites of migrating birds and their disease relationships Abstracts Tenth Pacific Science Congress, Honolulu 10 417
- Hoogstraal, H. 1963 A brief review of tick, bird and pathogen inter-relationships. Rep. 2nd. Meet. FAO-OIE Panel Tick-borne Diseases., Cairo, 1962 1 59-71
- Hoogstraal, H. 1967 Tickborne hemorrhagic fevers, encephalitis, and typhus in U.S.S.R. and Southern Asia. *Exper. Parasitol.* 21 98-111
- Hoogstraal, H. 1972 Birds as tick hosts and as reservoirs and disseminators of tickborne infectious agents. *Wiadomosci Parazytologiczne* 18 4-5
- Hoogstraal, H., 1978 Biology of ticks. In: Tick-borne diseases and their vectors, edited by Wilde, JKH Proc. Internat. Conf. (Edinburgh, S Proc. Internat. Conf. (Edinburgh, Sept-Oct 1976) 3-14
- Hoogstraal, H., Kaiser, M.N., Traylor, M.A., Guindy, E., & Gaber, S. 1963 Ticks (*Ixodidae*) on birds migrating from Europe and Asia to Africa, 1959-1961 *Bull. Wld. Hlth. Org.* 28 235-62
- Hoogstraal, H., Kaiser, M.N. 1961 Ticks from European-Asiatic birds migrating through Egypt and Africa *Science* 133 277-78
- Hoogstraal, H., Kaiser, M.N., Traylor, M.A., Gaber, S., & Guindy, E. 1961 Ticks (*Ixodoidea*) on birds migrating from Africa to Europe and Asia. *Bull. Wld. Hlth. Org.* 24 197-212
- Horvath, LB. 1975 Incidence of antibodies to Crimean haemorrhagic fever in animals. (In Russian English Summary). *Acta Microbiol. Hung.* 22 61-63.
- Horvath, LB. 1976 Precipitating antibodies to Crimean haemorrhagic fever virus in human sera collected in Hungary. *Acta Microbiol. Hung.* 23 331-335
- Hussein, MF, Kamel, MY, and Kamal, KA. 1980 Biochemical and physiological studies of certain ticks (*Ixodoidea*). Changes in fatty acid composition of phospholipids during oogenesis and embryogenesis of *Dermacentor andersoni* stiles (*Ixodidae*) and *Argas (Persicargas) arboreus* Kaiser, Hoogstraal and Kohls (*Arcasidae*). *J. Egypt. Soc. Parasit.*

- Ignatovich, VF, and Grokhovskaya, IM. 1968 Study of possible routes of *Rickettsia prowazekii* transmission by ticks of the superfamily Ixodoidea. (In Russian)(In English, NAMRU3-T400). Med. Parazit., Moskva. 37(6) 708-710
- Ismailova, ST, Rubin, SG, Chumakov, MP, Khankishiev, AM, Manafov, IN, Berezin, VV, and Reshetnikov, IA. 1972 Study of potential Crimean hemorrhagic fever foci in Azerbaijan after the data on serological investigation of domestic animals by the agar gel diffusion and precipitation (AGDP) test. Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus..... ..Profilakt. Virus. Zabol. (Moscow Oct 1972)(In Russ)(In English, NAMRU3-T1071). 365-366
- Ivanov, N. 1960 Epidemiology of hemorrhagic fever in Bulgaria. (In Russian)(In English, NAMRU3-T1761). Izv. Mikrobiol. Inst. Sof. 12 151-152
- Ivanov, SP, and Karzov, EG. 1940 Piroplasmiasis in Kirgiz. SSR. 15-Let. Kirgiz. Nauch.-Issled. Vet. Opyt. Stants. 2
- Ivanov, SP. 1941 Data on study of haemosporidiosis (piroplasmiasis) in one of the regions in Kirgizia. Trud. Kirgiz. Nauch.-Issled. Vet. Opyt. Stants. 2
- Jagannath, MS, Nagaraja, KV, and Hedge, KS. 1928 Feature of taxonomic value in *Hyalomma marginatum isaaci* Sharie. Curr. Sci. 43 222-223
- Jelinkova, A, Benda, R, and Novak, M. 1975 Electron microscope demonstration of Crimean hemorrhagic fever virus in CV-1 cells. Acta Virol. (Engl. ed.) 19 369-373
- Johnsen, P. 1943 *Hyalomma aegyptium* L., en Blodmide indslæbt i Danmark. Fl. and Fa. 128
- Johnsen, P. 1943 *Hyalomma marginatum* Koch, en Blodmide ny for Danmark. Ent. medd. 22 381-383
- Jooste, KF. 1966 Rhod. Agric. J. 63 97-99
- Kagramanov, AI, Blagodarny, YaA, Makarevich, NM, Blekhman, IM, and Yakunin, MP. 1967 Ticks - possible vectors of tuberculosis. (In Russian)(In English, NAMRU3-T445). Probl. Tuberk., 45 60-64
- Kahn, J, and Feldman-Muhsam, B. 1958 A note on tick chromosomes. Bull. Res. Coun. Israel B. 78 205-206
- Kahn, J. 1964 Cytotaxonomy of ticks. Quar. J. Micr. Sci. 105 123-137
- Kaiser, MN, and Hoogstraal, H. 1963 The *Hyalomma* ticks (Ixodoidea, Ixodidae) of Afghanistan. J. Parasit., 49(1) 130-139
- Kaiser, MN, and Hoogstraal, H. 1964 The *Hyalomma* ticks (Ixodidae) of Pakistan, India, and Ceylon, with keys to sub-genera and species. Acarologia 6 257-286
- Kaiser, MN, and Hoogstraal, H. 1968 Rediscription of *Hyalomma* (*H.*) *erythraeum* Tonelli-Rondelli (resurrected), description of the female and immature stages, and hosts and distribution in Ethiopia and Somali Republic. Ann. Ent. Soc. Am. 61 1228-1235

- Kalmykov, ES, and Yasinsky, AV. 1971 Landscape associations of Crimean hemorrhagic fever foci in Tadzhik SSR. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T946). 19 186-189
- Kalunda, M, and Mukwaya, LG. 1978 Isolation of Congo virus from man and ticks in Uganda. Abstr. 4. Internat. Congr. Virol. (Hague, August-September 1978). 290
- Karabaeva, R. 1966 Ixodid tick fauna of farm animals in Chimkent Oblast. (In Russian)(In English, NAMRU3-T428). Tezisy Dokl. 1. Akarol. Soveshch. 107
- Karapetyan, RM, Vorobiev, AG, Semashko, IV, and Matevosyan, KS. 1974 A case of Crimean hemorrhagic fever in the Armenian SSR. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR (In Russian)(In English, NAMRU3-T1115). 22 260-265
- Karas', FR, Risaliev, DD, and Vargina, SG. 1976 Crimean hemorrhagic fever foci in Southwestern climatic region of Kirgizia. Tezisy Dokl. Vses. Konf. Prirod. Ochag. Bolez. Chelov. Zhivot. (Omsk, May 1976). (In Russian)(In English, NAMRU3-T1175). 128
- Karimov, SK, Kiryushchenko, TV, Usebaeva, GK, and Rogovaya, SG. 1975 On investigations of Crimean hemorrhagic fever in Southern Kazakhstan. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). (In Russian)(In English, NAMRU3-T985). 297-299
- Karinskaya, GA, Badalov, ME, and Primakov, SV. 1970 Detection of new Crimean hemorrhagic fever foci (CHF) in Rostov and Luga Oblasts. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian)(In English, NAMRU3-T540). 108-110
- Karinskaya, GA, Chumakov, MP, Butenko, AM, Badalov, ME, and Rubin, SG. 1970 Investigation of blood samples from animals in Rostov Oblast for antibodies to Crimean hemorrhagic fever virus. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian)(In English, NAMRU3-T530). 55-61
- Karinskaya, GA, Chumakov, MP, Butenko, AM, Badalov, ME, and Rubin, SG. 1970 Certain data on serological investigation of patients recovered from CHF in Rostov Oblast. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian)(In English, NAMRU3-T528). 45-50
- Karmysheva, VY, Borisov, VM, Zavadova, TI, Tkachenko, EA, Butenko, AM, Smirnova, SE, and Chumakov, MP. 1971 Investigation of interaction of interaction between rodent-pathogenic Crimean hemorrhagic fever (CHF) virus strain. Mater. 15. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1968) (In Russian)(In English, NAMRU3-T867). 3 92-94
- Karmysheva, VY, Borisov, VM, Zavadova, TI, Tkachenko, EA, Butenko, AM, Smirnova, SE, and Chumakov, MP. 1971 Investigation of interaction between rodent-pathogenic Crimean hemorrhagic fever virus strains and cell cultures. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T932). 19 48-55
- Karmysheva, VY, Butenko, AM, Bashkirtsev, VN, and Chumakov, MP. 1968 Indication of Crimean hemorrhagic fever virus in smear impressions from the brain and certain other organs of other animals using the fluorescent antibody method. Mater. 15. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1968). (In Russian)(In English, NAMRU3-T827) 3 94-96

- Karmysheva, VY, Butenko, AM, Bashkirtsev, VN, and Chumakov, MP. 1971 Use of the fluorescent antibody technique for detection of Crimean hemorrhagic fever virus in impression smears and sections of the brain and some other organs of animals. Tr. Inst. Polio. Virusn. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T960) 19 56-60
- Karmysheva, VY, Leshchinskaya, EV, Butenko, AM, Savinov, AP, and Gusarev, AF. 1973 Results of some laboratory and clinical-morphological investigations of Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T763). Arkh. Patol. 35 17-22
- Karmysheva, VY, Leshchinskaya, EV, Savinov, AP, Gusarov, AF, and Mochalova, EA. 1969 Results of clinical-morphological and immunofluorescent study of Crimean hemorrhagic fever latent infections. Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1969)(In Russian)(In English, NAMRU3-T847). 2 139-140
- Kashimov, DM, and Mikhailova, LI. 1971 Materials on the study of the clinical pattern of Crimean hemorrhagic fever in Tadzhikistan. (In Russian)(In English, NAMRU3-T976). 19 134-139
- Kasymov, KT, Daniyarov, OA, Pak, TP, Pavlovich, AN, Smirnova, SE, and Chumakov, MP. 1971 Isolation and study of Crimean hemorrhagic fever virus from Hyalomma ticks in Tadzhikistan. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR (In Russian)(In English, NAMRU3-T815). 19 38-40
- Kasymov, KT, Pavlovich, AN, and Daniyarov, OA. 1971 Results of examination of normal human and animal sera in CF and AGDP tests with the antigen of Crimean hemorrhagic fever virus in Tadzhikistan. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T928). 19 80-85
- Katelina, A.F. Panina, T.V. 1966 Flea fauna of the common red-backed vole (*Clethrionomys glareolus* Schreb.) within a focus of hemorrhagic fever with renal syndrome (RFRS). In: DEMIANOV, A.G. et al.(eds.) Problems of natural focal infections and medical geography, Tula (Conference 1966) 73-74
- Katsenovich, AL and Itskovich, ID. 1950 The clinical picture of hemorrhagic fevers. (In Russian). Klin. Med. Moscow. 28 51-55
- Kaufman, WR, and Barnett, SF. 1977 *Dermacentor andersoni*: Culture of whole salivary glands. Experimental Parasitology 42 106-114
- Khalil, GM, Nada, S, and Sonenshine, DE. 1980 Sex pheromone regulation of mating behaviour in the camel tick *Hyalomma dromedarii* Koch (Acari: Ixodidae). Abstr. 16th. Congr. Entomol. (Kyoto, August 1980). p. 331
- Khalil, GM, Nada, A, and Sonenshine, DE. 1981 Sex pheromone regulation of mating behaviour in the camel tick *Hyalomma dromedarii* (Ixodoidea: Ixodidae). J. Parasit. 67 70-76
- Khalil, GM. 1970 Biochemical and physiological studies of certain ticks (Ixodoidea). Gonad development and gametogenesis in *Hyalomma* (H.) *anatolicum excavatum* Koch (Ixodidae). J. Parasit. 56 596-610
- Kharitonova, N.N. Leonov, Yu.A. 1985 Omsk Hemorrhagic Fever: Ecology of the agent and Epizootiology Amerind Publ. Co., 230 pp.

- Kharitonova, N.N. Leonov, Yu.A. 1969 On the role of the red-cheeked suslik in the Omsk hemorrhagic fever (OHF) focus in northern Kulunda. In: Cherepanov, A.I., et.al. Migrant birds and their role in distribution of arboviruses. Sibirsk Otd. Akad. Nauk SSSR, Biol.Inst., Akad. Med. Nauk SSSR 349-351
- Kharitonova, N.N. Danilov, O.N., and Leonov, Yu. A. 1972 The importance of Falconiformes in foci of Omsk hemorrhagic fever. In: Cherepanov, A.I., (ed.) Transcontinental connections of migratory birds and their role in the distribution of arboviruses Mater. 5. Simp. Izuch. Rol. Pereletn. Ptits Rasp. Arbovirus (Novosibirsk, July 20-27, 1969) 353-355
- Khodukin, N.I. (ed.) 1952 Problems of regional pathology. Issue II. Hemorrhagic fever in Uzbekistan. Academy of Sciences, Uzbek SSSR, Tashkent 2 159
- Khodukin, NI, Lysunkina, VA, 1952 Med. Zh. Uzbek. 8 62
- Khodukin, NI. Lysunkina, VA, and Kamenshteyn, IS. 1952 The search for vectors of hemorrhagic fever in Central Asia. p. 112-121. In Khodukin, NI. ed. HEMORRHAGIC fever in Uzbekistan. Vol. 2. Kraev. Patol. Akad. Nauk. SSSR. No. 2. (In Russian) (In English, NAMRU3-T215)
- Kirya, BG, Lule, M, Sekyalo, E, Mukuye, A, and Mujomba, E. 1972 Arbovirus isolation and identification. Rep. E. Afr. Virus Res. Inst. (1972). 22 7-8
- Kirya, BG, Semenov, BF, Tret'yakov, AF, Gromashevsky, VL, and Madzhomba, E. 1972 Preliminary report on investigation of animal sera from East Africa for antibodies to Congo virus by the agar gel diffusion and precipitation method. Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabol. Moscow, October 1972)(In Russian)(In English, NAMRU3-T1073). 368-369
- Kirya, BG, and Lule, M. 1971 Congo virus (AMP 10358). Rep E. Afr. Virus Res Inst. (1970). 20 18
- Kirya, BG. 1973 The significance of Congo virus infection in Africa Abstr. Inv. Pap. 9. Int. Congr. Trop. Med. Malar. (Athens, October 1973). 1 34
- Kiya, BG, Lule, M, and Mujomba, E. 1972 Isolation of Congo virus from the tick, Amblyomma variegatum in East Africa. p. 267-272 Proc. E. Afr. Med. Res. Council. Sci. Conf.(1972). 267-272
- Kiya, BG. 1972 New data on Congo virus in East Africa: Isolation of Congo Virus from Amblyomma variegatum ticks. Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabol. (Moscow, October, 1972)(In Russian). (In English, NAMRU3-T1057). p. 348
- Klyushkina, EA. 1958 A parasite of the Ixodid ticks Hunterellus hookeri How. in the Crimea. (In Russian)(In English, NAMRU3-T1684). Zool. Zh. 37(10) 1561-1563
- Knight, MM, Norval, RAI, and Rechav, Y. 1978 The life cycle of the tick Hyalomma marginatum rufipes Koch (Acarina: Ixodidae) under laboratory conditions. J. Parasit. 64(1) 143-146
- Koch, CL. 1844 Arch. f. Naturgeschi. 10 222
- Koch, CL. 1847 Uebersicht des Arachnidensystems, 4

- Kondratenko, VF, Blagoveshchenskaya, NM, Butenko, AM, Vyshnivetskaya, LK, Zarubina, LV, Milyutin, VN, Kuchin, VV, Novikova, E M, Rabinovich, VD, Shevchenko, SF, and Chumakov, MP. 1970 Results of virological investigation of Ixodid ticks in Crimean hemorrhagic fever focus in Rostov Oblast. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970)(In Russian)(In English, NAMRU3-T524). 29-35
- Kondratenko, VF, Kuchin, VV, and Vyshnivetskaya, LK. 1972 Associations between human population and the vector of Crimean hemorrhagic fever agent in infection foci of Rostov Oblast. Tezisy. 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Zabol. (Moscow, October 1972)(In Russian)(In English, NAMRU3-T1067) 359-360
- Kondratenko, VF, Myskin, AA, and Zhuravel', LA. 1975 Relationship between Crimean hemorrhagic fever (CHF) incidence rate and adult *H. plumbeum* Panz. tick numbers and meteorological conditions (from the data on Rostov Oblast). Tezisy Konf. Vop. Med. Virus. (Moscow, Oct 1975)(In Russian)(In English, NAMRU3-T989) 540-541
- Kondratenko, VF, Shevchenko, SF, Perelato, VD, Badalov, ME, Ionov, SS, Semenov, MY, Romanova, VA, Lobanov, VV, and Tekut'ev, IV. 1970 Two year experiment on application of chemical campaign method against ixodid ticks in Crimean hemorrhagic fever focus of Rostov Oblast. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970)(In Russian)(In English, NAMRU3-T550). 157-162
- Kondratenko, VF. 1976 Importance of Ixodid ticks in transmission and preservation of Crimean hemorrhagic fever agent in infection foci. (In Russian)(In English, NAMRU3-T1116). Parazitologiya. 10 297-302
- Kondratenko, VF. 1978 Factors determining *Hyalomma plumbeum* Panz. tick numbers and their effect on the Crimean hemorrhagic fever morbidity level. (In Russian)(In English, NAMRU3-T1763). Med. Parazit., Moskva. 47(1) 15-20
- Kordova, N, and Rehacek, J. 1964 Acta virol. 8 465
- Korolev, MB, Donets, MA, and Chumakov, MB. 1975 Electron microscope study of Crimean hemorrhagic fever virus in brains of infected mice and in pig kidney cell cultures. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). (In Russian)(In English, NAMRU3-T1001). 302-303
- Korolev, MB, Donets, MA, Rubin, SG, and Chumakov, MP. 1976 Morphology and morphogenesis of Crimean hemorrhagic fever virus. Arch. Virol. 50 169-172
- Korschunova, OS, and Piontkovskaya, SP. 1953 On natural infection by rickettsiae of *Hyalomma plumbeum plumbeum* tick. Symposiums. Questions on regional, general, experimental parasitology and medical zoology. 8
- Korshunova, OS, and Petrova-Piontkovskaya, SP. 1949 On the virus isolated from the ticks *Hyalomma marginatum marginatum*. Koch. (In Russian)(In English, NAMRU3-T793). Zool. Zh. 28 186-187
- Krasil'nikov, IV, and Donets, MA. 1975 Determination of the size and molecular weight of Crimean hemorrhagic fever virus virions. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). (In Russian)(In English, NAMRU3-T987). 309-310

- Kratz, W. 1940 Die Zeckengattung *Hyalomma*. Zeitschr. Parasitenk. 11(4) 510-562
- Krylov, MV. 1965 The development of *Nuttallia tadzhikistanica* Krylov and Zanina, 1962 in the tick *Hyalomma anatolicum*. Acta Protozool. 3 369-382
- Kuchin, V.V. Karinskaya, G.A. & Badalov, M.E. 1970 Antigenic relationships of Crimean hemorrhagic fever virus strains isolated in different years. In: (Chumakov, M.P., ed.) Crimean Hemorrhagic fever. Mater. 3. Oblast. Nauch-Prakt. Konf. (Rostov-na-Donu, May, 1970) 1 37-41
- Kuchin, V.V. & Butenko, A.M. 1970 Contribution to the question of antigenic interrelationships of Crimean hemorrhagic (CHF) virus strains isolated in Rostov, Astrakhan Oblasts of the USSR, and Bulgaria. In: Chumakov, M.P (ed.) Crimean Hemorrhagic Fever Mater. 3. Oblast. Nauch-Prakt. Konf. (Rostov-na-Donu, May, 1970) 1 41-44
- Kuchin, VV, Yanovich, TD, Butenko, AM, and Kirsanova, KS. 1970 Serological examination for antibodies to Crimean hemorrhagic fever virus in domestic animals of Rostov Oblast. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian)(In English, NAMRU3-T531). 61-64
- Kuima, AU. 1971 The host range and phenology of *Hyalomma anatolicum* Koch development in hemorrhagic fever foci of Dangara region, Tadzhikistan. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T831). 19 204-209
- Kuima, AU. 1975 Some characteristics of distribution and numbers of Crimean hemorrhagic fever vectors in Southern Tadzhikistan. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975)(In Russian)(In English, NAMRU3-T1002). pp310-311
- Kuima, AU. 1975 Ixodidae of wild mammals in Crimean hemorrhagic fever foci of Southern Tadzhikistan. Mater. 9. Simp. Ekol. Virus. (Dushanbe, October 1975). (In Russian)(In English, NAMRU3-T1134). pp70-72
- Kuima, AU. 1975 The role of birds as ixodid tick hosts in the zone of CHF foci of southern Tadzhikistan. Mater. 9. Simp. Ekol. Virus. (Dushanbe, October, 1975). (In Russian)(In English, NAMRU3-T1135). pp73-75
- Kurchatov, V.I. 1939 Biological peculiarity of the tick *Hyalomma marginatum* Koch, vector of equine piroplasmosis Sovetsk. Vet. 16 45-46
- L'vov, D.K. 1974 The role of birds in transportation and survival of arboviruses. Med. Parazitol. Parazit. Bolezni 43: 473-80
- L'vov, D.K. Sidorova, G.A., Gromashevsky, V.L., Kurbanov, M., Skvortsova, T.M., Gofman, Yu. P., Berezhina, L.K., Klimenko, S.M., Zakharyan, V.A., Aristova, V.A., & Neronov, V.M. 1976 Virus "Tamdy"-a new arbovirus, isolated in the Uzbek S.S.R. and Turkmen S.S.R. from ticks *Hyalomma asiaticum asiaticum* Schulze et Schlottke, 1929 and *Hyalomma plumbeum plumbeum* Panzer, 1796. Arch. Virol. 51: 15-21

- Laptev, VI. 1960 The experimental infection rate of nymphs of *Hae maphysalis neumanni* with *Theileria sergenti* and of *Hyalomma anatolicum* with *Theileria annulata*. Trud. Vsesoyuz Inst. Exs p. Vet. 27 80-82
- Lawrence, JA, and Norval, RAI. 1979 Rhod. vet. J. 10 28-40
- Lazarev, VN, Lazarev, AN, and Badalov, ME. 1970 Crimean hemorrhagic fever in children. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian)(In English, NAMRU3-T543). ppl21-127
- Lazarev, VN, Reunova, NM, Manukyan, NS, Badalov, ME, and Koreneva, GD. 1970 Certain clinical laboratory features of Crimean Hemorrhagic fever in Rostov Oblast. Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). (In Russian)(In English, NAMRU3-T542). 115-121
- Lazarev, VN. 1969 Therapy of patients ill with Crimean hemorrhagic fever with the sera of convalescents. Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1969). (In Russian)(In English, NAMRU3-T849). 2 142-143
- Lazarev, VN. 1974 Some features of the clinical picture of Crimean hemorrhagic fever in Rostov Region. Tr. Inst. Polio. Virus n. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T937). 22 155-161
- Leahy, MG, Hajkova, Z, and Bouchalova, J. 1981 Two female pheromones in the metastriate tick *Hyalomma dromedarii* (Acarina, Ixodidae). Acta Entomol. Bohem. 78 224-230
- Lee, VH, and Kemp, GE. 1970 Congo virus: experimental infection of *Hyalomma rufipes* and transmission to a calf. Bull. Entomol. Soc. Niger. 2 133-135
- Leonovich, SA. 1976 The tarsal gland of Ixodid Ticks (Ixodidae). (In Russian)(In English, NAMRU3-T1182). Parazitologiya, Leningrad. 10(5) 457-458
- Leonovich, SA. 1981 Occurrence of a sex pheromone in the Ixodid tick *Hyalomma asiaticum* (Ixodidae). (In Russian)(In English, NAMRU3-T1496). Parazitologiya, Leningrad. 15(2). 150-156
- Leschinskaya, E.V. Butenko, A.M., Karinskaya, G.A., Martynenko, I. N., Rubin, S.G., Stolbov, D.N., Zimina, Yu. V., Derbedeneva, M.P., Chumakov, M.P. 1969 Results of clinical-epidemiological and serological examination of healthy persons in foci of Crimean-hemorrhagic fever. Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov 2: 143-44
- Leshchinskaya, EV, and Chumakov, MP. 1965 Comparative study of Crimean hemorrhagic fever in different endemic foci of similar diseases in Central Asia. In: Endemicheskie viusnye infektsii (Gemorragicheskaya likhoradka, Omskaya s pochechnym sindromom, Krymskaya gemorragicheskaya likhoradka, etc. Sborn. Tрудy Inst. Polio. Virus. Entsef. Akad. Med. Nauk SSSR, 7 315-323
- Leshchinskaya, EV, and Martinenko, IN. 1970 Certain questions of CHF therapy. In: Crimean-hemorrhagic fever (Chumakov, MP. Ed.). Mater. 3 Oblast. Nauch. Prakt. Konf. (Rostov-na-Donu, May, 1970) 111-115
- Leshchinskaya, EV. 1964 Clinical features of hemorrhagic fever of Crimean type in Astrakhan Oblast. Mater. 11. Nauchn. Sess.

Inst. Polio. Virus. Entsefalitov. (In Russian)(In English, NAMRU3-T166). 266-268

Leshchinskaya, EV. 1964 Differential diagnosis of hemorrhagic fever of the Crimean type. Mater. 11. Nauchn. Sess. Inst. polio. Virus. Entsefalitov. (In Russian)(In English, NAMRU3-T168). 268-279

Leshchinskaya, EV. 1965 Clinical picture of Crimean hemorrhagic fever (CCHF). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR 7. (In Russian)(In English, NAMRU3-T856). 226-236

Leshchinskaya, EV. 1967 Crimean hemorrhagic fever. Jpn. J. Med. Sci. Biol. 20 143-150

Leshchinskaya, EV. 1967 Clinical aspects of Crimean hemorrhagic fever. (In Russian). Sov. Med. 30 74-78

Leshchinskaya, EV. 1967 Clinical picture of Crimean hemorrhagic fever and its comparison with hemorrhagic fevers of other types. (Avtoref. Diss. Soisk. Uchen. Step. Dokt. Med. Nauk). Akademiya Meditsinskikh Nauk SSSR, Moscow. 42p. (In Russian)(In English, NAMRU3-T1180).

Leshchinskaya, EV. 1968 Comparative analysis of clinical symptoms of hemorrhagic fever accompanied by hepatic syndrome and Crimean hemorrhagic fever. Abstr. Rev. 8. Int. Congr. Trop. Med. Malar. (Tehran September 1968). (In Russian)(In English, NAMRU3-T764). 846-847

Leshchinskaya, EV. 1973 Clinical course and treatment of Crimean hemorrhagic fever (CCHF). (In Russian)(In English, NAMRU3-T819). Med. Sestra 32 6-8

Leshchinskaya, EV. and Butenko, AM. 1971 Comparison of clinical and laboratory data in Crimean hemorrhagic fever. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. (In Russian)(In English, NAMRU3-T961). 19 140-145

Levi, V. 1972 Seasonal activity of the ticks of the family Ixodidae in focus of Crimean hemorrhagic fever in Pazarkjick Region. Suvrem. Med. 23: 44-50

Levi, V. 1973 Distribution and seasonal activity in the preimaginal phases of the ixodid ticks in a focus of hemorrhagic fever (Crimean type). Proc. 3 Int. Congr. Acarol. 3 609-13

Levi, V. Vasilenko, S. 1972 Study on the Crimean hemorrhagic fever (CHF) virus transmission mechanisms in Hyalomma pl. plumbeum ticks. Epidemiol. Mikrobiol. Infekts. Boles. 9: 182-85

Lisogorsky, VG, Badalov, ME, and Karinskaya, GA. 1970 Hemorrhagic fever in Kamensky region. In: Crimean Hemorrhagic Fever (Chumakov, MP, ed.). (In Russian)(In English, NAMRU3-T535). Mater. 3. Oblast. Nauch.-Prakt. Konf. (Rostov-na-Donu, May, 1970). 79-83

Lotorsky, BV. 1945 Data on fauna and biology of the superfamily Ixodidea in the Gissar Valley of Tadzhikistan in relation to the development of prophylactic measures against piroplasmosis. Trud. Tadzhik. Fil. Akad. Nauk USSR. 14

Lysunkina, V.A. Khozinsky, V.I. 1952 The reaction of complement fixation by brain antigen in hemorrhagic fever. p. 96-100 Hemorrhagic Fever in Uzbekistan (Khodukin, N. I., ed.) 1 96-100

- MacLeod, J. 1970 Bull. Ent. Res. 60 253-274
- MacLeod, J, and Mwanaumo, B. 1978 Bull. Entomol. Res. 68 409-429
- MacLeod, J. 1975 Oecologia. 19 359-370
- Maklygin, MV, and Alekseyev, AN. 1960 Changes of gas exchange in *Hyalomma asiaticum* in relation to environmental conditions. (In Russian; English summary). Zool. Zh. 39 297-299
- Martynenko, IN, and Badalov, MB. 1970 Condition of peripheral blood in persons vaccinated against Crimean Hemorrhagic Fever. In: Crimean Hemorrhagic Fever (Chumakov, MP.ed). (In Russian) (In English, NMARU3-T548). Mater. 3. Oblast. Nauch.-Prakt. Konf. (Rostov-na-Donu, May, 1970) 146-149
- Maslennikov, I.I. Sorochinsky, V.V. 1970 Study of Crimean hemorrhagic fever in Belaya Kalitva Region of Rostov Oblast (1963-1969) Mater. 3. Oblast. Nauchn. Prakt. Konf. 1: 88-89
- Matevosyan, K. Sh. Semashko, I.V., Marutyan, E.M., Rubin, S.G. & Chumakov, M.P. 1974 Discovery of Crimean hemorrhagic fever virus in *Hyalomma plumbeum plumbeum*, *Hyalomma anatolicum*, *Rhipicephalus bursa*, *Boophilus calacartus* ticks in the Armenian SSR. Tr. Inst. Polio Virusn. Entsefalitov Akad. Med. Nauk S SR 22: 169-72
- Matevosyan, K. Sh. Semashko, I. V., Rubin, S.G., & Chumakov, M.P. 1974 Antibody for Crimean hemorrhagic fever virus in human and cattle blood sera in the Armenian SSR. Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSR 22: 173-75
- Matson, BA, and Norval, RAI. 1977 The seasonal occurrence of adult Ixodid ticks on cattle on a Rhodesian Highveld farm. Rhod. Vet. J. 8 2-6
- Mayer, C.F. 1952 Epidemic hemorrhagic fever of the Far East (EHF) or endemic hemorrhagic nephrosonephritis; morphology and pathogenesis. Lab. Invest. 1: 291-311 EHF
- Mazlum, Z. 1968 *Hyalomma asiaticum asiaticum* Schulze and Schlottke 1929. Its distribution, hosts, seasonal activity, life cycle, and role in transmission of bovine Theileriosis in Iran. Acarologia 10(3) 437-442
- Meliev, A. 1967 Contribution to epidemiology of hemorrhagic fever in Uzbekistan. (In Russian)(In English, NAMRU3-T413) Zh. Mikrobiol., Moskva. 44(12) 93-97
- Michell, WL, Groenewald, JJ, Van Eeden, PJ, Swanepoel, R, Sheperd, AE, Leman, PA, and Sheperd, SP. 1985 Crimean hemorrhagic fever -- Republic of South Africa. 34(7) pp94-101
- Milnac, F, and Oswald, B. 1936 Preliminary studies on the poisonous properties of the species of ticks occurring in Jugoslavia. 1. *Hyalomma aegyptium* L. (Neum.). Jugosl. Vet. Glasn. 1 415-421
- Milyutin VN, Butenko, AM, Artyushenko, AA, Bliznichenko, AG, Zavadova, TI, Zarubina, LV, Novikova, SG, Rubin, SG, Chernyshev, NI, and Chumakov, MP. 1969 Experimental infection of horses with Crimean hemorrhagic fever virus. Report 1. Clinical observations. Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1969) (In Russian)(In English, NAMRU3-T851). 2 145-146

- Milyutin, VN, Blagoveshchenskaya, NM, Bliznichenko, AG, Butenko, A M, Buryakov, BG, Vishnivetskaya, LK, Gabrilovich, AB, Zarubina, LV, Kondratenko, VF, Kochar'yan, ON, Lukatos, EA, Artushenko, AA, Novikova, EM, Rabinovich, VD, Sogolaev, AM, and Chumakov, MP. 1970 Hyperimmune gamma-globulin for prophylactic measures and treatment of Crimean hemorrhagic fever. (In Russian)(In English, NMARU3-T549). In: Crimean-hemorrhagic Fever. (Chumakov, MP Ed.) Mater. 3. Oblast. Nauch.-Prakt. Konf. 150-156
- Mitchell, C.J. Hoogstraal, H., G.B. Schaller, & Juan Spillet 1966 Ectoparasites from mammals in Kanha national park, Madhya Pradesh, India, and their potential disease relationships J. Med. Entomol. 3 113-124
- Mitov, A, and Neklyudov, M. 1952 First published record of CCHF in Bulgaria. (In Bulgarian).[Quoted by Donchev et al. 1967]
- Monath, TP. 1977 The arenaviruses: Lassa fever, An emerging public health problem in Africa. In Gear, JHS. (Ed.). Medicine in a tropical environment. Proceedings of the International Symposium South Africa/1976. Publ for the SA Med. Res. Coun. Cape Town AA Balkema Rot
- Moreau, RE. 1972 The Palaearctic-African bird migration systems. Academic Press, London & New York. 384pp.
- Morel, PC, and Graber, M. 1961 Les tiques des animaux domestiques du Tchad. Institut d'elevage et de medecine veterinaire des pays tropicaux. XIV(2) 199-203
- Morel, PC. 1980 Study on Ethiopian ticks (Acarida, Ixodida). Institut d'Elevage et de Medecine Veterinaire des pays Tropicaux, Maisons-Alfort.
- Morel, PC. 1958 Les tiques des animaux domestiques de l'Afrique-Occidentale Francaise. Rev. Elev. Med. vet. Pays Trop. 11(2) 153-189
- Moskalets, ND. 1967 On the question of zonal-vertical distribution of Ixodid ticks (Ixodoidea) in Transcarpathian Oblast USSR. (In Russian)(In English, NM.AMRU3-T225). Tezisy Dokl. Nauch. Konf. Ukrain. Respub. Nauch. Obshch. Parasit., Izd. "Naukova Dumka", Kiev. 362-364
- Moussa, MI, Imam, IZ, Converse, JD, and El-Karamany, RM. 1974 Isolation of Matruh virus from Hyalomma marginatum ticks in Egypt. J. Egypt. Public Health Assoc. 49 341-348
- Musabayev, IK. 1961 Some peculiarities of hemorrhagic fever in Uzbekistan. Med. Zh. Uzbek. Uzbek Publishing house of Medical Literature. (UZMEDGIZ), Tashkent. 8 62-65
- Musatov, VA. 1965 On the question on immunity against Ixodid ticks. (In Russian)(In English, NAMRU3-T1519). Trudy Velikorussk. Sel.-Khoz. Inst. 5 168-174
- Musatov, VA. 1966 Chemical composition of Ixodid body during different feeding conditions on animals. (In Russian)(In English, NAMRU3-T516). Tezisy Dokl. 1. Akarol. Soveshch. 137-138
- Neitz, WO. 1959 Sweating sickness: The present state of our knowledge. Onderstepoort J. Vet. Res. 28(1) 3-38
- Neitz, WO. 1954 J. S. Afr. vet. med. ass. 25 19-20

- Neklyudov, M. 1952 A case of hemorrhagic fever (Crimea). (In Bulgarian). *Suvrem. Med.* 5 92-95
- Neumann, LG. 1911 *Ixodidae, Das Tierreich.*
- Neumann, LG. 1901 *Mem. Soc. Zool. France.* 14 249
- Neveu-Lemaire, M. Freres, V. (Eds.) 1938 *Traite d'Entomologie Medicale et Veterinaire.* Paris
- Nikiforov, LP, Gromashevsky, VL, and Veselovskaya, OV. 1973 Isolation of Crimean Hemorrhagic fever virus in Azerbaijan. (In Russian)(In English, NAMRU3-T742). *Sb. Tr. Ekol. Virus.* 1 125-126
- Nikol'sky, SN, and Meshcheryakova, VD. 1964 Epizootology of *Theileria sergenti*. (In Russian)(In English, NAMRU3-T305). *Veterinariya* 41(10) 39-40
- Norval, RAI, and Short, NJ. 1979 *Rhod. vet. J.* 10 88-91
- Norval, RAI. 1982 The ticks of Zimbabwe. IV. The genus *Hyalomma* *Zimbabwe Vet. J.* 13 1/2
- Nuorteva, P, and Hoogstraal, H. 1963 The incidence of ticks (Ixodoidea, Ixodidae) on migratory birds arriving in Finland during the spring of 1962. *Ann. Med. Exp. Biol. Fenn.* 41 457-468
- Nuttall, GHF. 1914 *Parasitology* 6 68
- O'Farrell, WR. 1913 Hereditary infection, with special reference to its occurrence in *Hyalomma aegyptium* infected with *Crithidia hyalommae*. *Ann. trop. Med. Parasit.* 7 545-556
- Obukhova, VR, Gupta, NP, Klisenko, GA, Gaidamovich, SY, Gosh, SN, and Myasnenko, AM. 1975 Antibodies to viruses of the CHF-Congo group in sera collected in India. (In Russian)(In English, NAMRU3-T1138). *Sb. Tr. Inst. Virus. imeni. D.I. Ivanovsky, Akad. Med. Nauk SSSR.* 2 77-81
- Olenev, NO 1931 The parasitic ticks, Ixodoidea, of the fauna of the USSR. (In Russian) *Tabl. anal. Faune URSS* 4 125pp
- Olenev, NO. 1931 Die Zecken (Ixodoidea) der fauna Russlands. *Zeitschr. Parasitenk.* 4(1) 126-139
- Olenev, NO. 1931 *Parasitenk* 4 126
- Olenev, NO. 1931 *Mag. Paras. Zool. Acad. Scien. URSS.* 2 249
- Oliver, JH. 1972 Cytogenetics of ticks (Acari: Ixodoidea). 8. Chromosomes of six species of Egyptian *Hyalomma* (Ixodidae). *J. Parasit.* 58(3) 611-613
- Osipova, NZ, Karas' FR, Vargina, SG, and Grebenyuk, YI. 1975 Ectoparasites of wild animals in Crimean hemorrhagic fever natural focus of Southern Kirgizia. In: Protsenko, AI., ed., *Entomological investigations in Kirgizia.* Izd. "Ilim," Frunze. (In Russian)(In English, NAMRU3-T1164). 124-125
- Pak, TP, Daniyarlov, OA, and Kasymov, KT. 1971 Transovarial transmission of Crimean hemorrhagic fever virus in ticks. Report. 1. Contribution to the infection method of *Hyalomma anatolicum* ticks with Crimean hemorrhagic fever virus. *Mater. Konf. Itog. Nauchno Issled. Rab. Dushan. Inst. Epidem. Gig. (Dushanbe, 1970).* (In Russian).

- Pak, TP, Daniyarov, OA, Kostyukov, MA, Bulychev, VP, and Kuima, AU. 1974 Biocenotic interrelationships between Crimean hemorrhagic fever, Ixodid ticks, and their hosts. Report. 1. Results from virological in Tadzhik SSR. (In Russian)(In English, NAMRU3-T783). Sb. Tr. Inst. Virus. imeni D.I. Ivanovsky, Akad. Med. Nauk SSSR. 2 135-139
- Pak, TP, Daniyarov, OA, Kostyukov, MA, Bulychev, VP, Kuima, AU. 1974 Ecology of Crimean hemorrhagic fever in Tadzhikistan. (In Russian). (In English, NAMRU3-T968). Mater. Resp. Simp. Kamenyuki "Belovezh. Puscha" (Minsk, September 1974) 93-94
- Pak, TP, Kuima, UA, and Bratushchak, VN. 1971 Contact of the population with ticks in a region endemic for Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T984). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 221-223
- Pak, TP, Mikhailova, LI, and Zykov, MF. 1975 Contact infections with Crimean hemorrhagic fever in Tadzhik SSR. (In Russian)(In English, NAMRU3-T1020). Sov. Med. 1 153-154
- Pak, TP, Smirnova, SE, Zgurskaya, GN, Yasinsky, AV, Berdyev, KB, Apostoli, LA, Karovkin, VP, Feldman, EM, Derlyatko, KI, Golovko, EN, Makhmudov, RK, and Chumakov, MP. 1971 Results of a serological survey of Crimean hemorrhagic fever in Tadzhik SSR in 1969. (In Russian)(In English, NAMRU3-T936). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 72-79
- Pak, TP, and Mikhailova, LI. 1973 Crimean hemorrhagic fever in Tadzhikistan. Izd. "Irfon", Dushanbe. 154pp. (In Russian). (In English, NAMRU3-T1000).
- Pak, TP, and Pashkov, VA. 1974 Criteria for epidemiological assessment of a locality for Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T782). Sb. Tr. Ekol. Virus. 2 129-135
- Pak, TP. 1972 Epidemiological zonation of Crimean hemorrhagic fever in Tadzhik SSR. (In Russian)(In English, NAMRU3-T615). Zh. Mikrobiol. Epidemiol. Immunobiol. 49 112-116
- Pak, TP. 1973 Problems of Ecology of Crimean hemorrhagic fever in the Tadzhik SSR.(In Russian)(In English, NAMRU3-T725). Sb. Tr. Ekol. Virus. 1 91-100
- Pak, TP. 1975 Contribution to the question on the development of Crimean hemorrhagic fever noso-distribution area. Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975).(In Russian)(In English, NAMRU3-T1007). 336-337
- Pak, TP. 1975 Seasonal circulation dynamics of Crimean hemorrhagic fever virus in Tadzhikistan. Mater. 9. Simp. Ekol. Virus. (Dushanbe, October 1975). (In Russian)(In English, NAMRU3-T1126). 35-37
- Pak, TP. 1975 Structure of the distribution area of Crimean hemorrhagic fever in Tadzhikistan. Mater. 9. Simp. Ekol. Virus. (Dushanbe, October, 1975). (In Russian, In English, NAMRU3-T1131). 39-43
- Pak, TP. 1976 Division of Tadzhik SSR into landscape-endemic regions with Crimean hemorrhagic fever. Tezisy Dokl. 9. Vses. Konf. Prirod. Ochag. Bolez. Chelov. Zhivot. (Omsk, May 1966). (In Russian).(In English, NAMRU3-T1176). 129

- Papadopoulos, O, and Koptopoulos, G. 1978 Isolation of Crimean-Congo hemorrhagic fever (CCHF) virus from *Rhipicephalus bursa* ticks in Greece. (In Greek, English summary). *Acta. Microbiol. Hell.* 23 20-28.
- Pavlovsky, EN, and Alfeeva, SP. 1949 Comparative pathology of mammal skin bitten by ticks. Effect of the bite of ticks of the genus *Hyalomma* on the skin of a bull, cow, goat, and dog. (In Russian)(In English, NAMRU3-T454). *Izv. Akad. Nauk SSSR, s. Biol.*, 6 709-715
- Pavri, KM, Anandaraajah, M, Hermon, YE, Nayar, M, Wikramsinghe, M R, and Dandawate, CN. 1976 Isolation of Wanowrie virus from the brain of a fatal human case from Sri Lanka. *Indian J. Med. Res.* 64(4). 557-561
- Pchelkina, AA, and Talyzin, FF. 1949 On the toxic action of the salivary glands of *Hyalomma asiaticum* P. Sch. and Schl. tick. *Izvest. Akad. Nauk SSSR, s. Biol.* 6
- Pegram, RG, Hoogstraal, H, and Wassef, HY. 1982 *Hyalomma* (*Hyalomma*) *arabica* sp.n. parasitizing goats and sheep in the Yemen Arab Republic and Saudi Arabia. *J. Parasit.* 68. 150-156.
- Perelatos, VD, Birulya, NB, and Zalutskaya, LI. 1970 Interrelationships between the human population and vectors in the Rostov Oblast Crimean hemorrhagic fever focus. (In Russian)(In English, NAMRU3-T539). *Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970).* 92-97
- Perelatos, VD, Butenko, AM, Vostokova, KK, Donets, MA, Kataitseva, TV, Alekseev-Malakhov, AG, and Durov, VI. 1972 Ecological association between Crimean hemorrhagic fever virus and ixodid hosts in Rostov Oblast and Krasnodar Region. (In Russian)(In English, NAMRU3-T1065). *Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Virus. Zaboлев.* 357.
- Perelatos, VD, Kuchin, VV, Donets, MA, Zarubina, LV, Kondratenko, VF, Blagoveschenskaya, NM, Vostokova, KK, Novikova, LD, and Novikova, EM. 1972 Results of experimental infection of European hares with Crimean hemorrhagic fever virus. (In Russian)(In English, NAMRU3-T1063). *Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zaboлев.* (Moscow, Oct 1972) 354-55
- Perelatos, VD, Leshchinskaya, EV, Chumakov, MP, Birulya, NB, and Zalutskaya, LI. 1965 On epidemiology of Crimean hemorrhagic fever in Rostov Region. (In Russian)(In English, NAMRU3-T371). *Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR.* 7 279-287
- Perelatos, VD, Leshchinskaya, EV, Vasyuta, YS, Lang, NN, Petrovsky, PY, and Chumakov, MP. 1964 Incidence of Crimean hemorrhagic fever (CHF) in Rostov Oblast. (In Russian)(In English, NAMRU3-T174). *Mater. 11. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov.* 283-284
- Perelatos, VD, and Chumakov, IV. 1967 Contribution to the ecology of *Hyalomma plumbeum* ticks in the Donets Crimean hemorrhagic fever focus. (In Russian)(In English, NAMRU3-T422). *Med. Parazitol. Bolezni* 36 356-358

- Perelato, VD, and Vostokova, KK. 1971 Epidemiology of Crimean hemorrhagic fever in Rostov Region. (In Russian)(In English, NAMRU3-T924). Tr. Inst. Polio. Virusn. Ensefalitov Akad. Med. Nauk SSSR. 19 174-179
- Perelato, VD, and Lazarev, VN. 1965 What is essential about hemorrhagic fever. Rostov Oblast Sanitary Information House. (In Russian)(In English, NAMRU3-T182). 3-28
- Perelato, VD. 1970 Characteristics of the Crimean hemorrhagic fever natural focus in Rostov Oblast. In: Crimean hemorrhagic fever (Chumakov, MP. ed.). Mater. 3. Oblast. Nauch.-Prakt. Konf. (Rostov-na-Donu, May, 1970). (In Russian)(In English, NAMRU3-T534). 73-79
- Perelato, VD. 1964 Hemorrhagic fever in Rostov Oblast. (In Russian). Zh. Mikrobiol. Moskva. 41(12) 117-118
- Pervomaiskii, GS. 1949 Zool. Zh. 28 523
- Pervomaisky, GS, and Maklygin, MV. 1959 Activity of attachment of *Hyalomma asiticum asiaticum* P. Sch. et E. Schl. ticks under laboratory conditions. (In Russian)(In English, NAMRU3-T313). Zool. Zh. 38(3) 394-400
- Pervomaisky, GS. 1954 Variation in pasture ticks (Acarina, Ixodidae) and its significance for systematics. (In Russian)(In English, NAMRU3-T5) (Summary) Trud. vsesoyuz. ent. Obshch. 44 62-201
- Petrishcheva, PA. 1954 Bloodsucking insects and ticks in the Karakum and their medical importance in the rehabilitation of deserts. (In Russian)(In English, NAMRU3-T58). Zool. Zhur. 33(2) 243-268
- Petrov, VG. 1966 Ixodid ticks and gamasid mites as vectors of the tularemia infection agent. (In Russian)(In English, NAMRU3-T424). Tezisy Dokl. 1. Akarol. Soveshch. 155-156
- Petrova-Piontkovskaya, SP 1947 Materials on the biology and ecology of *Hyalomma marginatum marginatum* Koch in the northwest reservoir reservoir of the Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T864). Nov. Med. 5 21-24
- Petrova-Piontkovskaya, SP 1949 *Hyalomma marginatum marginatum* Koch as vector of rickettsia. (In Russian)(In English, NAMRU3-T40). Zool. Zh. 28 419-420
- Petrova-Piontkovskaya, SP 1950 Influence of agriculture on the population of *Hyalomma marginatum marginatum* Koch in the areas of the field protection plantations. (In Russian). Zool. Zh. 29 297-300
- Petunin, FA. 1966 Bioecology of ixodid ticks-theoretical basis of their destruction. (In Russian)(In English, NAMRU3-T427). Tezisy Dokl. 1. Akarol. Soveshch. 158
- Philip, CB, Hoogstraal, H, Reiss-Gutfreund, RJ, and Clifford, CM. 1966 Evidence of Rickettsial disease agents in ticks from Ethiopian cattle. Bull. Wld. Hlth. Org. 35(2). 127-131.
- Philip, CB. 1963 Recent advances in knowledge of tick-associated rickettsia-like organisms. J. Egypt. Pub. Hlth. Assoc. 38(2) 61-100

- Piontkovskaya, SP. 1949 The tick *Hyalomma marginatum marginatum* Koch as a transmitter of rickettsia. (In Russian)(In English, NAMRU3-T40). Zool. Zh. 28(5) 410-420
- Pirtulin, PI. 1954 On the transmission of brucellosis by pasture ticks. (In Russian)(In English, NAMRU3-T44). Veterinariya. 31(7) 31-33
- Podboronov, VM. 1982 Study of biological activity of lysozymes of different origin. (In Russian)(In English, NAMRU3-T1745). Antibiotiki. 27(10) 770-774
- Pokrovsky, SN, and Perelato, VD, Popov, GM, Birulya, NB, and Zaituskaya, LI. 1964 Hemorrhagic fever in Rostov Oblast. (Abstracts of papers of the 11th. Scientific Conference of the Institute of Poliomyelitis and Encephalitides). In: Tick-borne encephalitis, Kemerovo tick-borne, hemorrhagic fevers, and other arbovirus infections. Mosc (In Russian)(In English, NAMRU3-T173) 282-283
- Pomerantzev, BI, Matkashvili, NV, and Lotoskii, BV. 1940 An ecological and faunistic outline of Ixodidae ticks occurring in Transcaucasia. (In Russian)(In English, NAMRU3-T51). Parasitology. Sborn. Zool. Inst. Acad. Nauk. SSSR. (Leningrad) 7 100-133
- Pomerantzev, BI. 1950 Ixodidae. Fauna of the USSR. (In Russian). 4(2) 224pp
- Pomerantzev, BI. 1948 On the structure and organization of ixodoidea (Acarina, Parasitiformes). (In Russian)(In English, NAMRU3-T55). Parasitological Symposium, Zool. Inst. Acad. Sci. USSR. 9 13-38
- Pomerantzev, BI. 1950 Arachnida: Ixodid Ticks (Ixodidae) in Fauna of the USSR. Eds. Pavlovski and Schtackelberg. Translation available from The Institute of Acarology, Dept. of Zoology, University of Maryland. USA.
- Pomerantzev, BI. 1946 Tableaux analytiques Faune URSS. Publ. Ins. Zool. Acad. Science.
- Popov, GV, Levi, VD, Vasilenko, SM, and Chumakov, MP. 1973 Application of Fluorescent antibody method (FAM) in the isolation of Crimean hemorrhagic fever virus from ticks, the vectors of the disease. Proc. 3. Int. Congr. Acarol. (Prague, August-September 1971). 615-618
- Popov, GV, Zavadova, TI, and Semashko, IV. 1975 Electron microscopy of tissue cultures and the brain of newborn white mice infected with Crimean hemorrhagic fever virus. (In Russian)(In English, NAMRU3-T1008). Tezisy Konf. Vop. Med. Virus. (Moscow, October, 1975). 345-346
- Popov, GV. 1971 Immunofluorescent and electron-microscopic investigations of Crimean hemorrhagic fever virus with application of comparative investigations of model viruses. (In Russian)(In English, NAMRU3-T1185). Avtoref. Dokt. Diss., Moscow. 4 lpp.
- Popov, VD, and Zavadova, TI. 1975 morphology of the virus of Crimean hemorrhagic fever (Congo virus). Int. Virol., Abstr. 3. Int. Virol. (Madrid, September 1975). 3 257
- Popova, AS, Sokolova, AA and Chernonog, NF. 1966 Distribution of ticks of the superfamily Ixodoidea in Muzum - Kum landscapes. Tezisy Dokl. 1. Acarol. Soveshch. 162-163

- Pospelova-Shtrom, EI. 1953 Biological observations of the Tick Hyalomma yakimovi Olen. under laboratory conditions. (Livestock Pests) Sborn. Akad. Nauk. USSR 195-234
- Pospelova-Shtrom, MV. 1935 On the ticks of wild animals of Tadzhikistan. Tadzhikistan Expedition of 1932. (In Russian)(In English, NAMRU3-T56). Publ. Acad. Sci. USSR. (Issue of works of expedition). 115-134
- Povalashina, TP. 1964 Utilization of cartographic method for study of a focus of Crimean Hemorrhagic Fever (Abstracts of papers of the 11th Conference of the Institute of Poliomyelitis and Encephalitis). (In Russian)(In English, NAMRU3-T175). In: Tickborne encephalitis, Kemerovo tickborne fever, hemorrhagic fevers, and other arbovirus infections. 285-286
- Povalishina, TP, Stolbov, DN, Zimina, YV, Egorova, PS, Berezin, V V, and Butenko, AM. 1964 Parasitological information on foci of incidence of Crimean type hemorrhagic fever in Astrakhan Oblast. (In Russian)(In English, NAMRU3-T169). Mater. 11. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov. 271-274
- Povalishina, TP, Zimina, YV, Egorova, PS, Berezin, VV, Stolbov, DN, Ivanova, NA. 1964 Landscape characteristics of foci of Crimean hemorrhagic fever in Astrakhan Oblast. (In Russian)(In English, NAMRU3-T172). Mater. 11. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov. 278-281
- Povalishina, TP. 1964 Utilization of the cartographic method for a study of a focus of hemorrhagic fever of Crimean type. (In Russian)(In English, NAMRU3-T175). Mater. 11. Sess. Inst. Polio. Virus. Entsefalitov. 285-286
- Povalyshina, TP. Stolbov, DN, Zimina, YuV, Egorov, PS, Berezin, V V and Butenko, AM. 1964 Parasitological information on foci of incidence of Crimean type hemorrhagic fever in Astrakhan Oblast. (Abstracts of papers of the 11th Scientific Conference of the Institute of poliomyelitis and Encephalitis). (In Russian)(In English, NAMRU3-T169). In: Tick-borne encephalitis, Kemerovo tick-borne fever, Hemorrhagic fevers and other arbovirus infections. 271-274
- Primakov, SV. 1971 A case of Crimean hemorrhagic fever in Voroshilovgrad Region. (In Russian) (In English, NAMRU3-T796). Vrach. Delo 12 130-131
- Primakov, SV. 1971 A case of Crimean hemorrhagic fever in Voroshilovgrad Oblast. (In Russian)(In English, NAMRU3-T796). Vrach. Delo 12 130-131
- Proreshnaya, TL, and Rapoport, LP. 1963 Study of natural foci of tick rickettsiosis in southwestern Kirgizia. (In Russian)(In English, NAMRU3-T131). J. Microbiol. Moscow. 40(12) 56-60
- Rabinovich, VD, Blagoveshchenskaya, NM, Butenko, AM, Zarubina, LV, Kondratenko, VF, and Milyutin, VN. 1970 Virological and serological examination of wild animals and birds in the Rostov Oblast Crimean hemorrhagic fever focus. (In Russian) (In English, NAMRU3-T525). Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). 35-37
- Rabinovich, VD, Milyutin, VV, Artyushenko, AA, Buryakov, BG, and Chumakov, MP. 1972 Possibility of extracting hyperimmune gammaglobulin against CHF from donkey blood sera. (In Russian)(In English, NAMRU3-T1177). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabolev. (Moscow, Oct 1972) 350-351

- Rapoport, LP, Mamontov, SI, and Dobritsa, PG. 1976 Crimean hemorrhagic fever foci in Chimkent Oblast. (In Russian) (In English. NAMRU3-T117). Tezisy Dokl. 9. Vses. Konf. Prirod. Ochag. Bolez. Chelov. Zhivot. (Omsk, May 1976). 129-130
- Rechav, Y, Whitehead, GB, and Terry, SB. 1978 The effect of some organophosphorus acaricides and the time of application on larvae of common ticks in the Eastern cape of South Africa. J. S. Afr. Vet. Assoc. 49(2) 99-101
- Rechav, Y, and Oppenheim, J. 1969 Feeding and fertilizing capacity in male ticks of the species *Hyalomma excavatum* (Koch 1844) Ref. Vet. 26 71-74
- Rechav, Y. 1968 The effect of delayed mating on feeding time and oviposition in *Hyalomma excavatum* (Koch) with a note on parthenogenesis. Refu Vet. 25 172-178
- Rehacek, J. 1965 Preparation of tissue cultures from the tick *Hyalomma dromedarii*. Koch. J. Med. Ent. 2(2) 161-164
- Reiss-Gutfreund, RJ. 1961 Bull. Soc. Path. exot., 54 284
- Reiss-Gutfreund, RJ. 1956 Un nouveau reservoir de virus pour *Rickettsia prowazekii*: Les animaux domestiques et leurs tiques. Bulletin de la societe de Pathologie exotique. 49 946-1021
- Reiss-Gutfreund, RJ. 1961 Nouveaux isolements de *Rickettsia prowazekii* a partir d'animaux domestiques et de tiques. Bulletin de la societe de pathologie exotique. 54 284-297
- Reshetnyak, VZ. Pakhomova, NG, Liutov, NF, and Skripkina, NA. 1956 *Hyalomma scupense* P. Sch. -- Vector of the agent of bovine babesiosis. Veterinariia, Moskova. 32 39-40
- Robinson, LE. 1926 Ticks, a monograph of the Ixodidae, Part IV, The genus *Amblyomma*.
- Robson, J, Robb, JM, Hawa, NJ, and Al-Wahayyib, T. 1969 Ticks (Ixodoidea) of domestic animals in Iraq. Part 6. distribution. J. Med. Ent. 6(2) 125-127
- Robson, J, Robb, JM, Hawa, NJ, and Al-Wahayyib, T. 1969 Ticks (Ixodoidea) of domestic animals in Iraq. Part 7. Seasonal incidence on cattle, sheep and goats in the Tigris-Euphrates valley plain. J. Med. Ent. 6(2) 127-130
- Robson, J, Robb, JM, and Hawa, NJ. 1969 Ticks (Ixodoidea) of domestic animals in Iraq. Part 5. Infestations in the Liwas of Diwaniya and Nasiriya (spring), Karbala (winter), and Hilla (autumn and winter). J. Med. Ent. 6(2) 120-124
- Robson, J, Robb, JM, and Hawa, NJ. 1968 Ticks (Ixodoidea) of domestic animals in Iraq. Part 3. Autumn infestations in the Liwas of Kut, Amara and Basra; winter and summer infestations in the Liwa of Baghdad. J. Med. Ent. 5(2) 257-261
- Robson, J, Robb, JM, and Al-Wahayyib, T. 1968 Ticks (Ixodoidea) of domestic animals in Iraq. Part 2: Summer infestations in the Liwas of Hilla, Karbala, Diwaniya and Nasiriya. J. Med. Ent. 5(1) 27-31
- Robson, J, Robb, JM, and Hawa, NJ. 1968 Ticks (Ixodoidea) of domestic animals in Iraq. Part 4. A comparison of infestations in winter and early summer in the Liwa of Mosul. J. Med. Ent. 5(2) 261-264

- Robson, J, and Robb, JM. 1967 Ticks (Ixodoidea) of domestic animals in Iraq. Spring and early summer infestations in the Liwas of Baghdad, Kut, Amara, and Basra. J. Med. Ent. 4(3) 289-293
- Rosen, L. 1978 Hemorrhagic fevers: in Human diseases caused by viruses: recent developments. Eds. Rothschild, H, Allison, Jr F, and Howe, C. Chapman, CF. New York, Oxford University Press.
- Rosicky, B, and Daniel, M. 1978 Contribution to the problem of including ixodid ticks transported by migratory birds into new biocenoses. (In Russian)(In English, NAMRU3-T1700). Dokl. Simpoz. Transkont. Svyazi Pereletn. Ptits Rol' v Raspr. Arbovirus. (Novosibirsk, July-Aug. 1976). 206-208
- Rubin, SG, Butenko, AM, Zavodova, TI, Karinskaya, SE, Tkachenko, EA, and Chumakov, MP. 1970 Improvement and application of brain and culture antigens of CHF and Congo viruses for serological investigations. (In Russian)(In English, NAMRU3-T523). In: Crimean hemorrhagic fever. (Chumakov, MP. ed.) Mater. 3. Oblast. Nauch.-Prakt. Konf. (Rostov-na-donu, May, 1970). 25-29
- Rubina, M, Hadani, A, and Ziv, M. 1982 The life cycle of the tick *Hyalomma anatolicum excavatum* Koch, 1844, maintained under field conditions in Israel. Rev. Elev. Med. vet. Pays. trop. 35(3) 255-264
- Ruser, M. 1933 Contribution to knowledge of the chitin and musculature of ticks (Ixodoidea). (In Russian)(In English NAMRU3-T22). Z. Morph. Okol. Tier. 27(2) 199-261
- Rybalko, SI, Pankina, MV, Kannegiser, NI, and Burlakova, TS. 1963 Hemorrhagic fever in southern localities of Kazakhstan. (Abstract). (In Russian)(In English, NAMRU3-T154). Med. Parasit. Moscow. 5
- Saidi, S, Casals, J, Faghih, MA. 1975 Crimean hemorrhagic fever-Congo (CHF-C) virus antibodies in man, and in domestic and small mammals, in Iran. Am. J. Trop. Med. Hyg. 24 353-357
- Samson, K. 1909 Zur Spermischistrogenese der Zecken. S. Ber. Ges. Naturforsch. Freunde. 8 486-499
- Sanborn, CC, and Hoogstraal, H. 1953 Some mammals of Yemen and their ectoparasites. Fieldiana Zoology 34(23) 229-252
- Santos Dias, JAT. 1956 Sobre a necessidade do estabelecimento de um novo agrupamento subgenerico para o genero *Hyalomma* Koch, 1844 (Acarina, Ixodoidea). Ann. Inst. Med. Trop. Lisboa 12(3) 449-461
- Schuler, E. 1979 Untersuchungen zur Wirksamkeit und zur Übertragungsrolle verschiedener beim Rind vorkommender Zecken der Gattung *Hyalomma*. 46pp Inaug. Diss. (Doct. Med. Vet., Tierärztliche Hochschule Hannover
- Schulze, P, and Schlottke, E. 1927 Sitzber. u. Abhandl. naturf. Gesell. Rostock. 2 32
- Schulze, P, and Schlottke, E. 1930 Bestimmungstabellen für das Zeckengenus *Hyalomma* Koch s. str. (Separate published 1929, journal published 1930). SB Ges. Naturf. Rostock. 3(2) 32-46

- Schulze, P. 1919 Bestimmungstabelle für das Zeckengenus Hyalomma Koch. S.B. Gesnaturf. Fr. Berl. 5-6 189-196
- Schulze, P. 1935 Acarina, Ixodoidea. In: Wiss Erg. Niederla. Expe d. Karakorum Zool., Leipzig.
- Schulze, P. 1919 Sitzgsber. Ges. Natur. Fr. Berlin. 5 189
- Schulze, P. 1936 Zool. Anzeiger. 114 187
- Schulze, P. 1942 Über die Hautsinnesorgane der Zecken, besonders über eine bisher unbekannte Art von Arthropodensinnesorganen, die Krobylophoren. (About the tactile organs of ticks, especially about a hitherto unknown species of arthropod tactile organs, the Krobylophora Zeit. für Morph. und Okol. der Tiere. 38(2) 379-419
- Semashko, IV, Chumakov, MP, Bannova, GG, Ismailova, ST, Berezin, VV, Bernshtein, AD, Reshetnikov, IA, and Khankishiev. 1972 Isolation and study of CCHF virus strain K-618 from Hyalomma pl. plumbeum ticks collected in Azerbaijan SSR. (In Russian)(In English, NAMRU3-T1077). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabolev .(Moscow, Oct 1972) 373
- Semashko, IV, Chumakov, MP, Karapetyan, RM, Vorob'ev, AG, Zavadov a, TI, Matevosyan, KS, and Nersesyan, MA. 1974 First isolation of the CHF virus in Armenia from the blood of the patient with Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T1029). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 22 25-28
- Semashko, IV, Chumakov, MP, and Matevosyan, KS. 1974 Production of CHF-Congo virus group plaques (colonies) in piglet kidney tissue culture. (In Russian)(In English, NAMRU3-T935). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 22 165-168
- Semashko, IV, Chumakov, MP, Matevosyan, KS, Safarov, RK, Marutyan, EM, Postoyan, SR, Karapetyan, RM, Bashkirtsev, VN, Tkachenko, EA, and Chunikhin, SP. 1975 Results from the 1972-1974 works on isolation and investigation of CHF-Congo, Dhori, and Bhanja viruses in Azerbaijan and Armenia. (In Russian)(In English, NAMRU3-T1010). Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). 354-355
- Semashko, IV, Chumakov, MP, Safarov, RI, Tkachenko, EA, Bashkirtsev, VN, and Chunikhin, SP. 1975 Isolation and identification of Crimean hemorrhagic fever and Dhori-Astra virus strains from Hyalomma plumbeum ticks collected in the Azerbaijan SSR. (In Russian)(In English, NAMRU3-T1031). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR 22 57-60
- Semashko, IV, Dobrista, PG, Bashkirtsev, VN, and Chumakov, MP. 1975 Results from investigating blood sera from healthy persons, animals, and birds collected in southern Kazakhstan for antibodies to CHF-Congo virus. (In Russian)(In English, NAMRU3-T1128). Mater. 9. Simp. Ekol. Virus. (Dushanbe, October 1975). 43-44
- Semashko, IV, Shalunova, NV, Varmyshcheva, VY, and Chumakov, MP. 1965 Isolation and reproduction of a few Crimean hemorrhagic fever virus strains in tissue culture using the fluorescent antibody technique for virus study. (In Russian)(In English, NAMRU3-T814). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 7 215-225

- Semashko, LL. 1961 House and tree sparrows as carriers of ticks in Turkmenia. Part 2. (In Russian)(In English, NAMRU3-T93). Zool. Zh. 40(7) 1070-1078
- Senevet, G. 1922 Arch. Inst. Pasteur Afr. Nord. 2 392
- Senevet, G. 1928 Arch. Inst. Pasteur Algerie. 6 35
- Serdyukova, GC. 1956 Ixodid ticks of the fauna of USSR. (In Russian). Opred. Faune SSSR No. 64. 122pp. Moscow: Zool. Inst. Akad. Nauk SSR.
- Serdyukova, GV. 1945 Local mass reproduction of ticks *Hyalomma anatolicum anatolicum* Koch in Tadzhikistan and their causes. Bull. Tadzhik Branch Acad. Sci. USSR. 6 60-63
- Serdyukova, GV. 1946 On the cycle of development of the tick *Hyalomma anatolicum* (Koch). (In Russian). Izv. Akad. Nauk SSSR Ser. Biol. 2-3 199-202
- Serdyukova, GV. 1956 Key to *Hyalomma* ticks of Russia. (In Russian)(In English NAMRU3-T2). Opred. Faune SSSR Zool. Inst. Akad. Nauk SSSR. 64 79-84
- Serdyukova, GV. 1955 On the question of differential characteristics of larvae and nymphs of Ixodidae. (In Russian)(In English NAMRU3-T18). Zool. Zhurnal. 34(5) 1037-1051
- Serzhanov, OS, Sabillaev, AS, Borovsky, SG, Sokolova, TYu, and Karabalaev, DK. 1966 Contribution to the ecology of ixodid ticks of rodents in Kara-Kalpak ASSR. (In Russian)(In English NAMRU3-T429). Tezisy Dokl. 1. Akad. Sovesh. 186
- Shalunova, NV, Semashko, IV, and Chumakov, MP. 1965 Plaque formation of CHF virus in tissue cultures. (In Russian)(In English, NAMRU3-T813). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 7 209-214
- Shanmugam, D, Smirnova, SE, and Chumakov, MP. 1976 Presence of an antibody to arboviruses of the Crimean haemorrhagic fever-Congo (CHF-Congo) group in human beings and domestic animals in India. Indian J. Med. Res. 64 1403-1413
- Shanmugam, D, Smirnova, SE, and Chumakov, MP. 1973 Detection of antibodies to CHF-Congo viruses in human and domestic animal blood sera in India. (In Russian). Trudy Inst Polio Virus Entsefalitov Akad Med Nauk SSSR 21(2) 149-152
- Sharma, GP, and Joneja, MC. 1960 Centromere in the sex-chromosome of the males of *Hyalomma aegyptium* and *Rhipicephalus sanguineus* (Acarina: Ixodidae). Curr. Sci. 29 437-438
- Shatas, YA, and Bystrova, NA. 1954 Role of ixodid ticks in maintenance of natural foci of tularemia. (In Russian)(In English, NAMRU3-T84). Zh. Mikrobiol. Epidemiol. Immunobiol. 6 55-61
- Shcherbinin, IV, and Shcherbinina, GS. 1957 A rare case of Ixodid localisation in a human. (In Russian)(In English, NAMRU3-T248). Med. Parasit. Moscow. 26(Supl 1) 61
- Shcherbinina, OK. 1971 Bird hosts of *Hyalomma plumbeum* (Panzer) ticks in Turkmenia. (In Russian)(In English, NAMRU3-T588). Izv. Akad. Nauk Turkm. SSR, s. Biol. Nauk. 5 54-57

- Shevchenko, SF, Bul'ba, NP, and Turchinov, GA. 1970 Contribution to the study of effect of effect of acaricides on certain Ixodid ticks species. Report 2. Effect of acaracidal properties on unfed adult *Hyalomma plumbeum* Panzer in experimental conditions. (In Russian)(In English, NAMRU3-T551). Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). 162-173
- Shevchenko, SF, Shiranovich, PI, Bul'ba, NP, Solodovnikova, KV, and Tartanova, TM. 1970 Effect of repellants on *Hyalomma plumbeum* Panz. on ticks. In Crimean hemorrhagic fever (Chumakov, MP. Ed.). (In Russian)(In English, NAMRU3-T552). Mater. 3 Oblast. Nauchn.-Prakt. Konf. (Rostov-na-Donu, May, 1970). 174-180
- Shiryaev, DT. Shevchenko, SF, Tokarev, SA, and Orekhova, IM. 1966 Experimental study of *Hyalomma plumbeum plumbeum* Panz. and *Haemaphysalis punctata* Can. and Fanz. ticks as tularemia vectors. Med. Parazit. Moscow. 35(3) 305-309
- Shiyanov, AT. 1953 To the question on epizootology of haemosporidiosis of cattle in Kirgiz. SSR. Trud. Prizhival'sk. Univ. G. M. Dimitrov, Inst. 2
- Simpson, DIH, Knight, EM, Courtois, G, Williams, MC, Weinbren, MP, and Kibukamusoke, JW. 1967 Congo virus: a hitherto undescribed virus occurring in Africa. Part 1. Human isolations-clinical notes. East Africa Med. J. 44 87-92
- Simpson, DIH, Williams, MC, Woodall, JP. 1965 Four cases of human infection with the Congo agent. Rep. E. Afr. Virus Res. Inst. (1963-64). 14 27-28
- Skvortsova, TM, Gromashevsky, VL, Sidorova, GA, Khutoretskaya, NV, Aristova, VA, Kondrashina, NG, Polyakova, AN, Muradov, ShM, Belousov, EM, and Kurchenko, FP. 1982 Results of virological investigation of arthropod vectors in the territory of Turkmenia. (In Russian)(In English, NAMRU3-T1664). Sborn. Nauch. Trud. Inst. Virus. imeni DI Ivanovsky, Akad. Med. Nauk SSSR. 139-144
- Smirnova, SE, Daniyarov, OA, Zgurskaya, GN, Kasymov, KT, Pavlovich, AN, Pak, TP, Chumakov, MP, and Yasinsky, AV. 1971 Serological examination of people and animals for antibodies to Crimean hemorrhagic fever virus in the Tadzhik SSR, 1968. (In Russian)(In English, NAMRU3-T964). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 66-71
- Smirnova, SE, Genis, DE, Zgurskaya, GN, and Chumakov, MP. 1972 Isolation of CHF virus from the blood of a patient in Kzyl-Ordinsk Oblast, Kazakh SSR. (In Russian)(In English, NAMRU3-T1076). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabolev. (Moscow, Oct 1972) 372
- Smirnova, SE, Nepesova, NM, Tachmuradov, G, Kir'yanova, AM, and Chumakov, MP. 1971 Materials on the study of Crimean hemorrhagic fever in the Turkmen SSR. (In Russian)(In English, NAMRU3-T804). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 86-91
- Smirnova, SE, Shalunova, NV, and Mart'yanova, LI. 1968 Study of Samarkand and Rostov viral strains of the Crimean hemorrhagic fever type. (In Russian)(In English, NAMRU3-T868). Mater. 15. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (October 1968). 3 96-97

- Smirnova, SE, Shanmugam, D, Nepesova, NM, Filipenko, PI, Mamaev, VI, and Chumakov, MP. 1974 Isolation of Crimean hemorrhagic fever virus from *Hyalomma asiaticum* ticks collected in the Turkmenian SSR. (In Russian)(In English, NAMRU3-T940). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 22 176-179
- Smirnova, SE, Zgurskaya, GN, Genis, DE, and Chumakov, MP. 1971 Isolation of Crimean hemorrhagic fever virus from *Hyalomma asiaticum* ticks collected in Kzylorda Region of the Kazakh SSR. (In Russian)(In English, NAMRU3-T951). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 41-44
- Smirnova, SE, Zgurskaya, GN, Nepesova, NM, Pak, TP, Chumakov, MP, and Chunikhin, SP. 1969 Examination of animal blood supplies in Central Asia for antibodies to Crimean hemorrhagic fever virus (CHF). (In Russian)(In English, NAMRU3-T820). Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1969). 2 146-147
- Smirnova, SE, Zubri, GL, Savinov, AP, and Chumakov, MP. 1973 Pathogenesis of experimental Crimean hemorrhagic fever infection in newborn white mice. Acta Virol. (Eng. ed.) 17 409-415
- Smirnova, SE, and Chumakov, MP. 1972 Comparative study of CHF and Congo virus strains. (In Russian)(In English, NAMRU3-T1052). Tezisy 17. Nauchn. Sess. Inst. posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zaboiev. (Moscow, Oct 1972) 340-341
- Smirnova, SE, and Chumakov, MP. 1975 Study of the distribution area of arboviruses of the CHF-Congo-Hazara group. (In Russian)(In English, NAMRU3-T988). Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). 356-357
- Snow, KR, and Arthur, DR. 1966 Oviposition in *Hyalomma anatolicum anatolicum* (Koch, 1844) (Ixodidae: Ixodidae). Parasitology 56 555-568
- Snow, KR. 1970 The quantity of blood imbibed by *Hyalomma anatolicum anatolicum* Koch, 1844 (Ixodidae, Ixodidae). Parasitology 60 53-60
- Sokolov, AA, Chumakov, MP, and Kolachev, AA. (Eds.). 1945 Crimean hemorrhagic fever (acute infectious capillary toxicosis). Otd. Primorskoi Armii, Simferopol. (In Russian).
- Sokolov, II. 1958 Cytological studies of the development of the male germ cells in *Ornithodoros papillipes*. Rev. Entomol. USSR. 37 260-281
- Sokolov, II. 1954 The chromosome complex of mites and its importance for systematics and phylogeny. Trudy Leningr. Obshch. Estest. 72 124-159
- Starkov, OA, Kuima, AU, Panova, VV, and Kalmykov, FS. 1971 The species composition of Ixodid ticks and their hosts in foci of Crimean hemorrhagic fever in Tadzhikistan. (In Russian)(In English, NAMRU3-T963). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk. SSSR. 19 190-194
- Stefanov, SB, and Smirnova, SE. 1975 Morphometric differences in cell cultures infected with CHF, Congo and Hazara viruses. (In Russian)(In English, NAMRU3-T1196). Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). 359

- Stolbov, DN, Butenko, AM, Egorova, PS, Leshchinskaya, EV, and Chumakov, MP. 1965 Crimean hemorrhagic fever (CHF) in Astrakhan Oblast. (In Russian)(In English, NAMRU3-T604). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 7 271-278
- Suleiman, M, Muscat-Baron, JM, Harries, JR, et al 1980 Congo/Crimean hemorrhagic fever in Dubai; an outbreak at the Rashid Hospital. Lancet 2 pp939-41
- Suleiman, MNH, 1960 Congo-Crimean haemorrhagic fever in Dubai. An outbreak at the Rashid hospital. Lancet 8201 939-941
- Sureau, P, Cornet, JP, Germain, M, Camicas, JL, and Robin, Y. 1976 Enquete sur les arbovirus transmis par les tiques en Republique Centrafricaine (1973-1974). Isolement des virus Dugbe, CHF/Congo, Jos et Bhanja. Bull. Soc. Pathol. Exot. 69 28-33
- Swanepoel, R, Shepard, AJ, Erasmus, MJ, Van Rensburg, MPJ, et al. 1984 Congo-Crimean hemorrhagic fever - Republic of South Africa. 33(38) pp535-548
- Swanepoel, R, Struthers, JK, Shepard, AJ, McGillivray, GM, Nel, MJ, Jupp, PG. 1983 Crimean-hemorrhagic fever in South-Africa. Am. J. Trop. Med. Hyg. 32 ppl407-15
- Swanpoel, A. 1959 Tick Paralysis: Regional neurological involvement caused by Hyalomma truncatum. South African Medical Journal. 33 909-911
- Sweatman, GK, and Gregson, JD. 1970 Feeding electrograms of Hyalomma aegyptium ticks at different temperatures. J. Med. Entomol. 7 575-584
- Sweatman, GK. 1968 Temperature and humidity effects on the oviposition of Hyalomma aegyptium ticks of different engorgement weights. J. med. Ent. 5 429-439
- Tantawi, HH, 1980 Crimean-Congo Hemorrhagic fever. [In Arabic, in English NAMRU3 T1474]. Baghdad, Iraq: 103pp
- Tarasevich, IV. 1978 Agents of rickettsioses in the "rickettsiae-arthropods-mammals" parasitocenosis. (In Russian)(In English, NAMRU3-T1758). Mater. 1. Vses. S'ezda Parazit. Itogi Persp. Issled. Parazit. SSSR (Moscow, 1978), 175-186
- Tarasevich, IV. 1956 Hyalomma plumbeum plumbeum and Rhipicephalus turanicus ticks the reservoirs and vectors of R. burneti in Q fever focus in Crimea. Diss. Kand. M.
- Tatarskaya, GA, Reznikova, OY, Milyutin, VN, and Kukharchuk, ON. 1972 Investigation of Crimean hemorrhagic fever virus in human leukocyte cell culture. (In Russian)(In English, NAMRU3-T1075). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zaboiev. (Moscow, Oct 1972) 371
- Tekut'ev, IV, Lobanov, VV, and Ferel'atov, VD. 1970 Hemorrhagic fever in Krasnyy-Sulin region. In: Crimean hemorrhagic fever (Chumakov, MP. ed.). Mater. 3. Oblast. Nauch.-Prakt. Konf. (Rostov-na-Donu, May, 1970). In Russian)(In English, NAMRU3-T536). 83-86
- Temirbekov, ZT, Dobritsa, PG, Kontaruk, VM, Vainshtein, EK, Marushchak, ON, Dobritsa, MA, and Shvets, MY. 1971 Investigation of Crimean hemorrhagic fever in Chimkent Region of the Kazak

- h SSR. (In Russian)(In English, NAMRU3-T949). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 160-166
- Tendeiro, J. 1956 Sobre alguns ixodideos dos generos Hyalomma C.L. Koch 1844 e Apbomma Neumann 1899. Bol. Cult. Guine Port. 10(39 319-461
- Ter-vartanov, VN, Gusev, VN, Bakeev, NN, Labunets, NF, Guseva, AA, and Reznik, PA. 1954 On the question of transmission of malarial ectoparasites by birds. (In Russian)(In English, NAMRU3-T52). Zool Zhur. 33(5) 1116-1125
- Theiler, G, and Robinson, BN. 1954 Tick survey VIII.-Checklists of ticks recorded from the Belgian Congo and Ruanda Urundi, from Angola, and from Northern Rhodesia. Onderstepoort J. of Vet. Res. 26(3) 447-461
- Theiler, G. 1962 The Ixodoidea parasites of vertebrates in Africa south of the Sahara (Ethiopian Region). Rep. Dir. Vet. Serv., Onderstepoort S 9958
- Theiler, G. 1956 Zoological survey of the Union of South Africa. Tick Survey Part IX. The distribution of the three South African Hyalommas or bontpoots. The Onderstepoort J. of Vet. Res. 27(2) 239-269
- Theiler, G. 1969 The biology and control of ticks in Southern Africa. Proc. Symp. held from 1st. to 3rd. July, 1969 at Rhodes University, Grahamstown. 17-36
- Timofeev, EM, Grebenyuk, YI, Karas', FR, Osipova, NZ, and Tsirkin, YM. 1972 Characteristics of CHF natural foci in southeastern Osh Oblast, Kirgiz SSR. (In Russian)(In English, NAMRU3-T670). Mater. Simp. Itogi 6. Simp. Izuch. Virus. Ekol. Svyazn. Ptits. (Omsk, December 1971). 103-108
- Timoshek, GM, and Kantorovich, RA. 1969 Clinical-cytogenetic investigation test of Crimean hemorrhagic fever. In: Arboviruses, Ed. Chumakov, MP. (In Russian)(In English, NAMRU3-T852). Mater. 16. Nauch. Sess. Inst. Polio. Virus. Entsef. (Moscow, October 1969). 2 149-151
- Tkachenko, BA, Butenko, AM, Butenko, SA, Zavodova, TI, and Chumakov, MP. 1970 Characteristics of prophylactic vaccine against CHF. (In Russian)(In English, NAMRU3-T546). In: Crimean Hemorrhagic Fever (Chumakov, MP ed.). Mater. 3. Oblast. Nauch.-Prakt. Konf. (Rostov-na-Donu, May, 1970). 136-138
- Tkachenko, EA, Butenko, AM, Badalov, ME, and Chumakov, MP. 1972 Results of remote revaccination against Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T1058). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabolev. (Moscow, Oct 1972) 349
- Tkachenko, EA, Butenko, AM, Badalov, ML, Zavodova, TI, and Chumakov, MP. 1971 Investigation of the immunogenic activity of killed brain vaccine against Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T931). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 119-129
- Tkachenko, EA, Butenko, AM, Butenko, SA, Zavodova, TI, and Chumakov, MP. 1970 Characteristics of prophylactic vaccine against Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T546). Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May 1970). 136-138

- Tkachenko, EA, Khanun, K, and Berezin, VV. 1969 Serological investigation of human and animal sera in agar gel diffusion and precipitation (AGDP) test for the presence of antibodies of Crimean hemorrhagic fever and Grand Arbaud Viruses. (In Russian)(In English, NAMRU3-T620). Mater. 16. Nauchn. Sess. Inst. Polio. Virus. Entsefalitov (Moscow, October 1969). 2 265
- Todorov, T, Dzhankov, I, and Lekov, Z. 1966 Epidemiological significance of the tick *Hyalomma plumbeum* (Panz.) in Bulgaria. (In Bulgarian, Russian and English summaries). Vet. Med. Nauk 1 3 961-969
- Tonelli-Rondelli, M. 1932 Atti d. Soc. Ital. di Sc. Nat. 71 119
- Travassos Santos Dias 1958 Notas Ixodologicas V Acerca de alguns ixodideos do Museu de Hamburgo. Seperata de Memorias e Estudos do Museu Zoologico da Universidade de Coimbra. 253 1-32
- Travassos Santos Dias, JA 1962 Contribuicao ao estudo da fauna do Afganistao. 65. Novos dados Ixodologicos. Separata de Memorias e Estudos do Museu Zoologico da Universidade de Coimbra. 275 5-11
- Travassos Santos Dias, JA 1961 Nova Contribuicao para o conhecimento da ixodofauna Angolana. Carracas colhidas por uma missao de estudo do museu de Hamburgo. Seperata dos Anais dos Servicos de Veterinaria. 9 80-98
- Travassos Santos Dias, JA 1963 Contribuicao para o estudo da sistematica dos Acaros da subordem Ixodoidea Banks, 1894. I Familia Ixodidae Murray, 1877. Separata de Memoria e Estudos do Museu Zoologico da Universidade de Coimbra. 285 1-34
- Tsilinsky, YY, Lebedev, AD, Pak, TP, Gromashevsky, VL, Timofeev, EM, Ershov, FI, Tsirkin, YM, and L'vov, DK. 1972 Isolation of Crimean haemorrhagic fever (CHF) virus from *Hyalomma plumbeum* ticks in Tadzhikistan. (In Russian)(In English, NAMRU3-T 665). Mater. Simp. Itogi 6. Simp. Izuch. Virus. Ekol. Svyazn. Ptits. (Omsk, December 1971). 94-97
- Tsirkin, YM, Karas', FR, Timofeev, EM, L'vov, DK, Gromashevsky, V L, Veselovskaya, OV, Osipova, NZ, Grebenyuk, YI, and Vargina, SG. 1972 Isolation of Crimean hemorrhagic fever virus (CHF) from *Hyalomma plumbeum* ticks in Kirgizia. (In Russian)(In English, NAMRU3-T661). Mater. Simp. Itogi 6. Simp. Izuch. Virus. Ekol. Svyazan. Ptits. (Omsk, December 1971). 98-102
- Tsvileneva, VA. 1961 Loose connective tissue in Ixodid ticks. (In Russian)(In English, NAMRU3-T468). Arkh. Anat. Gistol. Embriol. 41(12) 79-88
- Tsvilineva, VA. 1959 Formed elements of the hemolymph in Ixodid ticks. (In Russian)(In English, NAMRU3-T176). Dokl. Akad. Nauk Tadzhik. SSR. 2(1) 45-51
- Tsyppkin, LB, Smirnova, SE, and Fleer, GP. 1972 Morphological investigation of white mouse embryo brain cell cultures infected with CHF virus. (In Russian)(In English, NAMRU3-T1089). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Probl. Virus. Profilakt. Virus. Zabolev. (Moscow, October 1972). 569-570
- Tsyppkin, LB, Smirnova, SE, and Fleer, GP. 1974 Morphological and immunofluorescence study of Crimean hemorrhagic fever virus interaction with white mouse embryo brain cell cultures. Acta Virol. (Engl. ed.). 18 264-267

- Tuzet, O. and Millot, J. 1937 Recherches sur la spermiogenese des Ixodes. Bull. Biol. France-Belg. 71 190-205
- Varma, MGR, and Wallers, W. 1965 An improved method for obtaining , in vitro, uniform cell monolayer sheets from tissues of the tick, *Hyalomma dromedarii* (Ixodidae). Nature 208 602-603
- Vashkov, VI, Poleshchuk, VD, Latyshev, VI, Gleiberman, SE, Stolbov, DN, Tsetlin, VM, and Zhuk, EB. 1972 Investigation of the effect of some acaracidal preparations and repellants on ticks *Hyalomma plumbeum plumbeum* Panzer. (In Russian)(In English, NAMRU3-T1080). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zaboiev. (Moscow, Oct 1972) 376-377
- Vashkov, VI, and Poleshchuk, VD. 1971 Measures for control of vectors of CHF-*Hyalomma plumbeum plumbeum* Panz. ticks. (In Russian)(In English, NAMRU3-T983). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 239-244
- Vasilenko, SM, Chumakov, MP, Butenko, AM, Smirnova, SE, Teokharova, M, and Popov, V. 1968 Contribution to the question of hemorrhagic fever (CHF) in Bulgaria. (In Russian)(In English, NAMRU3-T857). Mater. 15. Nauchn. Sess. Inst. Polio. Virusn. Entsefalitov (October 1968) 3 90-92
- Vasilenko, SM, Katsarov, MG, Kirov, I, Radev, M, and Arnaudov, G. 1972 Etiological diagnosis of Crimean hemorrhagic fever in Bulgaria. (In Russian)(In English, NAMRU3-T1049). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zaboiev. (Moscow, Oct 1972) 337
- Vasilenko, SM, Katsarov, G, Levi, V, Minev, G, Kovacheva, O, Genova, O, Arnaudov, G, Pandurov, S, Arnaudov, K, and Kutsarova, Y. 1972 Certain epidemiological characteristics of Crimean hemorrhagic fever (CHF) in Bulgaria. (In Russian)(In English, NAMRU3-T1050). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Zaboiev. (Moscow, October 1972). 338
- Vasilenko, SM, Katsarov, G, Mikhailov, A, Teokharova, M, Levi, V, Levi, S, Kebedzhiev, G, Kirov, ID, and Radev, M. 1971 Crimean hemorrhagic fever (CHF) in Bulgaria. (In Russian)(In English, NAMRU3-T943). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 100-111
- Vasilenko, SM, Kirov, ID, Katsarov, G, Mikhailov, A, Radev, M, Kebedzhiev, G, Levi, V, and Levi, S. 1970 Studies on the Crimean type haemorrhagic fever in Bulgaria. (In Bulgarian). Letop. Chig.-Epidem. Inst. 4 153-166
- Vasilenko, SM. 1973 Results of the investigation on etiology, epidemiologic features and the specific prophylactic of Crimean hemorrhagic fever (CHF) in Bulgaria. Abstr. Inv. Pap. 9. In t. Congr. Trop. Med. Malar. (Athens, October 1973). 1 32-33
- Vlasov, YaP, 1940 On the biology of *Hyalomma asiaticum* P. Sch. and Schl., (*Hyalomma dromedarii asiaticum*). (In Russian)(In English, NAMRU3-T213). Parasit. Sborn. Zool. Inst. Akad. Nauk USSR. 7 134-141
- Voinov, IN, Rytik, PG, Grigor'ev, AI, Samoiloiva, TI, and Parnyuk-Podol'skaya, VA. 1952 Study of ecological circulation cycles of Tyuleniy virus. (In Russian)(In English, NAMRU3-T1656). Sborn. Nauch. Trud. Inst. Virus. imeni DI Ivanovsky, Akad. Med. Nauk SSSR. 78-82

- Voltsit, OV. 1982 Review of arboviruses isolated from ixodid ticks in Afghanistan, Pakistan, and India. (In Russian)(In English, NAMRU3-T1659). Sborn. Nauch. Trud. Inst. Virus. imeni DI Ivanovsky, Akad. Med. Nauk SSSR. 111-119
- Walker, JB. 1977 Ticks and human disease in tropical Africa. in Medicine in a tropical environment. Proceedings of the International symposium South Africa/1976. Ed: Gear, JHS. Publ. SA Medical Council. Cape Town; AA Balkema Rotterdam.
- Walker, JB. 1974 The Ixodid ticks of Kenya. A review of present knowledge of their hosts and distribution. Commonw. Inst. Entomol. The Eastern Press Ltd., London and Reading.
- Warburton, C. 1918 Notes on ticks. Being descriptions of two new species of *Ornithodoros* and of the hitherto unknown female of *Hyalomma monstrosus*. Parasitology. 10 284-287
- Williams, RE, Hoogstraal, H, Casals, J, Kaiser, MN, and Moussa, M I. 1973 Isolation of Wadsworth, Thogoto, and Dhori viruses from *Hyalomma* ticks infesting camels in Egypt. J. Med. Entomol. 10 143-146.
- Wood, OL, Moussa, MI, Hoogstraal, H, and Buttiker, W. 1982 Kadam virus (Togaviridae, Flavivirus) infecting camel parasitizing *Hyalomma dromedarii* ticks in Saudi Arabia. J. Med. Ent. 19: In press
- Woodall, JP, Williams, MC, Simpson, DIH, Ardoin, P, Lule, M, and West, R. 1965 The Congo group of agents. Rep. E. Afr. Virus Res. Inst. (1963-1964). 14 34-36
- Woodall, JP, Williams, MC, Simpson, DI. 1967 Congo virus a hitherto undescribed virus occurring in Africa. II. Identification studies. E. Afr. Med. J. 44 pp93-8
- World Health Organization 1976 Viral hemorrhagic Fever. Weekly Epidemiol Rec. 51 261
- Yanovich, TD. 1970 Reports of the committee on coordinated study of prophylactic measures against Crimean hemorrhagic fever in Rostov Oblast. (In Russian)(In English, NAMRU3-T521). Mater. 3. Oblast. Nauchn. Prakt. Konf. (Rostov-on-Don, May, 1970) p. 3-6
- Yarovoi, LV. 1965 Clinico-epidemiological characteristics of hemorrhagic fever in Stavropol region. In Chumakov, MP. Ed. Endemic viral infections (Hemorrhagic fever with renal syndrome, Crimean Congo Hemorrhagic fever, Omsk hemorrhagic fever, and Astrakhan virus Sborn. Trud. Inst. Polio. Virus. Encefal. Akad. Nauk USSR. (Medicine, Moscow). 7 255-261
- Yeoman, GH, and Walker, JB. 1967 The Ixodid ticks of Tanzania. A study of the zoogeography of the Ixodidae of an East African Country. Commonw. Inst. Entomol., The Eastern Press Ltd., London and Reading.
- Yunker, CE, and Guirgis, S. 1970 Studies of rodent burrows and their ectoparasites in the Egyptian desert. 1. Environment and microenvironment; some factors influencing acarine distribution. J. Egypt. Pub. Hlth. Assoc. XLIV(5) 498-542
- Zarubinsky, VY, Klisenko, GA, Kuchin, VV, Timchenko, VV, and Shanyan, NK. 1975 Application of the indirect agglutination inhibition test for serological investigation of Crimean hemorrhagic fever focus in Rostov Oblast. (In Russian)(In English, NAMRU3-T1178). Sb. Tr. Inst. Virus. imeni. DI Ivanovsky, Akad. Med. Nauk SSSR 2 73-77

- Zarubinsky, VY, Kondratenko, VF, Blagoveshchenskaya, NM, Zarubina, LV, and Kuchin, VV. 1976 Susceptibility of calves and lambs to Crimean hemorrhagic fever virus. (In Russian)(In English, NAMRU3-T1178). Tezisy Dokl. 9. Vses. Konf. Prirod. Ochag. Bolez. Chelov. Zhivot. (Omsk, May 1976). 130-131
- Zavadova, TI, Butenko, AM, Tkachenko, EA, and Chumakov, MP. 1971 Properties of the neutralization test in Crimean hemorrhagic fever. (In Russian)(In English, NAMRU3-T926). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Med. Nauk SSSR. 19 61-65
- Zavadova, TI, Chumakov, MP, Butenko, AM, Tkachenko, EA, and Karmysheva, VY. 1969 Plaque formation in rodent-pathogenic strain of Crimean hemorrhagic fever (CHF) virus. (In Russian)(In English, NAMRU3-T843). Mater. 16. Nauchn. Sess. Inst. Polio. Virusn. Entsefalitov (Moscow, October 1969). 2 132-133
- Zeitlenok, NA, Vanag, KA, and Pille, ER. 1957 Cases of illness of the Crimean haemorrhagic fever type observed in the Astrakhan Oblast. Probl. Virol. USSR. 2 90-96
- Zgurskaya, GN, Berezin, VV, and Smirnova, SE. 1975 Threshold levels of blood infectiousness for Hyalomma p. plumbeum tick during viremia in hares and rabbits caused by CHF virus. (In Russian)(In English, NAMRU3-T997). Tezisy Konf. Vop. Med. Virus. 291-292
- Zgurskaya, GN, Berezin, VV, Smirnova, SE, and Chumakov, MP. 1971 Investigation of the question of Crimean hemorrhagic fever virus transmission and interepidemic survival in the tick Hyalomma plumbeum plumbeum Panzer. (In Russian)(In English, NAMRU3-T911). Tr. Inst. Polio. Virusn. Entsefalitov Akad. Nauk SSSR. 19 217-220
- Zgurskaya, GN, Chumakov, MP, and Smirnova, SE. 1975 Titration of antibodies to CHF virus in drops of cell suspensions from infected tissue cultures by the indirect immuno-fluorescence method. (In Russian)(In English, NAMRU3-T998). Tezisy Konf. Vop. Med. Virus. (Moscow, October 1975). 293
- Zgurskaya, GN, Popov, GV, Berezin, VV, Smirnova, SE, and Chumakov, MP. 1971 Application of fluorescent antibody method (FAM) in detecting CHF virus in tick vectors. (In Russian)(In English, NAMRU3-T509). Tezisy Dokl. Vop. Med. Virus. imeni Ivanovskiy, DI Akad. Med. Nauk SSSR (19-21 October) 2 135-136
- Zgurskaya, GN, Smirnova, SE, Berezin, VV, and Chumakov, MP. 1972 Investigation of susceptibility of Hyalomma p. plumbeum Panz. ticks to experimental infection with Crimean hemorrhagic fever (CHF) virus. (In Russian)(In English, NAMRU3-T1068). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabolev. (Moscow, Oct 1972) 360-362
- Zgurskaya, GN, Smirnova, SE, and Chumakov, MP. 1972 Immunofluorescent antibody technique (FAT) application to detect Crimean hemorrhagic fever (CHF) virus in naturally infected ticks. (In Russian)(In English, NAMRU3-T1069). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zabolev. (Moscow, Oct 1972) 362-363
- Zgurskaya, GN, and Chumakov, MP. 1977 Titration of antibodies to Crimean hemorrhagic fever virus in a drop from infected tissue culture suspension by the indirect immunofluorescence method. (In Russian)(In English, NAMRU3-T1289). Vopr. Virusol. 22 606-608

- Zhanseitova, MT, Shuratov, Ikh, Drobishchenko, NI, Chizhov, AV. 1982 Isolation of influenza viruses from bloodsucking arthropods in Kazakhstan. (In Russian)(In English, NAMRU3-T1667). Sborn. Nauch. Trud. Inst. Virus. imeni D.I. Ivanovsky, Akad. Med. Nauk SSSR. 154-159
- Zhmayeva, ZM, Mishchenko, NK, and Pchelkina, AA. 1956 Natural infection of *Hyalomma anatolicum* Koch with the agent of Q fever in Southern Kirgizia. Zh. Mikrobiol. Epidemiol. Epidemiol. Immunobiol. 11
- Zimina, YV, Birulya, NB, Berezin, VV, Zalutskaya, LI, Povalishina, TP, and Stolbov, DN. 1965 Materials on zoologico-parasitologic characteristics of Crimean hemorrhagic fever in Astrakhan Oblast. (In Russian)(In English, NAMRU3-T197). Tr. Oblast. Polio. Virusn. Ensefakitov Akad. Med. Nauk SSSR. 7 288-295
- Zimina, YuV, and Ivanova, NA. 1964 On the question of species composition and numbers of Ixodid ticks in foci of tick-borne hemorrhagic fever in Astrakhan Oblast. ((In Russian)(In English, NAMRU3-T170). In Tick-borne encephalitis, Kemerovo tick-borne fever, Hemorrhagic fevers, and 274-277
- Zolotarev, NA. 1955 The Ixodid tick fauna of domestic and wild animals in Dagestan and importance of transmission of haemosporeidiosis agents. Probl. Vet. Dermat. Arachno. Ent.
- Zubri, GL, Savinov, AP, Smirnova, SE, and Chumakov, MP. 1972 Histological and immunofluorescent investigations of newborn white mice infected with CHF virus. (In Russian)(In English, NAMRU3-T1056). Tezisy 17. Nauchn. Sess. Inst. Posvyashch. Aktual. Probl. Virus. Profilakt. Virus. Zaboiev. (Moscow, Oct 1972) 346-347
- Zvurskaya, GN, Popov, GV, Berezin, VV, Smirnova, SE, and Chumakov, MP. 1971 Application of fluorescent antibody method in detecting CHF virus in tick vectors. (In Russian)(In English, NAMRU3-T509). Tezisy Dokl. Vop. Med. Virus. imeni DI Ivanovskiy, Akad. Med. Nauk SSSR. (October 19-21) pt. 2. 135-136



DEPARTMENT OF THE ARMY
US ARMY MEDICAL RESEARCH AND MATERIEL COMMAND
504 SCOTT STREET
FORT DETRICK, MARYLAND 21702-5012

REPLY TO
ATTENTION OF:

MCMR-RMI-S (70-1y)

26 Jan 00

MEMORANDUM FOR Administrator, Defense Technical Information
Center, ATTN: DTIC-OCA, 8725 John J. Kingman
Road, Fort Belvoir, VA 22060-6218

SUBJECT: Request Change in Distribution Statement

1. The U.S. Army Medical Research and Materiel Command has
reexamined the need for the limitation assigned to technical
reports written for the following Awards.

DAMD17-86-C-6169	ADB116203
DAMD17-94-J-4056	ADB218947
DAMD17-94-J-4394	ADB220575
DAMD17-94-J-4358	ADB236080
DAMD17-94-J-4169	ADB236753
DAMD17-94-J-4049	ADB234453
DAMD17-94-J-4080	ADB218909
DAMD17-94-J-4080	ADB233428
DAMD17-94-J-4431	ADB220348
DAMD17-94-J-4335	ADB234557
DAMD17-94-J-4388	ADB218872
DAMD17-94-C-4081	ADB246577
DAMD17-94-J-4025	ADB238010
DAMD17-94-J-4080	ADB241898
MIPR 96MM6720	ADB240182
MIPR 96MM6720	ADB226818

Request the limited distribution statement for Accession Document
Numbers be changed to "Approved for public release; distribution
unlimited." These reports should be released to the National
Technical Information Service.

2. Point of contact for this request is Ms. Virginia Miller at
DSN 343-7327 or by email at virginia.miller@det.amedd.army.mil.

FOR THE COMMANDER:

PHYLLIS M. RINEHART
Deputy Chief of Staff for
Information Management